

Reference Materials



Contents

Chapter 1. Reference Materials.....	3	Host Code Page 1123 Ukraine.....	81
Keyboard layout and mapping reference:		Host Code Page 1130 Vietnam.....	82
Contents.....	3	Host Code Page 1132 Laos.....	84
Figures.....	4	Host Code Page 1137 India.....	85
Tables.....	4	Host Code Page 1140-1/695-1 Brazil, Canada, Netherlands, Portugal, U.S., and 1140/1175 Traditional Chinese.....	87
Keyboard Layouts.....	4	Host Code Page 1141-1/695-1 Austria, Germany.....	88
Keyboard Mapping.....	46	Host Code Page 1142-1/695-1 Denmark, Norway.....	90
Host code page reference.....	51	Host Code Page 1143-1/695-1 Finland, Sweden.....	91
Host Code Page 037-1/697-1 Brazil, Canada, Netherlands, Portugal, U.S., and 037/1175 Traditional Chinese.....	52	Host Code Page 1144-1/695-1 Italy.....	93
Host Code Page 273-1/697-1 Austria, Germany.....	53	Host Code Page 1145-1/695-1 Latin America, Spain.....	94
Host Code Page 275-1/697-1 Brazil.....	54	Host Code Page 1146-1/695-1 United Kingdom.....	95
Host Code Page 277-1/697-1 Denmark, Norway.....	56	Host Code Page 1147-1/695-1 France.....	97
Host Code Page 278-1/697-1 Finland, Sweden.....	57	Host Code Page 1148-1/695-1 International.....	98
Host Code Page 280-1/697-1 Italy.....	58	Host Code Page 1149-1/695-1 Iceland.....	100
Host Code Page 284-1/697-1 Latin America, Spain.....	59	Host Code Page 1153/1375 Latin 2 - EBCDIC Multilingual.....	101
Host Code Page 285-1/697-1 United Kingdom.....	60	Host Code Page 1154/1381 Cyrillic.....	103
Host Code Page 290/930 Japan (Katakana) Extended.....	61	Host Code Page 1155/1378 Latin 5 - Turkey.....	104
Host Code Page 297-1/697-1 France.....	62	Host Code Page 1156/1393 Latvia, Lithuania.....	106
Host Code Page 420 Arabic Bilingual.....	63	Host Code Page 1157/1391 Estonia.....	107
Host Code Page 424/941 Israel (Hebrew - Bulletin Code).....	64	Host Code Page 1158/1388 Ukraine.....	109
Host Code Page 500-1/697-1 International.....	65	Host Code Page 1160/1395 Thailand.....	110
Host Code Page 803 Israel (Hebrew - Old Code).....	66	Host Code Page 1164/1397 Vietnam.....	112
Host Code Page 833/1173 Hangeul.....	67		
Host Code Page 836/1174 Simplified Chinese.....	68		
Host Code Page 870/959 Latin 2 - EBCDIC Multilingual.....	69		
Host Code Page 871-1/697-1 Iceland.....	70		
Host Code Page 875 Greece.....	71		
Host Code Page 924-1/1353-1 International.....	73		
Host Code Page 1025/1150 Cyrillic.....	74		
Host Code Page 1026/1152 Latin 5 - Turkey.....	75		
Host Code Page 1027/939 Japan (Latin) Extended.....	76		
Host Code Page 1047/103 Latin 1 (Open Systems).....	78		
Host Code Page 1112/1035 Latvia, Lithuania.....	79		
Host Code Page 1122/1037 Estonia.....	80		

Chapter 1. Reference Materials

Keyboard Layout and Mapping Reference

Contents

[Figures on page 4](#)

[Tables on page 4](#)

Keyboard Layouts on page 4

- [Enhanced Keyboard, Microsoft Natural Keyboard \(3270 Only\) on page 4](#)
- [Enhanced Keyboard, Microsoft Natural Keyboard \(5250 Only\) on page 4](#)
- [Enhanced Keyboard, Microsoft Natural Keyboard \(Combined 3270 and 5250\) on page 4](#)
- [Enhanced Keyboard, Microsoft Natural Keyboard \(VT Keyboard Layout\) on page 4](#)
- [Enhanced Keyboard, Microsoft Natural Keyboard \(VT Local Edit Mode Only\) on page 4](#)
- [Space-Saving Keyboard \(3270 Only\) on page 4](#)
- [Space-Saving Keyboard \(5250 Only\) on page 4](#)
- [Space-Saving Keyboard \(Combined 3270 and 5250\) on page 4](#)
- [5576-001 \(3270 Only\) on page 4](#)
- [5576-001 \(5250 Only\) on page 4](#)
- [5576-001 \(Combined 3270 and 5250\) on page 4](#)
- [5576-A01 \(3270 Only\) on page 4](#)
- [5576-A01 Keyboard \(5250 Only\) on page 4](#)
- [5576-A01 Keyboard \(Combined 3270 and 5250\) on page 4](#)
- [5576-002/003 \(3270 Only\) on page 4](#)
- [5576-002/003 Keyboard \(5250 Only\) on page 4](#)
- [5576-002/003 Keyboard \(Combined 3270 and 5250\) on page 4](#)
- [APL Keyboard Layouts \(3270 only\) on page 4](#)

Keyboard Mapping on page 46

[Key Map for Home3270 on page 46](#)

Appendix A. Notices

Trademarks

[\[Top of Page on page 3 | Previous Page | Next Page on page 4 | Table of Contents on page 3 \]](#)

Keyboard Layout and Mapping Reference

Figures

1. [Shift Statuses for Function Keys on page 4](#)
2. [Type-1 APL Keyboard on page 4](#)
3. [Type-2 APL Keyboard on page 4](#)
4. [Type-3 APL Keyboard on page 4](#)
5. [Type-4 APL Keyboard on page 4](#)
6. [Common Control Code of Keyboard Core Segment for Non-Japanese Keyboard on page 46](#)
7. [Common Control Code of Keyboard Core Segment for Japanese Keyboard on page 46](#)
8. [Control-Code Map of Keyboard Core Segment for U.S. Enhanced Keyboard on page 46](#)

[\[Top of Page on page 4 | Previous Page on page 3 | Next Page on page 4 | Table of Contents on page 3 \]](#)

Keyboard Layout and Mapping Reference

Tables

1. [Key Combinations for Upper-Right and Lower-Right Characters on page 46](#)
2. [Local Edit Keys on page 46](#)
3. [Other Control Code Map of Key Segment B on page 46](#)

[\[Top of Page on page 4 | Previous Page on page 4 | Next Page on page 4 | Table of Contents on page 3 \]](#)

Keyboard Layout and Mapping Reference

Keyboard Layouts

This chapter describes U.S. keyboard layouts supported by the host system. The keyboards are selected during installation or customization procedures. You can use keyboard layouts to locate character positions on the keyboard.

Different characters can appear in different key positions, depending on the country language selected. The function keys located across the top of the keyboard are not shown. Shaded areas show keys that are not available on some U.S. keyboards.

Refer to *Emulator User's Reference* and the online Personal Communications help for more information on keyboard layouts and mapping. Refer to your Windows^(R) documentation for more information about the country and code page options.

The function keys have the following shift statuses.

Figure 1. Shift Statuses for Function Keys on page 4

-Status-	
BASE	BASE : Normal shift
SHIFT	SHIFT : Up shift by pressing Shift
CTRL	CTRL : Control shift by pressing Ctrl
ALT	ALT : Alternate shift by pressing Alt
ALTGR	ALTGR : Shift by pressing Ctrl+Alt
CTRLSFT	CTRLSFT : Shift by pressing Ctrl+Shift

Following are some abbreviations for the keys.

AltCur

Alternate Cursor

AltView

Alternate View

BackSp

Back Space

BackTb

Backtab

BgnOLn

Begin of Line

BotOPg

Bottom of Page

BtbWord

Backtab Word

CarRtn

Carrier Return

ChgFmt

Change Format

ChgScrn

Change Screen

ChrAdv

Character Advance

Ctrl

Control

CurBlink

Cursor Blink

CurSel

Cursor Select

DelWord

Delete Word

DevCan

Device Cancel

DspTxC

Display TextCode

Dup

Duplicate

EditCop

Edit Copy

EditPst

Edit Paste

EditUnd

Edit Undo

EndFld

End of Field

EndOLn

End of Line

ErEOF

Erase EOF

ErFld

Erase Field

ErInp

Erase Input

Fld-

Field-

Fld+

Field+

FldColor

Field Color

FldExt

Field Exit

FldHigh

Field Highlight

FldMark

Field Mark

FldTrns

Transparency Field Inherit

FastDn

Fast Down

FastDow

Fast Down

FastUp

Fast Up

FieldCol

Field Color

GrpCsr

Graphic Cursor

HostPr

Host Print

JmpNext

Jump Next

JumpNxt

Jump Next

MarkLef

Mark Left

MkDown

Mark Down

MkLeft

Mark Left

MkRight

Mark Right

MrkUp

Mark Up

MarkDow

Mark Down

MarkRig

Mark Right

MoveDow

Move Down

MoveLef

Move Left

MoveRig

Move Right

MvDown

Move Down

MvLeft

Move Left

MvRight

Move Right

MvUp

Move Up

NewLin

New Line

ReqBSp

Required Backspace

ReqTab

Required Tab

RoIDwn

Roll Down

RollDow

Roll Down

RoIUp

Roll Up

Rst/Ctrl

Reset/Ctrl

RPause

Record/Play Pause

SOSI

SOSI Display

SOSI/G

SOSI Generate

SysAttn

System Attention

SysReq

System Request

TabFld

Tab Field

TopOPg

Top of Page

TransOp

Transparency Opaque

TrnFld

Transparency Field Inherit

TrnOp

Transparency Opaque

TstReq

Test Request

Turquoise

Turquoise

UnderSc

Underscore

UndScr

Underscore

WdWrap

Word Wrap

Enhanced Keyboard, Microsoft Natural Keyboard (3270 Only)



Segment A assignment:

110 SysAttn SysReq ----- ----- ----- -----	112 PF1 PF13 SOSI ----- Doc ----- Red	113 PF2 PF14 ----- WdWrap ----- Pink	114 PF3 PF15 ----- CfGfmt ----- Green	115 PF4 PF16 ----- ----- ----- Yellow	116 PF5 PF17 Record ----- ----- Blue	117 PF6 PF18 Play ----- ----- Turq	118 PF7 PF19 RPaase ----- ----- White	119 PF8 PF20 ----- APL ----- FlaColor	120 PF9 PF21 ----- CurSel -----	121 PF10 PF22 ----- CurBlink -----	122 PF11 PF23 RTM ----- AltCur -----	123 PF12 PF24 ----- ----- ----- +Cr ----- +Cr -----
--	--	--	---	---	--	--	---	---	--	---	--	--

124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear ----- ----- Break ----- ----- -----
--	--	--

Segment B assignment:

1 ----- ----- ----- ----- -----	2 ----- ----- ----- ----- -----	3 ----- ----- NUL ----- ----- -----	4 ----- ----- ----- ----- -----	5 ----- ----- ----- ----- -----	6 ----- ----- ----- ----- -----	7 ----- ----- ----- RS ----- ----- -----	8 ----- ----- ----- ----- -----	9 ----- ----- ----- ----- -----	10 ----- ----- ----- ----- -----	11 ----- ----- ----- ----- -----	12 ----- ----- ----- US ----- ----- -----	13 ----- ----- ----- RS ----- ----- -----	14 ----- ----- ----- ----- ----- -----	15 BackSp ----- BackSp ----- EditUnd ----- -----
16 TabFld ----- BackTab ----- ----- -----	17 ----- ----- DC1 ----- ----- -----	18 ----- ----- ETB ----- ----- -----	19 ----- ----- ENO ----- ----- -----	20 ----- ----- DC2 ----- ----- -----	21 ----- ----- DC4 ----- ----- -----	22 ----- ----- ----- EM ----- ----- -----	23 ----- ----- ----- NAK ----- ----- -----	24 ----- ----- ----- HT ----- ----- -----	25 ----- ----- ----- SJ ----- ----- -----	26 ----- ----- ----- DLE ----- ----- -----	27 ----- ----- ----- NUL ----- ----- -----	28 ----- ----- ----- ESC ----- ----- -----	29 ----- ----- ----- ----- ----- -----	
30 ----- ----- ----- ----- -----	31 ----- ----- SOH ----- ----- -----	32 ----- ----- DC3 ----- ----- -----	33 ----- ----- EOT ----- ----- -----	34 ----- ----- ACK ----- ----- -----	35 ----- ----- BEL ----- ----- -----	36 ----- ----- BS ----- ----- -----	37 ----- ----- LF ----- ----- -----	38 ----- ----- VT ----- ----- -----	39 ----- ----- FF ----- ----- -----	40 ----- ----- ----- ----- ----- -----	41 ----- ----- ----- ----- ----- -----	43 NewLine ----- NewLine ----- ----- -----		
44 ----- ----- ----- ----- -----	46 ----- ----- SUB ----- ----- -----	47 ----- ----- CAN ----- ----- -----	48 ----- ----- ETX ----- ----- -----	49 ----- ----- SYN ----- ----- -----	50 ----- ----- STX ----- ----- -----	51 ----- ----- SO ----- ----- -----	52 ----- ----- CR ----- ----- -----	53 ----- ----- ----- ----- ----- -----	54 ----- ----- ----- ----- ----- -----	55 ----- ----- ----- ----- ----- -----	57 ----- ----- ----- ----- ----- -----			
58 Reset/Ctrl ----- Reset/Ctrl ----- Quit ----- Quit -----	60 ----- ----- ----- ----- -----	61 ----- ----- ----- ----- -----	62 ----- ----- ----- ----- -----	64 Enter/Ctrl ----- Enter/Ctrl ----- ----- -----										

Segment C assignment:

75	80	85
Insert	Home	-----
Dup	FM	PA3
EditCop	Rule	CngScrn
PA1	PA2	JmpNext
PA1	PA2	JmpNext
EditPst	-----	-----
76	81	86
Delete	ErEOF	-----
EditCut	ErFld	EditPst
DelWord	-----	Test
DelWord	ErInp	-----
DelWord	ErInp	-----
-----	-----	-----


83
Up
Mkup
Mvup
FastUp
FastUp

79	84	89
Left	Down	Right
MkLeft	MkDown	MkRight
MvLeft	MvDown	MvRight
BtWord	FastDn	TabWord
BtbWord	FastDn	TabWord
-----	-----	-----

Segment D assignment:

90	95	100	105
-----	-----	-----	-----
-----	-----	-----	-----
-----	-----	Reverse	-----
-----	-----	Reverse	-----
-----	TrnOp	-----	-----
91	96	101	106
Home	Up	-----	-----
-----	-----	-----	TabFld
-----	MvUp	-----	-----
-----	FastUp	-----	-----
-----	FastUp	-----	-----
-----	TrnFldI	FldTrns	-----
92	97	102	
Left	-----	Right	
-----	-----	-----	
MvLeft	-----	MvRight	
-----	-----	UndScr	
-----	-----	UndScr	
-----	-----	-----	
93	98	103	108
EndFld	Down	Esc J	Enter
-----	-----	-----	Enter
-----	MvDown	-----	-----
-----	FastDn	FldHign	-----
-----	FastDn	FldHigh	-----
-----	-----	-----	-----
99	104		
Insert	Delete		
-----	-----		
-----	DelWord		
-----	DelWord		
-----	DelWord		
-----	-----		

Enhanced Keyboard, Microsoft Natural Keyboard (5250 Only)



Segment A assignment:

110 SysActn SysReq ----- ----- ----- -----	112 PF1 PF13 SOS1 Help ----- ----- -----	113 PF2 PF14 ----- ----- ----- -----	114 PF3 PF15 ----- ----- ----- -----	115 PF4 PF16 ----- ----- ----- -----	116 PF5 PF17 Record ----- ----- -----	117 PF6 PF18 Play ----- ----- -----	118 PF7 PF19 RPause ----- ----- -----	119 PF8 PF20 SOS1/G SOS1/G FieldCo1	120 PF9 PF21 ----- ----- -----	121 PF10 PF22 CarBlnk CarBlnk	122 PF11 PF23 AltCur AltCur	123 PF12 PF24 TestReq TestReq ----- -----
124 ----- ----- ----- -----			125 ----- ----- ----- -----		126 Clear HostPr TstReq ----- ----- -----							

Segment B assignment:

1 ----- ----- ----- -----	2 ----- ----- ----- -----	3 ----- ----- ----- -----	4 ----- ----- ----- -----	5 ----- ----- ----- -----	6 ----- ----- ----- -----	7 ----- ----- ----- -----	8 ----- ----- ----- -----	9 ----- ----- ----- -----	10 ----- ----- ----- -----	11 ----- ----- ----- -----	12 ----- ----- ----- -----	13 ----- ----- ----- -----	14 ----- ----- ----- -----	15 BackSp BackSp ReqBSp ----- -----
16 TabFld BackTd ReqTab ----- ----- -----	17 ----- ----- ----- -----	18 ----- ----- ----- -----	19 ----- ----- ----- -----	20 ----- ----- ----- -----	21 ----- ----- ----- -----	22 ----- ----- ----- -----	23 ----- ----- ----- -----	24 ----- ----- ----- -----	25 ----- ----- ----- -----	26 ----- ----- ----- -----	27 ----- ----- ----- -----	28 ----- ----- ----- -----	29 ----- ----- ----- -----	
30 ----- ----- ----- -----	31 ----- ----- ----- -----	32 ----- ----- ----- -----	33 ----- ----- ----- -----	34 ----- ----- ----- -----	35 ----- ----- ----- -----	36 ----- ----- ----- -----	37 ----- ----- ----- -----	38 ----- ----- ----- -----	39 ----- ----- ----- -----	40 ----- ----- ----- -----	41 ----- ----- ----- -----	43 FldExt NewLn CarRtn ----- -----		
44 ----- ----- ----- -----	46 ----- ----- ----- -----	47 ----- ----- ----- -----	48 ----- ----- ----- -----	49 ----- ----- ----- -----	50 ----- ----- ----- -----	51 ----- ----- ----- -----	52 ----- ----- ----- -----	53 ----- ----- ----- -----	54 ----- ----- ----- -----	55 ----- ----- ----- -----	57 ----- ----- ----- -----			
58 Reset/Ctrl Reset/Ctrl Quit Quit ----- -----	60 ----- ----- ----- -----	61 ----- ----- ----- -----				62 ----- ----- ----- -----	64 Enter/Ctrl Enter/Ctrl ----- -----							

Segment C assignment:

75 Insert Dup EditCop ----- ----- EditPst	80 Home FM Rule ----- ----- -----	85 RoLDwn RoLDwn ----- JmpNxt JmpNxt -----
76 Delete EditCut DelWord DelWord DelWord -----	81 ErEOF ----- ErInp ErInp -----	86 RoIUp EditPst ----- ----- -----

83 Up Mkup Mvup FastUp FastUp -----

79 Left MkLeft MvLeft BtoWord BtbWord -----	84 Down MkDown MvDown FastDn FastDn -----	89 Right MkRight MvRight TabWord TabWord -----
---	---	--

Segment D assignment:

90 ----- ----- ----- ----- ----- -----	95 ----- ----- ----- ----- ----- -----	100 ----- ----- ----- ----- ----- -----	105 Fld- Fld- CarRtn Fld- Fld- -----
91 Home ----- ----- ----- ----- -----	96 up ----- TopOPg FastUp FastUp -----	101 RoLDwn ----- ----- ----- ----- -----	106 Fld+ Fld+ CarRtn Fld+ Fld+ -----
92 Left ----- BgnOLn ----- ----- -----	97 ----- ----- ----- ----- ----- -----	102 Right ----- EndOLn UndScr UndScr -----	
93 ErEOF ----- ----- ----- ----- -----	98 Down ----- BotOPg FastDn FastDn -----	103 RoIUp ----- ----- ----- ----- -----	108 FldExt FldExt ----- ----- ----- -----
	99 Ins ----- ----- ----- ----- -----	104 Delete ----- ----- DelWord DelWord DelWord -----	

Enhanced Keyboard, Microsoft Natural Keyboard (Combined 3270 and 5250)



Segment A assignment:

110 SysAttn SysReq ----- ----- ----- -----	112 PF1 PF13 SOSI ----- Doc ----- Red	113 PF2 PF14 ----- WdWrap ----- Pink	114 PF3 PF15 ----- CfGfmt ----- Green	115 PF4 PF16 ----- ----- ----- Yellow	116 PF5 PF17 Record ----- ----- Blue	117 PF6 PF18 Play ----- ----- Turq	118 PF7 PF19 RPaase ----- ----- White	119 PF8 PF20 ----- APL ----- FlaColor	120 PF9 PF21 ----- CurSel -----	121 PF10 PF22 ----- CurBlink -----	122 PF11 PF23 RTM ----- AltCur -----	123 PF12 PF24 ----- ----- ----- +Cr ----- +Cr -----
--	--	--	---	---	--	--	---	---	--	---	--	--

124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear ----- ----- Break ----- ----- -----
--	--	--

Segment B assignment:

1 ----- ----- ----- ----- -----	2 ----- ----- ----- ----- -----	3 ----- ----- NUL ----- ----- -----	4 ----- ----- ----- ----- -----	5 ----- ----- ----- ----- -----	6 ----- ----- ----- ----- -----	7 ----- ----- ----- ----- -----	8 ----- ----- ----- ----- -----	9 ----- ----- ----- ----- -----	10 ----- ----- ----- ----- -----	11 ----- ----- ----- ----- -----	12 ----- ----- ----- US ----- -----	13 ----- ----- ----- RS ----- -----	14 ----- ----- ----- ----- -----	15 BackSp ChrAdv ----- ----- -----
16 TabFld BackTab ----- ----- -----	17 ----- ----- DC1 ----- -----	18 ----- ----- ETB ----- -----	19 ----- ----- ENO ----- -----	20 ----- ----- DC2 ----- -----	21 ----- ----- DC4 ----- -----	22 ----- ----- EM ----- -----	23 ----- ----- NAK ----- -----	24 ----- ----- HT ----- -----	25 ----- ----- SJ ----- -----	26 ----- ----- DLE ----- -----	27 ----- ----- NUL ----- -----	28 ----- ----- ESC ----- -----	29 ----- ----- ----- ----- -----	
30 ----- ----- ----- ----- -----	31 ----- ----- SOH ----- -----	32 ----- ----- DC3 ----- -----	33 ----- ----- EOT ----- -----	34 ----- ----- ACK ----- -----	35 ----- ----- BEL ----- -----	36 ----- ----- BS ----- -----	37 ----- ----- LF ----- -----	38 ----- ----- VT ----- -----	39 ----- ----- FF ----- -----	40 ----- ----- ----- ----- -----	41 ----- ----- ----- ----- -----	43 NewLine NewLine ----- ----- -----		
44 ----- ----- ----- ----- -----	46 ----- ----- SUB ----- -----	47 ----- ----- CAN ----- -----	48 ----- ----- ETX ----- -----	49 ----- ----- SYN ----- -----	50 ----- ----- STX ----- -----	51 ----- ----- SO ----- -----	52 ----- ----- CR ----- -----	53 ----- ----- ----- ----- -----	54 ----- ----- ----- ----- -----	55 ----- ----- ----- ----- -----	57 ----- ----- ----- ----- -----			
58 Reset/Ctrl Reset/Ctrl ----- Quit ----- Quit -----	60 ----- ----- ----- ----- -----	61 ----- ----- ----- ----- -----	62 ----- ----- ----- ----- -----	64 Enter/Ctrl Enter/Ctrl ----- ----- -----										

Segment C assignment:

75 Insert Dup EditCop PA1 PA1 EditPst	80 None FN Rule PA2 PA2	85 Ro1Dwn PA3 ChgScr JmpNxt JmpNxt
76 Delete EditCut DelWord DelWord DelWord	81 ErEOF ErFla ErInp ErInp	86 Ro1Up EditPst Test

83 Up MkUp MvUp FastUp FastUp
--

79 Left MkLeft MvLeft BtoWord BtbWord	84 Down MkDown MvDown FastDn FastDn	89 Right MkRight MvRight TabWord TabWord
--	--	---


Segment D assignment:

90 ----- ----- ----- ----- ----- -----	95 ----- ----- ----- ----- ----- TrnOp	100 ----- ----- ----- Reverse Reverse -----	105 ----- ----- ----- ----- ----- -----
91 Home ----- ----- ----- ----- -----	96 up ----- ----- MvUp FastUp FastUp TrnFla1	101 ----- ----- ----- ----- ----- Flatrn5	106 Field+ TabFla ----- ----- ----- ----- -----
92 Left ----- ----- MvLeft ----- -----	97 ----- ----- ----- ----- ----- -----	102 Right ----- ----- MvRight UndScr UndScr	
93 EndFla ----- ----- ----- ----- -----	98 Down ----- ----- MvDown FastDn FastDn	103 ESC J ----- ----- FlaRigh FlaRigh	108 Enter Enter ----- ----- ----- -----
99 Insert ----- ----- ----- ----- -----	104 Delete ----- ----- DelWord DelWord DelWord		

Enhanced Keyboard, Microsoft Natural Keyboard (VT Keyboard Layout)

Note:

This keyboard layout does not include Personal Communications local function (for example, edit copy, edit paste, etc.).



Segment A assignment:

110 ESC ESC ----- ----- -----	112 HidScrn F13 ----- ----- ----- OsrF13	113 Compose F14 ----- ----- ----- UsrF14	114 Help F15 ----- ----- ----- UsrF15	115 Do F16 ----- ----- ----- UsrF16	116 Break F17 ----- ----- ----- UsrF17	117 F6 F18 UsrF6 ----- ----- ----- UsrF18	118 F7 F19 UsrF7 ----- ----- ----- UsrF19	119 F8 F20 OsrF8 ----- ----- ----- OsrF20	120 F9 ----- ----- ----- UsrF9	121 F10 UsrF10 ----- ----- ----- UsrF10	122 F11 UsrF11 ----- ----- ----- UsrF11	123 F12 UsrF12 ----- ----- ----- UsrF12
124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 ----- ----- ----- ----- -----										

Segment B assignment:

1 ^ ansI7e ----- ----- -----	2 1 ----- ----- -----	3 2 @ NULL ----- ----- -----	4 3 # ----- ----- -----	5 4 \$ ----- ----- -----	6 5 % ----- ----- -----	7 6 ^ RS ----- ----- -----	8 7 & ----- ----- -----	9 8 * ----- ----- -----	10 9 (----- ----- -----	11 0) ----- ----- -----	12 > US ----- ----- -----	13 = + ----- ----- -----	15 Backspace Backspace ----- ----- -----
16 Tab Field Backtab ----- ----- -----	17 q Q DC1 ----- ----- -----	18 w W ETB ----- ----- -----	19 e E ENQ ----- ----- -----	20 r R DC2 ----- ----- -----	21 t T DC4 ----- ----- -----	22 y Y EM ----- ----- -----	23 u U NAK ----- ----- -----	24 i I HT ----- ----- -----	25 o O SI ----- ----- -----	26 p P DLE ----- ----- -----	27 l L ESC ----- ----- -----	28 j J GS ----- ----- -----	29 ansI8e FS ----- ----- -----
30 ----- ----- ----- -----	31 a A SOH ----- ----- -----	32 s S DC3 ----- ----- -----	33 d D EOT ----- ----- -----	34 f F ACK ----- ----- -----	35 g G BEL ----- ----- -----	36 h H BS ----- ----- -----	37 j J LF ----- ----- -----	38 k K VT ----- ----- -----	39 l L FF ----- ----- -----	40 :; ----- ----- -----	41 y Y * ----- ----- -----	43 Newline Newline ----- ----- -----	
44 ----- ----- ----- -----	46 z Z SUB ----- ----- -----	47 x X CAN ----- ----- -----	48 c C ETX ----- ----- -----	49 v V SYN ----- ----- -----	50 b B STX ----- ----- -----	51 n N SO ----- ----- -----	52 m M CR ----- ----- -----	53 , ----- ----- -----	54 > ----- ----- -----	55 /? ----- ----- -----	57 ----- ----- ----- -----		
58 ----- ----- ----- -----	60 ----- ----- ----- -----	61 Space Space ----- ----- -----	62 ----- ----- ----- -----	64 ----- ----- ----- -----									

Segment C assignment:

75 InsertHere >>>> >>>> >>>> >>>>	80 Select >>>> >>>> >>>> >>>>	85 PrevScn >>>> >>>> >>>> >>>>
76 Remove >>>> >>>> >>>> >>>>	81 Find >>>> >>>> >>>> >>>>	86 NextScn >>>> >>>> >>>> >>>>

	83 Up >>>> >>>> >>>> >>>>	
79 Left >>>> >>>> >>>> >>>>	84 Down >>>> >>>> >>>> >>>>	89 Right >>>> >>>> >>>> >>>>


Segment D assignment:

90 PF1 >>>> >>>> >>>> >>>>	95 PF2 >>>> >>>> >>>> >>>>	100 PF3 >>>> >>>> >>>> >>>>	105 PF4 >>>> >>>> >>>> >>>>
91 Select numpd 7 >>>> >>>> >>>> >>>>	96 Up numpd 8 >>>> >>>> >>>> >>>>	101 PrvSen numpd 9 >>>> >>>> >>>> >>>>	106 numpd - numpd . >>>> >>>> >>>> >>>>
92 Left numpd 4 >>>> >>>> >>>> >>>>	97 numpd 5 >>>> >>>> >>>> >>>>	102 Right numpd 6 >>>> >>>> >>>> >>>>	
93 Find numpd 1 >>>> >>>> >>>> >>>>	98 Down numpd 2 >>>> >>>> >>>> >>>>	103 NxFg numpd 3 >>>> >>>> >>>> >>>>	108 numpd Newln >>>> >>>> >>>> >>>>
99 InsertHere numpd 0 >>>> >>>> >>>> >>>>		104 Remove numpd . >>>> >>>> >>>> >>>>	

Enhanced Keyboard, Microsoft Natural Keyboard (VT Local Edit Mode Only)

Note:

This keyboard layout does not include Personal Communications local function (for example, edit copy, edit paste, etc.).



Segment A assignment:

110 ESC ESC ----- ----- ----- -----	112 HidScrn F13 ----- ----- ----- ----- OsrF13	113 Compose F14 ----- ----- ----- ----- UsrF14	114 Help F15 ----- ----- ----- ----- UsrF15	115 Do F16 ----- ----- ----- ----- UsrF16	116 Break F17 ----- ----- ----- ----- UsrF17	117 F6 F18 UsrF6 ----- ----- ----- ----- UsrF18	118 F7 F19 UsrF7 ----- ----- ----- ----- UsrF19	119 F8 F20 OsrF8 ----- ----- ----- ----- OsrF20	120 F9 ----- ----- ----- ----- UsrF9	121 F10 UsrF10 ----- ----- ----- ----- UsrF10	122 F11 UsrF11 ----- ----- ----- ----- UsrF11	123 F12 UsrF12 ----- ----- ----- ----- UsrF12
---	---	---	--	--	---	---	---	---	--	--	--	--

124 ----- ----- ----- ----- ----- -----	125 ----- ----- ----- ----- ----- -----	126 ----- ----- ----- ----- ----- -----
---	---	---

Segment B assignment:

1 ^ ansI7e ----- ----- ----- -----	2 1 ----- ----- ----- -----	3 2 @ NULL ----- ----- ----- -----	4 3 # ----- ----- ----- -----	5 4 \$ ----- ----- ----- -----	6 5 % ----- ----- ----- -----	7 6 ^ RS ----- ----- ----- -----	8 7 & ----- ----- ----- -----	9 8 * ----- ----- ----- -----	10 9 (----- ----- ----- -----	11 0) ----- ----- ----- -----	12 > US ----- ----- ----- -----	13 = + ----- ----- ----- -----	15 Backspace Backspace ----- ----- ----- -----
16 Tab Field Backtab ----- ----- ----- -----	17 q Q DC1 ----- ----- ----- -----	18 w W ETB ----- ----- ----- -----	19 e E ENQ ----- ----- ----- -----	20 r R DC2 ----- ----- ----- -----	21 t T DC4 ----- ----- ----- -----	22 y Y EM ----- ----- ----- -----	23 u U NAK ----- ----- ----- -----	24 i I HT ----- ----- ----- -----	25 o O SI ----- ----- ----- -----	26 p P DLE ----- ----- ----- -----	27 l L ESC ----- ----- ----- -----	28 j J GS ----- ----- ----- -----	29 ansI 5c FS ----- ----- ----- -----
30 ----- ----- ----- -----	31 a A SOH ----- ----- ----- -----	32 s S DC3 ----- ----- ----- -----	33 d D EOT ----- ----- ----- -----	34 f F ACK ----- ----- ----- -----	35 g G BEL ----- ----- ----- -----	36 h H BS ----- ----- ----- -----	37 j J LF ----- ----- ----- -----	38 k K VT ----- ----- ----- -----	39 l L FF ----- ----- ----- -----	40 :; ----- ----- ----- -----	41 y Y * ----- ----- ----- -----	43 Newline/Transit Newline/Transit ----- ----- ----- -----	
44 ----- ----- ----- -----	46 z Z SUB ----- ----- ----- -----	47 x X CAN ----- ----- ----- -----	48 c C ETX ----- ----- ----- -----	49 v V SYN ----- ----- ----- -----	50 b B STX ----- ----- ----- -----	51 n N SO ----- ----- ----- -----	52 w W CR ----- ----- ----- -----	53 , ----- ----- ----- -----	54 > ----- ----- ----- -----	55 /? ----- ----- ----- -----	57 ----- ----- ----- -----		
58 ----- ----- ----- -----	60 ----- ----- ----- -----	61 Space Space ----- ----- ----- -----	62 ----- ----- ----- -----	64 ----- ----- ----- -----									

Segment C assignment:


<p>75 Insrt/Overstrk ----- ----- ----- ----- -----</p>	<p>80 Select EDIT ----- ----- ----- ----- -----</p>	<p>85 PrevPg ----- ----- ----- ----- -----</p>
<p>76 CtrlF1d CtrlPg ----- ----- ----- ----- -----</p>	<p>81 HomeCar ----- ----- ----- ----- -----</p>	<p>86 NextPg ----- ----- ----- ----- -----</p>

	<p>83 Up ----- ----- ----- ----- -----</p>	
<p>79 Left ----- ----- ----- ----- -----</p>	<p>84 Down ----- ----- ----- ----- -----</p>	<p>89 Right ----- ----- ----- ----- -----</p>

Segment D assignment:

<p>90 BKTab TabFla ----- ----- ----- ----- -----</p>	<p>95 InsertLn ----- ----- ----- ----- -----</p>	<p>100 DeLLn ----- ----- ----- ----- -----</p>	<p>105 DeChar ----- ----- ----- ----- -----</p>
<p>91 Select numpd 7 ----- ----- ----- ----- -----</p>	<p>96 Up numpd 8 ----- ----- ----- ----- -----</p>	<p>101 PrevPg numpd 9 ----- ----- ----- ----- -----</p>	<p>106 numpd - numpd . ----- ----- ----- ----- -----</p>
<p>92 Left numpd 4 ----- ----- ----- ----- -----</p>	<p>97 ----- numpd 5 ----- ----- ----- ----- -----</p>	<p>102 Right numpd 6 ----- ----- ----- ----- -----</p>	
<p>93 HmeCur numpd 1 ----- ----- ----- ----- -----</p>	<p>98 Down numpd 2 ----- ----- ----- ----- -----</p>	<p>103 NxpPg numpd 3 ----- ----- ----- ----- -----</p>	<p>108 ----- Transmit ----- ----- ----- ----- -----</p>
<p>99 Insert/Overstrike numpd 0 ----- ----- ----- ----- -----</p>		<p>104 CtrlF1a numpd . ----- ----- ----- ----- -----</p>	

Space-Saving Keyboard (3270 Only)



Segment A assignment:

110 SysAttn SysReq ----- ----- ----- -----	112 PF1 PF13 ----- Doc Doc Red	113 PF2 PF14 ----- WdWrap WdWrap Pink	114 PF3 PF15 ----- CfGfmt CfGfmt Green	115 PF4 PF16 ----- ----- ----- Yellow	116 PF5 PF17 Record ----- ----- Blue	117 PF6 PF18 Play ----- ----- Turq	118 PF7 PF19 RPaase ----- ----- White	119 PF8 PF20 ----- APL APL FlaColor	120 PF9 PF21 ----- CurSel CurSel	121 PF10 PF22 ----- CurBlink CurBlink	122 PF11 PF23 RTM ----- AltCur AltCur	123 PF12 PF24 ----- ----- +Cr +Cr
--	--	---	--	---	--	--	---	---	---	--	---	---

124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear ----- Break ----- ----- -----
--	--	---

Segment B assignment:


1 ----- ----- ----- ----- -----	2 ----- ----- ----- ----- -----	3 ----- ----- ----- ----- -----	4 ----- ----- ----- ----- -----	5 ----- ----- ----- ----- -----	6 ----- ----- ----- ----- -----	7 ----- ----- ----- ----- -----	8 ----- ----- ----- ----- -----	9 ----- ----- ----- ----- -----	10 ----- ----- ----- ----- -----	11 ----- ----- ----- ----- -----	12 ----- ----- ----- ----- -----	13 ----- ----- ----- ----- -----	14 ----- ----- ----- ----- -----	15 BackSp BackSp ----- ----- -----
16 TabFld BackTab ----- ----- -----	17 ----- ----- ----- ----- -----	18 ----- ----- ----- ----- -----	19 ----- ----- ----- ----- -----	20 ----- ----- ----- ----- -----	21 ----- ----- ----- ----- -----	22 ----- ----- ----- ----- -----	23 ----- ----- ----- ----- -----	24 ----- ----- ----- ----- -----	25 ----- ----- ----- ----- -----	26 ----- ----- ----- ----- -----	27 ----- ----- ----- ----- -----	28 ----- ----- ----- ----- -----	29 ----- ----- ----- ----- -----	
30 ----- ----- ----- ----- -----	31 ----- ----- ----- ----- -----	32 ----- ----- ----- ----- -----	33 ----- ----- ----- ----- -----	34 ----- ----- ----- ----- -----	35 ----- ----- ----- ----- -----	36 ----- ----- ----- ----- -----	37 ----- ----- ----- ----- -----	38 ----- ----- ----- ----- -----	39 ----- ----- ----- ----- -----	40 ----- ----- ----- ----- -----	41 ----- ----- ----- ----- -----	43 NewLine NewLine ----- ----- -----		
44 ----- ----- ----- ----- -----	46 ----- ----- ----- ----- -----	47 ----- ----- ----- ----- -----	48 ----- ----- ----- ----- -----	49 ----- ----- ----- ----- -----	50 ----- ----- ----- ----- -----	51 ----- ----- ----- ----- -----	52 ----- ----- ----- ----- -----	53 ----- ----- ----- ----- -----	54 ----- ----- ----- ----- -----	55 ----- ----- ----- ----- -----	57 ----- ----- ----- ----- -----			
58 Reset/Ctrl Reset/Ctrl ----- Quit Quit -----	60 ----- ----- ----- ----- -----	61 ----- ----- ----- ----- -----				62 ----- ----- ----- ----- -----	64 Enter/Ctrl Enter/Ctrl ----- ----- -----							

Segment C assignment:

75 Insert Dup ----- PA1 PA1 -----	80 Home FM Rule PA2 PA2 -----	85 ----- PA3 ChgScrn JmpNext JmpNext -----
76 Delete Delete DelWord DelWord DelWord -----	81 ErEOF ErFid ----- ErInp ErInp -----	86 ----- ----- Test ----- ----- -----

	83 Up Mkup Mvup FastUp FastUp -----	
79 Left MkLeft MvLeft BtoWord BtbWord -----	84 Down MkDown MvDown FastDn FastDn -----	89 Right MkRight MvRight TabWord TabWord -----

Space-Saving Keyboard (5250 Only)



Segment A assignment:

110 SysAttn SysReq ----- ----- ----- -----	112 PF1 PF13 ----- Help ----- -----	113 PF2 PF14 ----- ----- -----	114 PF3 PF15 ----- ----- -----	115 PF4 PF16 ----- ----- -----	116 PF5 PF17 Record ----- ----- -----	117 PF6 PF18 Play ----- ----- -----	118 PF7 PF19 RPause ----- ----- -----	119 PF8 PF20 ----- ----- -----	120 PF9 PF21 ----- ----- -----	121 PF10 PF22 ----- CurBlink CurBlink -----	122 PF11 PF23 ----- AltCur AltCur -----	123 PF12 PF24 ----- ----- -----
124 ----- ----- ----- -----			125 ----- ----- ----- -----		126 Clear ----- HostPr TstReq ----- -----							

Segment B assignment:

1 ----- ----- ----- -----	2 ----- ----- ----- -----	3 ----- ----- ----- -----	4 ----- ----- ----- -----	5 ----- ----- ----- -----	6 ----- ----- ----- -----	7 ----- ----- ----- -----	8 ----- ----- ----- -----	9 ----- ----- ----- -----	10 ----- ----- ----- -----	11 ----- ----- ----- -----	12 ----- ----- ----- -----	13 ----- ----- ----- -----	14 ----- ----- ----- -----	15 BackSp BackSp ReqBSp ----- -----
16 TabFld BackTab ReqTab ----- -----	17 ----- ----- ----- -----	18 ----- ----- ----- -----	19 ----- ----- ----- -----	20 ----- ----- ----- -----	21 ----- ----- ----- -----	22 ----- ----- ----- -----	23 ----- ----- ----- -----	24 ----- ----- ----- -----	25 ----- ----- ----- -----	26 ----- ----- ----- -----	27 ----- ----- ----- -----	28 ----- ----- ----- -----	29 ----- ----- ----- -----	
30 ----- ----- ----- -----	31 ----- ----- ----- -----	32 ----- ----- ----- -----	33 ----- ----- ----- -----	34 ----- ----- ----- -----	35 ----- ----- ----- -----	36 ----- ----- ----- -----	37 ----- ----- ----- -----	38 ----- ----- ----- -----	39 ----- ----- ----- -----	40 ----- ----- ----- -----	41 ----- ----- ----- -----	43 FldExt NewLin CarRtn ----- -----		
44 ----- ----- ----- -----	46 ----- ----- ----- -----	47 ----- ----- ----- -----	48 ----- ----- ----- -----	49 ----- ----- ----- -----	50 ----- ----- ----- -----	51 ----- ----- ----- -----	52 ----- ----- ----- -----	53 ----- ----- ----- -----	54 ----- ----- ----- -----	55 ----- ----- ----- -----	57 ----- ----- ----- -----			
58 Reset/Ctrl Reset/Ctrl Quit Quit ----- -----	60 ----- ----- ----- -----	61 ----- ----- ----- -----				62 ----- ----- ----- -----	64 Enter/Ctrl Enter/Ctrl ----- -----							


Segment C assignment:

75	80	85
Insert	Home	Ro1Dwn
Dup	FM	Ro1Dwn
DspTxC	Rule	-----
-----	-----	JmpNxt
-----	-----	JmpNxt
-----	-----	-----
76	81	86
Delete	ErEOF	Ro1Up
Delete	-----	Ro1Up
DelWord	-----	-----
DelWord	ErInp	-----
DelWord	ErInp	-----
-----	-----	-----

	83	
	Up	
	Mkup	
	Mvup	
	FastUp	
	FastUp	

79	84	89
Left	Down	Right
MkLeft	MkDown	MkRight
MvLeft	MvDown	MvRight
BtoWord	FastDn	TabWord
BtbWord	FastDn	TabWord
-----	-----	-----

Space-Saving Keyboard (Combined 3270 and 5250)



Segment A assignment:

110 SysAttn SysReq ----- ----- ----- -----	112 PF1 PF13 ----- Doc Doc Red	113 PF2 PF14 ----- WdWrap WdWrap Pink	114 PF3 PF15 ----- CfGFmt CfGFmt Green	115 PF4 PF16 ----- ----- ----- Yellow	116 PF5 PF17 Record ----- ----- Blue	117 PF6 PF18 Play ----- ----- Turq	118 PF7 PF19 RPaase ----- ----- White	119 PF8 PF20 ----- APL APL FlaColor	120 PF9 PF21 ----- CurSel CurSel	121 PF10 PF22 ----- CurBlink CurBlink	122 PF11 PF23 RTM ----- AltCur AltCur	123 PF12 PF24 ----- ----- +Cr +Cr
--	--	---	--	---	--	--	---	---	---	--	---	---

124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear ----- Break ----- ----- -----
--	--	---

Segment B assignment:

1 ----- ----- ----- ----- -----	2 ----- ----- ----- ----- -----	3 ----- ----- ----- ----- -----	4 ----- ----- ----- ----- -----	5 ----- ----- ----- ----- -----	6 ----- ----- ----- ----- -----	7 ----- ----- ----- ----- -----	8 ----- ----- ----- ----- -----	9 ----- ----- ----- ----- -----	10 ----- ----- ----- ----- -----	11 ----- ----- ----- ----- -----	12 ----- ----- ----- ----- -----	13 ----- ----- ----- ----- -----	14 ----- ----- ----- ----- -----	15 BackSp ChrAdv ----- ----- ----- -----
16 TabFld BackTab ----- ----- ----- -----	17 ----- ----- ----- ----- -----	18 ----- ----- ----- ----- -----	19 ----- ----- ----- ----- -----	20 ----- ----- ----- ----- -----	21 ----- ----- ----- ----- -----	22 ----- ----- ----- ----- -----	23 ----- ----- ----- ----- -----	24 ----- ----- ----- ----- -----	25 ----- ----- ----- ----- -----	26 ----- ----- ----- ----- -----	27 ----- ----- ----- ----- -----	28 ----- ----- ----- ----- -----	29 ----- ----- ----- ----- -----	
30 ----- ----- ----- ----- -----	31 ----- ----- ----- ----- -----	32 ----- ----- ----- ----- -----	33 ----- ----- ----- ----- -----	34 ----- ----- ----- ----- -----	35 ----- ----- ----- ----- -----	36 ----- ----- ----- ----- -----	37 ----- ----- ----- ----- -----	38 ----- ----- ----- ----- -----	39 ----- ----- ----- ----- -----	40 ----- ----- ----- ----- -----	41 ----- ----- ----- ----- -----	43 NewLine NewLine ----- ----- -----		
44 ----- ----- ----- ----- -----	46 ----- ----- ----- ----- -----	47 ----- ----- ----- ----- -----	48 ----- ----- ----- ----- -----	49 ----- ----- ----- ----- -----	50 ----- ----- ----- ----- -----	51 ----- ----- ----- ----- -----	52 ----- ----- ----- ----- -----	53 ----- ----- ----- ----- -----	54 ----- ----- ----- ----- -----	55 ----- ----- ----- ----- -----	57 ----- ----- ----- ----- -----			
58 Reset/Ctrl Reset/Ctrl Quit Quit ----- -----	60 ----- ----- ----- ----- -----	61 ----- ----- ----- ----- -----				62 ----- ----- ----- ----- -----	64 Enter/Ctrl Enter/Ctrl ----- ----- ----- -----							


Segment C assignment:

75	80	85
Insert	Home	Ro1Dwn
Dup	FM	PA3
-----	Rule	ChgScrn
PA1	PA2	JmpNxt
PA1	PA2	JmpNxt
-----	-----	-----
76	81	86
Delete	ErEOF	Ro1Up
Delete	ErFid	-----
DelWord	-----	Test
DelWord	ErInp	-----
DelWord	ErInp	-----
-----	-----	-----

	83	
	Up	
	Mkup	
	Mvup	
	FastUp	
	FastUp	

79	84	89
Left	Down	Right
MkLeft	MkDown	MkRight
MvLeft	MvDown	MvRight
BtoWord	FestDn	TabWord
BtbWord	FestDn	TabWord
-----	-----	-----

5576-001 (3270 Only)



Segment A assignment:

----	----	CrBrk	----	----	----	----	----	ErEOF	SysAttn	PA1	PA2
----	----	AltCr	----	----	----	----	----	ErLup	CrSel	DevCom	PA3
----	----	----	----	----	----	----	----	----	----	----	----
112 PF1	113 PF2	114 PF3	115 PF4	116 PF5	117 PF6	118 PF7	119 PF8	120 PF9	121 PF10	122 PF11	123 PF12
PF13	PF14	PF15	PF16	PF17	PF18	PF19	PF20	PF21	PF22	PF23	PF24
SOSI	WordTrap	Alt/Res	----	----	----	----	APL	----	----	----	GrpCsr
Doc	----	CfgRtn	----	----	----	----	APL	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----

Segment B assignment:

Clear	----	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Clear	----	System	----	----	----	----	----	----	----	----	----	----	US	RS	----	BackSp
SysReq	----	SysReq	----	----	----	----	----	----	----	----	----	----	----	----	----	BackSp
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	ArctUnd
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Play	----	16	17	18	19	20	21	22	23	24	25	26	27	28	29	----
----	----	Tab	DC1	RTB	RMQ	DC2	DC4	EM	NAR	BT	SI	DLR	MUL	ESC	----	
RPause	----	BackTab	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
Reset	----	44	46	47	48	49	50	51	52	53	54	55	----	57	----	
Reset	----	----	SUB	CAN	RTX	STX	STX	SO	CR	----	----	FS	----	----		
Record	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
Reset	----	58	60	61	61	61	61	61	61	61	61	61	62	64		
Reset	----	----	----	----	----	----	----	----	----	----	----	----	----	Entr/Ctl		
Record	----	----	----	----	----	----	----	----	----	----	----	----	----	Entr/Ctl		
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		

Segment C assignment:


75 ----- ----- ----- ----- -----	80 ----- ----- ----- ChngScr ChngScr -----	85 UpNext UpNext ----- ----- -----
76 Insert EditPaste EditCopy ----- ----- -----	81 DelChar EditCut ----- ----- -----	86 ----- ----- ----- ----- -----

	83 Up MarkUp MoveUp ----- -----	
79 Left MarkLef MoveLef FastLef ----- -----	84 Home Home Rule ----- -----	89 Right MarkRig MoveRig FastRig ----- -----
	Down MarkDow MoveDow ----- -----	

Segment D assignment:

90 Dup Dup ----- Reverse -----	95 FldMark FldMark ----- Red ----- TrnOp	100 ----- ----- ----- Pink Reverse -----	105 ----- ----- ----- Break ----- -----
91 ----- ----- ----- ----- -----	96 ----- ----- ----- Green ----- TrnFldI	101 ----- ----- ----- Yellow ----- -----	106 ----- ----- ----- ----- -----
92 ----- ----- ----- UnderSc ----- -----	97 ----- ----- ----- Blue ----- -----	102 ----- ----- ----- Turquoi ----- -----	
93 ----- ----- ----- FieldI ----- -----	98 ----- ----- ----- White ----- -----	103 ESC_J ----- ----- ----- ----- -----	108 Enter Enter ----- ----- -----
99 ----- ----- ----- ----- -----		104 ----- ----- ----- FldColor ----- -----	

5576-001 (5250 Only)



Segment A assignment:

----	----	CrBrk	----	----	----	SOSI	----	ErEOF	SysActLn	----	----
----	----	AltCr	----	----	----	SOSI	----	ErImp	TestReq	Quit	----
----	----	----	----	----	----	----	----	----	TestReq	----	----
----	----	----	----	----	----	----	----	----	----	----	----

112	113	114	115	116	117	118	119	120	121	122	123
PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12
PF13	PF14	PF15	PF16	PF17	PF18	PF19	PF20	PF21	PF22	PF23	PF24
SOSI	----	AltView	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----

Segment B assignment:

Clear Clear SysReq	----	1 Newlin	2	3	4	5	6	7	8	9	10	11 Ansi 7B	12 Ansi A3	13	14 Ansi A1	15 CharBsp CharAdv BitUnd
	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Play RPause	----	16 Tab BackTab	17	18	19	20	21	22	23	24	25	26	27 Ansi A2	28	29	----
	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
----	----	30	31	32	33	34	35	36	37	38	39	40	41	42	43 FieldExt FieldBst	----
	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Reset Reset Record	----	44	46	47	48	49	50	51	52	53	54	55	56 Ansi 5C	57	58	59
	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Reset Reset Record	----	58	60	61						62	64 Entr/Ctl Entr/Ctl					
	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Segment C assignment :

75 RollDwn RollDwn ----- ----- -----	80 Home FlcMk Rule ----- ----- -----	85 RollUp RollUp ----- ----- -----
76 Insert EditPaste EditCopy ----- ----- -----	81 DelChar ----- ----- ----- -----	86 ----- ----- ----- ----- -----

83 Up MarkUp MoveUp FastUp ----- -----
--


79 Left MarkLef MoveLef FastLef ----- -----	84 Home Home Rule ----- ----- -----	89 Right MarkRig MoveRig FastRig ----- ----- -----
---	---	---

Down MarkDow MoveDow FastDow ----- -----

Segment D assignment :

90 Dup Dup Dup Dup ----- -----	95 FlcMark FlcMark FlcMark FlcMark ----- -----	100 ----- ----- ----- ----- ----- -----	105 Field- Field- Field- Field- ----- -----
91 ----- ----- ----- ----- -----	96 ----- ----- ----- ----- -----	101 ----- ----- ----- ----- -----	106 Field+ Field+ Field+ Field+ ----- -----
92 ----- ----- ----- ----- -----	97 ----- ----- ----- ----- -----	102 ----- ----- ----- ----- -----	
93 ----- ----- ----- ----- -----	98 ----- ----- ----- ----- -----	103 ----- ----- ----- ----- -----	108 FldExt FldExt ----- ----- -----
99 ----- ----- ----- ----- -----		104 ----- ----- ----- ----- -----	

5576-001 (Combined 3270 and 5250)



Segment A assignment:

----- ----- ----- -----	----- ----- ----- -----	CrBak ----- AltCur ----- -----	----- ----- ----- -----	Help Help ----- -----	----- ----- ----- -----	SOSI SOSI ----- -----	HostPrt ----- ----- -----	ErEOP ----- ErEop -----	SysAttn ----- CrSel -----	PA1 ----- DevCom -----	PA2 ----- PA3 -----
112 PF1 PF13 SOSI Doc -----	113 PF2 PF14 WordWrap -----	114 PF3 PF15 AltView CofRst. -----	115 PF4 PF16 ----- -----	116 PF5 PF17 ----- -----	117 PF6 PF18 ----- -----	118 PF7 PF19 ----- -----	119 PF8 PF20 APL ----- APL -----	120 PF9 PF21 ----- -----	121 PF10 PF22 ----- -----	122 PF11 PF23 ----- -----	123 PF12 PF24 ----- +Cr -----

Segment B assignment:

Clear Clear SysReq SysReq ----- ----- ----- -----	1 SysActn ----- ----- -----	2 ----- ----- -----	3 ----- ----- -----	4 ----- ----- -----	5 ----- ----- -----	6 ----- ----- -----	7 ----- ----- -----	8 ----- ----- -----	9 ----- ----- -----	10 ----- ----- -----	11 ----- Ansi 7R -----	12 ----- US Ansi A3 -----	13 ----- RS -----	14 ----- Ansi A3 -----	15 BackSp CharChg ----- -----
	Play ----- KPause ----- -----	16 Tab BackTab ----- -----	17 DC1 ----- -----	18 RTB ----- -----	19 RMQ ----- -----	20 DC2 ----- -----	21 DC4 ----- -----	22 RM ----- -----	23 MAX ----- -----	24 HT ----- -----	25 SI ----- -----	26 DLR ----- -----	27 NUL Ansi A2 -----	28 ESC ----- -----	29 ----- ----- -----
	----- ----- ----- -----	30 ----- ----- -----	31 SOH ----- -----	32 DC3 ----- -----	33 ROP ----- -----	34 ACK ----- -----	35 BEL ----- -----	36 BS ----- -----	37 LF ----- -----	38 VT ----- -----	39 FF ----- -----	40 ----- ----- -----	41 ----- ----- -----	42 GS ----- -----	43 NewLine NewLine ----- -----
	----- ----- ----- -----	44 ----- ----- -----	46 SUB ----- -----	47 CAN ----- -----	48 RTX ----- -----	49 SYN ----- -----	50 STX ----- -----	51 SO ----- -----	52 CR ----- -----	53 ----- ----- -----	54 ----- ----- -----	55 ----- ----- -----	Ansi 5C ----- FS -----	57 ----- ----- -----	
	Reset Reset Record ----- ----- -----	58 ----- ----- -----	60 ----- ----- -----	61 ----- ----- -----				62 ----- ----- -----	64 Entr/Ctl Entr/Ctl ----- -----						

Segment C assignment:


75 RollDwn ----- ----- ----- ----- -----	80 ----- ----- ChgScr ChgScr ----- -----	85 RollDwn JmpNext ----- ----- ----- -----
76 Insert EditPaste EditCopy ----- ----- -----	81 DelChar EditCut ----- ----- -----	86 ----- ----- ----- ----- -----

	83 Up MarkUp MoveUp FastUp FastUp -----	
79 Left MarkLef MoveLef FastLef -----	84 Home Home Rule ----- -----	89 Right MarkRig MoveRig FastRig -----
	Down MarkDwn MoveDwn ----- -----	

Segment D assignment:

90 Dup Dup ----- Reverse ----- -----	95 FlcMark FlcMark ----- Red ----- TrnOp	100 ----- ----- Pink ----- -----	105 Field- Field- Break ----- -----
91 ----- ----- ----- ----- -----	96 ----- ----- ----- Green ----- FldTrns	101 ----- ----- ----- Yellow ----- -----	106 Field+ Field+ ----- ----- -----
92 ----- ----- ----- UnderSc ----- -----	97 ----- ----- ----- Blue ----- -----	102 ----- ----- ----- Turquoi ----- -----	
95 ----- ----- ----- FieldH -----	98 ----- ----- ----- White -----	103 ESC_J ----- ----- -----	108 Enter Enter ----- -----
99 ----- ----- ----- ----- -----		104 ----- ----- ----- FldCol -----	

5576-A01 (3270 Only)



Segment A assignment:

110 SysAttn SysReq ----- ----- ----- -----	112 PF1 PF13 SOSI Doc Doc Red	113 PF2 PF14 WordWrap WordWrap Pink	114 PF3 PF15 AltView CfGfmt CfGfmt Green	115 PF4 PF16 ----- ----- ----- Yellow	116 PF5 PF17 Record ----- ----- Blue	117 PF6 PF18 Play ----- ----- Turq	118 PF7 PF19 RPaase ----- ----- White	119 PF8 PF20 APL ----- APL FlaColor	120 PF9 PF21 CrSel ----- CrSel -----	121 PF10 PF22 CrBnk ----- CrBnk -----	122 PF11 PF23 RTM AltCr AltCr -----	123 PF12 PF24 ----- GrpCsr GrpCsr -----
--	---	--	--	---	--	--	---	---	--	---	---	---

124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear ----- Break ----- ----- -----
--	--	---

Segment B assignment:

1 ----- ----- ----- ----- -----	2 ----- ----- ----- ----- -----	3 ----- ----- NUL ----- ----- -----	4 ----- ----- ----- ----- -----	5 ----- ----- ----- ----- -----	6 ----- ----- ----- ----- -----	7 ----- ----- RS ----- ----- -----	8 ----- ----- ----- ----- -----	9 ----- ----- ----- ----- -----	10 ----- ----- ----- ----- -----	11 ----- ----- ----- ----- -----	12 ----- ----- US ----- ----- -----	13 ----- ----- RS ----- ----- -----	14 ----- ----- ----- ----- -----	15 BackSp BackSp ----- EditUnd ----- -----
16 Tab BackTab ----- ----- -----	17 ----- ----- DC1 ----- ----- -----	18 ----- ----- ETB ----- ----- -----	19 ----- ----- ENO ----- ----- -----	20 ----- ----- DC2 ----- ----- -----	21 ----- ----- DC4 ----- ----- -----	22 ----- ----- EM ----- ----- -----	23 ----- ----- NAK ----- ----- -----	24 ----- ----- HT ----- ----- -----	25 ----- ----- SJ ----- ----- -----	26 ----- ----- DLE ----- ----- -----	27 ----- ----- NUL ----- ----- -----	28 ----- ----- ESC ----- ----- -----	29 ----- ----- ----- ----- -----	
30 ----- ----- ----- ----- -----	31 ----- ----- SOH ----- ----- -----	32 ----- ----- DC3 ----- ----- -----	33 ----- ----- EOT ----- ----- -----	34 ----- ----- ACK ----- ----- -----	35 ----- ----- BEL ----- ----- -----	36 ----- ----- BS ----- ----- -----	37 ----- ----- LF ----- ----- -----	38 ----- ----- VT ----- ----- -----	39 ----- ----- FF ----- ----- -----	40 ----- ----- ----- ----- -----	41 ----- ----- ----- ----- -----	43 NewLine NewLine ----- ----- -----		
44 ----- ----- ----- ----- -----	46 ----- ----- SUB ----- ----- -----	47 ----- ----- CAN ----- ----- -----	48 ----- ----- ETX ----- ----- -----	49 ----- ----- SYN ----- ----- -----	50 ----- ----- STX ----- ----- -----	51 ----- ----- SO ----- ----- -----	52 ----- ----- CR ----- ----- -----	53 ----- ----- ----- ----- -----	54 ----- ----- ----- ----- -----	55 ----- ----- ----- ----- -----	57 ----- ----- ----- ----- -----			
58 Reset/Ctrl Reset/Ctrl ----- Quit Quit -----	60 ----- ----- ----- ----- -----	61 ----- ----- ----- ----- -----	62 ----- ----- ----- ----- -----	64 Enter/Ctrl Enter/Ctrl ----- ----- -----										

Segment C assignment:

75 Insert Dup EditCop PA1 PA1 EditPst	80 Home FldMk Rule PA2 PA2	85 ----- PA3 ChgScn JmpNext JmpNext -----
76 Delete EditCut DelWd DelWd ----- -----	81 ErEOF ErFld ----- ErInp ErInp -----	86 ----- EditPst Test ----- ----- -----

83 Up MarkUp MoveUp FastUp FastUp -----

79 Left MarkLef MoveLef BackWd BackWd -----	84 Down MarkDow MoveDow FastDow FastDow -----	89 Right MarkRig MoveRig FwdWd FwdWd -----
---	---	--

Segment D assignment:

90 ----- ----- ----- ----- ----- -----	95 ----- ----- ----- ----- TrnOp -----	100 ----- ----- Reverse Reverse ----- -----	105 ----- ----- ----- ----- ----- -----
91 Home ----- ----- ----- ----- -----	96 Up ----- MoveUp FastUp FastUp TrnFld1	101 ----- ----- ----- ----- ----- -----	106 ----- ----- ----- ----- ----- -----
92 Left ----- MovLeft ----- ----- -----	97 ----- ----- ----- ----- ----- -----	102 Right ----- MoveRig UnderSc UnderSc -----	
93 EndFld ----- ----- ----- ----- -----	98 Down ----- MoveDow FastDow FastDow -----	103 ESC J ----- FieldHi FieldHi -----	108 Enter Enter ----- ----- -----
99 Insert ----- ----- ----- ----- -----	104 Delete ----- DelWd DelWd ----- -----		

5576-A01 Keyboard (5250 Only)



Segment A assignment:

110 SysAttn SysReq ----- ----- ----- -----	112 PF1 PF13 SOSI Help ----- ----- -----	113 PF2 PF14 ----- ----- ----- -----	114 PF3 PF15 AltView ----- ----- -----	115 PF4 PF16 ----- ----- -----	116 PF5 PF17 Record ----- ----- -----	117 PF6 PF18 Play ----- ----- -----	118 PF7 PF19 RPaase ----- ----- -----	119 PF8 PF20 SOSI/G ----- ----- SOSI/G FieldCol	120 PF9 PF21 ----- ----- ----- -----	121 PF10 PF22 ----- ----- ----- -----	122 PF11 PF23 AltCur ----- ----- AltCur -----	123 PF12 PF24 ----- ----- TestReq TestReq -----
--	---	--	--	---	---	---	---	--	--	---	--	--

124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear ----- ----- HostPr ----- ----- -----
--	--	---

Segment B assignment:

1 ----- ----- ----- -----	2 ----- ----- ----- -----	3 ----- ----- ----- -----	4 ----- ----- ----- -----	5 ----- ----- ----- -----	6 ----- ----- ----- -----	7 ----- ----- ----- -----	8 ----- ----- ----- -----	9 ----- ----- ----- -----	10 ----- ----- ----- -----	11 ----- Ansi 7E ----- -----	12 ----- Ansi A3 ----- -----	13 ----- ----- ----- -----	14 ----- Ansi AC ----- -----	15 CharBsp CharAdv ----- EditUnd -----
16 Tab BackTab ----- ----- -----	17 ----- ----- ----- -----	18 ----- ----- ----- -----	19 ----- ----- ----- -----	20 ----- ----- ----- -----	21 ----- ----- ----- -----	22 ----- ----- ----- -----	23 ----- ----- ----- -----	24 ----- ----- ----- -----	25 ----- ----- ----- -----	26 ----- ----- ----- -----	27 ----- Ansi A2 ----- -----	28 ----- ----- ----- -----	29 ----- ----- ----- -----	
30 ----- ----- ----- -----	31 ----- ----- ----- -----	32 ----- ----- ----- -----	33 ----- ----- ----- -----	34 ----- ----- ----- -----	35 ----- ----- ----- -----	36 ----- ----- ----- -----	37 ----- ----- ----- -----	38 ----- ----- ----- -----	39 ----- ----- ----- -----	40 ----- ----- ----- -----	41 ----- ----- ----- -----	43 FieldExt FieldExt ----- ----- -----		
44 ----- ----- ----- -----	46 ----- ----- ----- -----	47 ----- ----- ----- -----	48 ----- ----- ----- -----	49 ----- ----- ----- -----	50 ----- ----- ----- -----	51 ----- ----- ----- -----	52 ----- ----- ----- -----	53 ----- ----- ----- -----	54 ----- ----- ----- -----	55 ----- ----- ----- -----	57 ----- ----- ----- -----			
58 Reset/Ctrl Reset/Ctrl Quit ----- -----	60 ----- ----- ----- -----	61 ----- ----- ----- -----						62 ----- ----- ----- -----	64 Enter/Ctrl Enter/Ctrl ----- ----- -----					

Segment C assignment:

75 Insert Dup EditCop ----- ----- EditPst	80 Home F1dMk Rule ----- ----- -----	85 RollDwn RollDwn ----- JumpNxt JumpNxt -----
76 Delete EditCut DelWd DelWd ----- -----	81 ErEOF ----- ErInp ErInp ----- -----	86 RollUp EditPst ----- ----- ----- -----

83 Up Markup MoveUp FastUp FastUp -----

79 Left MarkLef MoveLef BackWd BackWd -----	84 Down MarkDow MoveDow FastDow FastDow -----	89 Right MarkRig MoveRig TabWord TabWord -----
---	---	--

Segment D assignment:

90 ----- ----- ----- ----- ----- -----	95 F1dMk F1dMk F1dMk F1dMk -----	100 Dup Dup ----- ----- -----	105 Ansi 2D Ansi 2D Field- Field- Field- -----
91 Home ----- ----- ----- ----- -----	96 Up ----- MoveUp FastUp FastUp -----	101 RollDwn ----- ----- ----- -----	106 Field+ Field+ Field+ Field+ -----
92 Left ----- MoveLft ----- -----	97 ----- ----- ----- ----- -----	102 Right ----- MoveRig ----- -----	
93 ErEOF ----- ----- ----- -----	98 Down ----- MoveDow FastDow FastDow -----	103 RollUp ----- ----- ----- -----	108 FldExt FldExt ----- ----- -----
99 Insert ----- ----- ----- -----	104 Delete ----- DelWord DelWord -----		

5576-A01 Keyboard (Combined 3270 and 5250)



Segment A assignment:

110 Attn SysReq ----- ----- ----- -----	112 PF1 PF13 SOSI Doc Doc Red	113 PF2 PF14 WordWrap WordWrap Pink	114 PF3 PF15 AltView CfgFmt CfgFmt Green	115 PF4 PF16 ----- ----- ----- Yellow	116 PF5 PF17 Record ----- ----- Blue	117 PF6 PF18 Play ----- ----- Turquoise	118 PF7 PF19 RPaase ----- ----- White	119 PF8 PF20 APL ----- ----- -----	120 PF9 PF21 CrSel CrSel -----	121 PF10 PF22 CrBnk CrBnk -----	122 PF11 PF23 AltCur ----- AltCur -----	123 PF12 PF24 ----- +Cr +Cr -----
	124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear ----- Break ----- ----- -----									

Segment B assignment:

1 ----- ----- ----- ----- -----	2 ----- ----- ----- ----- -----	3 ----- ----- NUL ----- ----- -----	4 ----- ----- ----- ----- -----	5 ----- ----- ----- ----- -----	6 ----- ----- ----- ----- -----	7 ----- ----- ----- ----- -----	8 ----- ----- ----- ----- -----	9 ----- ----- ----- ----- -----	10 ----- ----- ----- ----- -----	11 ----- ----- ANSI 7E ----- ----- -----	12 ----- ----- US ANSI A3 ----- -----	13 ----- ----- RS ----- ----- -----	14 ----- ----- ANSI AC ----- ----- -----	15 BackSp CharAdv ----- ----- -----
16 Tab BackTab ----- ----- -----	17 ----- ----- DC1 ----- ----- -----	18 ----- ----- ETB ----- ----- -----	19 ----- ----- ENO ----- ----- -----	20 ----- ----- DC2 ----- ----- -----	21 ----- ----- DC4 ----- ----- -----	22 ----- ----- EM ----- ----- -----	23 ----- ----- NAK ----- ----- -----	24 ----- ----- HT ----- ----- -----	25 ----- ----- SI ----- ----- -----	26 ----- ----- DLE ----- ----- -----	27 ----- ----- NUL ANSI A2 ----- -----	28 ----- ----- ESC ----- ----- -----	29 ----- ----- ----- ----- -----	
30 ----- ----- ----- ----- -----	31 ----- ----- SOH ----- ----- -----	32 ----- ----- DC3 ----- ----- -----	33 ----- ----- EOT ----- ----- -----	34 ----- ----- ACK ----- ----- -----	35 ----- ----- BEL ----- ----- -----	36 ----- ----- BS ----- ----- -----	37 ----- ----- LF ----- ----- -----	38 ----- ----- VT ----- ----- -----	39 ----- ----- FF ----- ----- -----	40 ----- ----- ----- ----- -----	41 ----- ----- ----- ----- -----	43 NewLine NewLine ----- ----- -----		
44 ----- ----- ----- ----- -----	46 ----- ----- SUB ----- ----- -----	47 ----- ----- CAN ----- ----- -----	48 ----- ----- ETX ----- ----- -----	49 ----- ----- SYN ----- ----- -----	50 ----- ----- STX ----- ----- -----	51 ----- ----- SO ----- ----- -----	52 ----- ----- CR ----- ----- -----	53 ----- ----- ----- ----- -----	54 ----- ----- ----- ----- -----	55 ----- ----- ----- ----- -----	57 ----- ----- ----- ----- -----			
58 Reset/Ctrl Reset/Ctrl Quit Quit -----	60 ----- ----- ----- ----- -----	61 ----- ----- ----- ----- -----	62 ----- ----- ----- ----- -----	64 Enter/Ctrl Enter/Ctrl ----- ----- -----										

Segment C assignment:

75 Insert Dup EditCop PA1 PA1 EditPst	80 Home FieldMk Rule PA2 PA2	85 RollDwn PA3 ChgScn JumpNxt JumpNxt
76 Delete EditCut DelWord DelWord ----- -----	81 ErEOF ErFla ----- ErInp ErInp	86 RollUp EditPst Test ----- -----

83 Up MarkUp MoveUp FastUp FastUp -----

79 Left MarkLef MoveLef BackWd BackWd -----	84 Down MarkDow MoveDow FastDow FastDow	89 Right MarkRig MoveRig FwdWd FwdWd -----
---	--	--

Segment D assignment:

90 ----- ----- ----- ----- ----- -----	95 ----- ----- ----- ----- ----- TrnOp	100 ----- ----- ----- Reverse Reverse -----	105 ANSI 2D ANSI 2D ----- ----- -----
91 Home ----- ----- ----- ----- -----	96 Up ----- MoveUp FastUp FastUp TrnFlaI	101 ----- ----- ----- ----- ----- -----	106 Field ----- ----- ----- ----- -----
92 Left ----- MoveLet ----- ----- -----	97 ----- ----- ----- ----- ----- -----	102 Right ----- MoveRig UnderSc UnderSc -----	
93 EndFla ----- ----- ----- ----- -----	98 Down ----- MoveDow FastDow FastDow	103 ESC J ----- ----- FieldHi FieldHi	108 Enter Enter ----- ----- -----
99 Insert ----- ----- ----- ----- -----	104 Delete ----- DelWord DelWord ----- -----		

5576-002/003 (3270 Only)



Segment A assignment:

110 Sysattn SysRq ----- ----- ----- -----	112 PF1 PF13 SOSI Doc Doc Red	113 PF2 PF14 ----- WordWrap wordwrap Pnk	114 PF3 PF15 AltView CfgFmt CfgFmt Green	115 PF4 PF16 ----- ----- ----- Yellow	116 PF5 PF17 Record ----- ----- Blue	117 PF6 PF18 Play ----- ----- Turquoise	118 PF7 PF19 RPaase ----- ----- White	119 PF8 PF20 APL ----- APL FieldCol	120 PF9 PF21 CrSel ----- CrSel -----	121 PF10 PF22 CrBnk ----- CrBnk -----	122 PF11 PF23 RTM AltCr AltCr -----	123 PF12 PF24 ----- GrpCsr GrpCsr -----
---	---	--	--	---	--	---	---	---	--	---	---	---

124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear ----- Break ----- ----- -----
--	--	---

Segment B assignment:

1 ----- ----- ----- ----- -----	2 ----- ----- ----- ----- -----	3 ----- ----- NUL ----- ----- -----	4 ----- ----- ----- ----- -----	5 ----- ----- ----- ----- -----	6 ----- ----- ----- ----- -----	7 ----- ----- RS ----- ----- -----	8 ----- ----- ----- ----- -----	9 ----- ----- ----- ----- -----	10 ----- ----- ----- ----- -----	11 ----- ----- ----- ----- -----	12 ----- ----- US ----- ----- -----	13 ----- ----- RS ----- ----- -----	14 ----- ----- ----- ----- -----	15 BackSp BackSp ----- EditUnd ----- -----
16 Tab BackTab ----- ----- -----	17 ----- ----- DC1 ----- ----- -----	18 ----- ----- ETB ----- ----- -----	19 ----- ----- ENO ----- ----- -----	20 ----- ----- DC2 ----- ----- -----	21 ----- ----- DC4 ----- ----- -----	22 ----- ----- EM ----- ----- -----	23 ----- ----- NAK ----- ----- -----	24 ----- ----- HT ----- ----- -----	25 ----- ----- SJ ----- ----- -----	26 ----- ----- DLE ----- ----- -----	27 ----- ----- NUL ----- ----- -----	28 ----- ----- ESC ----- ----- -----	29 ----- ----- ----- ----- -----	
30 ----- ----- ----- ----- -----	31 ----- ----- SOH ----- ----- -----	32 ----- ----- DC3 ----- ----- -----	33 ----- ----- EOT ----- ----- -----	34 ----- ----- ACK ----- ----- -----	35 ----- ----- BEL ----- ----- -----	36 ----- ----- BS ----- ----- -----	37 ----- ----- LF ----- ----- -----	38 ----- ----- VT ----- ----- -----	39 ----- ----- FF ----- ----- -----	40 ----- ----- ----- ----- -----	41 ----- ----- ----- ----- -----	43 NewLine NewLine ----- ----- -----		
44 ----- ----- ----- ----- -----	46 ----- ----- SUB ----- ----- -----	47 ----- ----- CAN ----- ----- -----	48 ----- ----- ETX ----- ----- -----	49 ----- ----- SYN ----- ----- -----	50 ----- ----- STX ----- ----- -----	51 ----- ----- SO ----- ----- -----	52 ----- ----- CR ----- ----- -----	53 ----- ----- ----- ----- -----	54 ----- ----- ----- ----- -----	55 ----- ----- ----- ----- -----	57 ----- ----- ----- ----- -----			
58 Reset/Ctrl Reset/Ctrl ----- Quit Quit -----	60 ----- ----- ----- ----- -----	61 ----- ----- ----- ----- -----	62 ----- ----- ----- ----- -----	64 Entr/Ctl Entr/Ctl ----- ----- -----										

Segment C assignment:

75 Insert Dup EditCop PA1 PA1 EditPst	80 Home FldMk Rule PA2 PA2	85 ----- PA3 ChgScn JmpNext JmpNext -----
76 Delete EditCut DelWd DelWd ----- -----	81 ErEOF ErFld ----- ErInp ErInp -----	86 ----- EditPst Test ----- ----- -----

83 Up MarkUp MoveUp FastUp FastUp -----

79 Left MarkLef MoveLef BackWd BackWd -----	84 Down MarkDow MoveDow FastDow FastDow -----	89 Right MarkRig MoveRig FwdWd FwdWd -----
---	---	--

Segment D assignment:

90 ----- ----- ----- ----- ----- -----	95 ----- ----- ----- ----- TrnOp -----	100 ----- ----- Reverse Reverse ----- -----	105 ----- ----- ----- ----- ----- -----
91 Home ----- ----- ----- ----- -----	96 Up ----- MoveUp FastUp FastUp TrnFld1	101 ----- ----- ----- ----- ----- -----	106 ----- ----- ----- ----- ----- -----
92 Left ----- MovLeft ----- ----- -----	97 ----- ----- ----- ----- ----- -----	102 Right ----- MoveRig UnderSc UnderSc -----	
93 EndFld ----- ----- ----- ----- -----	98 Down ----- MoveDow FastDow FastDow -----	103 ESC J ----- FieldHi FieldHi -----	108 Enter Enter ----- ----- -----
99 Insert ----- ----- ----- ----- -----	104 Delete ----- DelWd DelWd ----- -----		

5576-002/003 Keyboard (5250 Only)



Segment A assignment:

110 SysAttn SysReq ----- ----- ----- -----	112 PF1 PF13 SOSI Help ----- ----- -----	113 PF2 PF14 ----- ----- ----- -----	114 PF3 PF15 AltView ----- ----- -----	115 PF4 PF16 ----- ----- -----	116 PF5 PF17 Record ----- ----- -----	117 PF6 PF18 Play ----- ----- -----	118 PF7 PF19 Pause ----- ----- -----	119 PF8 PF20 SOSI/6 SOSI/6 FieldCol ----- ----- -----	120 PF9 PF21 ----- ----- -----	121 PF10 PF22 ----- ----- -----	122 PF11 PF23 AltCur AltCur ----- -----	123 PF12 PF24 ----- ----- TestReq TestReq ----- -----
--	---	--	--	---	---	---	--	---	---	--	---	---

124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear HostPr ----- ----- -----
--	--	---

Segment B assignment:

1 ----- ----- ----- -----	2 ----- ----- ----- -----	3 ----- ----- ----- -----	4 ----- ----- ----- -----	5 ----- ----- ----- -----	6 ----- ----- ----- -----	7 ----- ----- ----- -----	8 ----- ----- ----- -----	9 ----- ----- ----- -----	10 ----- ----- ----- -----	11 Ansi 7E ----- ----- -----	12 Ansi A3 ----- ----- -----	13 RS ----- ----- -----	14 ANSI AC ----- ----- -----	15 CharBsp CharAdv EditUnd ----- ----- -----
16 Tab BackTab ----- ----- -----	17 ----- ----- ----- -----	18 ----- ----- ----- -----	19 ----- ----- ----- -----	20 ----- ----- ----- -----	21 ----- ----- ----- -----	22 ----- ----- ----- -----	23 ----- ----- ----- -----	24 ----- ----- ----- -----	25 ----- ----- ----- -----	26 ----- ----- ----- -----	27 Ansi A2 ----- ----- -----	28 ----- ----- ----- -----	29 ----- ----- ----- -----	
30 ----- ----- ----- -----	31 ----- ----- ----- -----	32 ----- ----- ----- -----	33 ----- ----- ----- -----	34 ----- ----- ----- -----	35 ----- ----- ----- -----	36 ----- ----- ----- -----	37 ----- ----- ----- -----	38 ----- ----- ----- -----	39 ----- ----- ----- -----	40 ----- ----- ----- -----	41 ----- ----- ----- -----	43 FieldExt FieldExt ----- -----		
44 ----- ----- ----- -----	46 ----- ----- ----- -----	47 ----- ----- ----- -----	48 ----- ----- ----- -----	49 ----- ----- ----- -----	50 ----- ----- ----- -----	51 ----- ----- ----- -----	52 ----- ----- ----- -----	53 ----- ----- ----- -----	54 ----- ----- ----- -----	55 ----- ----- ----- -----	57 ----- ----- ----- -----			
58 Reset/Ctl Reset/Ctl Quit ----- -----	60 ----- ----- ----- -----	61 ----- ----- ----- -----	62 ----- ----- ----- -----	64 Entr/Ctl Entr/Ctl ----- -----										

Segment C assignment:

75 Insert Dup EditCop ----- ----- EditPst	80 Home F1dMk Rule ----- ----- -----	85 RollDwn RollDwn ----- JumpNxt JumpNxt -----
76 Delete EditCut DelWd DelWd ----- -----	81 ErEOF ----- ErInp ErInp ----- -----	86 RollUp EditPst ----- ----- ----- -----

83 Up Markup MoveUp FastUp FastUp -----

79 Left MarkLef MoveLef BackWd BackWd -----	84 Down MarkDow MoveDow FastDow FastDow -----	89 Right MarkRig MoveRig TabWord TabWord -----
---	---	--

Segment D assignment:

90 Dup Dup Dup Dup Dup -----	95 F1dMk F1dMk F1dMk F1dMk F1dMk -----	100 ----- ----- ----- ----- ----- -----	105 ANSI 2D ANSI 2D ----- ----- ----- -----
91 Home ----- ----- ----- ----- -----	96 Up ----- MoveUp FastUp FastUp -----	101 RollDwn ----- ----- ----- ----- -----	106 F1e1d+ F1e1d+ F1e1d+ F1e1d+ ----- -----
92 Left ----- MoveLft ----- ----- -----	97 ----- ----- ----- ----- ----- -----	102 Right ----- MoveRig ----- ----- -----	
93 ErEOF ----- ----- ----- ----- -----	98 Down ----- MoveDow FastDow FastDow -----	103 RollUp ----- ----- ----- ----- -----	108 F1dExt F1dExt ----- ----- ----- -----
99 Insert ----- ----- ----- ----- -----		104 Delete ----- DelWord DelWord ----- -----	

5576-002/003 Keyboard (Combined 3270 and 5250)



Segment A assignment:

110 Attn SysReq ----- ----- ----- -----	112 PF1 PF13 SOSI Doc Doc Red	113 PF2 PF14 ----- WordWrap wordwrap Pink	114 PF3 PF15 AltView CfGfmt CfGfmt Green	115 PF4 PF16 ----- ----- ----- Yellow	116 PF5 PF17 Record ----- ----- Blue	117 PF6 PF18 Play ----- ----- Turquoise	118 PF7 PF19 Pause ----- ----- White	119 PF8 PF20 APL ----- APL -----	120 PF9 PF21 ----- CrSel CrSel -----	121 PF10 PF22 CrBnk ----- CrBnk -----	122 PF11 PF23 AltCur ----- AltCur -----	123 PF12 PF24 ----- +Cr +Cr -----
---	---	---	--	---	--	---	--	--	--	---	---	---

124 ----- ----- ----- ----- -----	125 ----- ----- ----- ----- -----	126 Clear ----- Break ----- ----- -----
--	--	---

Segment B assignment:

1 ----- ----- ----- ----- -----	2 ----- ----- ----- ----- -----	3 ----- ----- NUL ----- ----- -----	4 ----- ----- ----- ----- -----	5 ----- ----- ----- ----- -----	6 ----- ----- ----- ----- -----	7 ----- ----- ----- ----- -----	8 ----- ----- ----- ----- -----	9 ----- ----- ----- ----- -----	10 ----- ----- ----- ----- -----	11 ----- ----- ANSI 7E ----- ----- -----	12 ----- ----- US ANSI A3 ----- -----	13 ----- ----- RS ----- ----- -----	14 ----- ----- ANSI AC ----- ----- -----	15 BackSp CharAdv ----- ----- -----
16 Tab BackTab ----- ----- -----	17 ----- ----- DC1 ----- ----- -----	18 ----- ----- ETB ----- ----- -----	19 ----- ----- ENO ----- ----- -----	20 ----- ----- DC2 ----- ----- -----	21 ----- ----- DC4 ----- ----- -----	22 ----- ----- EM ----- ----- -----	23 ----- ----- NAK ----- ----- -----	24 ----- ----- HT ----- ----- -----	25 ----- ----- SI ----- ----- -----	26 ----- ----- DLE ----- ----- -----	27 ----- ----- NUL ANSI A2 ----- -----	28 ----- ----- ESC ----- ----- -----	29 ----- ----- ----- ----- ----- -----	
30 ----- ----- ----- ----- -----	31 ----- ----- SOH ----- ----- -----	32 ----- ----- DC3 ----- ----- -----	33 ----- ----- EOT ----- ----- -----	34 ----- ----- ACK ----- ----- -----	35 ----- ----- BEL ----- ----- -----	36 ----- ----- BS ----- ----- -----	37 ----- ----- LF ----- ----- -----	38 ----- ----- VT ----- ----- -----	39 ----- ----- FF ----- ----- -----	40 ----- ----- ----- ----- ----- -----	41 ----- ----- ----- ----- ----- -----	43 NewLine NewLine ----- ----- ----- -----		
44 ----- ----- ----- ----- -----	46 ----- ----- SUB ----- ----- -----	47 ----- ----- CAN ----- ----- -----	48 ----- ----- ETX ----- ----- -----	49 ----- ----- SYN ----- ----- -----	50 ----- ----- STX ----- ----- -----	51 ----- ----- SO ----- ----- -----	52 ----- ----- CR ----- ----- -----	53 ----- ----- ----- ----- ----- -----	54 ----- ----- ----- ----- ----- -----	55 ----- ----- ----- ----- ----- -----	57 ----- ----- ----- ----- ----- -----			
58 Reset/Ctl Reset/Ctl Quit Quit ----- -----	60 ----- ----- ----- ----- ----- -----	61 ----- ----- ----- ----- ----- -----	62 ----- ----- ----- ----- ----- -----	64 Entr/Ctl Entr/Ctl ----- ----- ----- -----										

Segment C assignment:

75 Insert Dup EditCop PA1 PA1 EditPst	80 Home FieldMk Rule PA2 PA2	85 RollDwn PA3 ChgScn JumpNxt JumpNxt
76 Delete EditCut DelWord DelWord ----- -----	81 ErEOF ErFld ----- ErInp ErInp	86 RollUp EditPst Test ----- -----

Segment D assignment:

90 ----- ----- ----- ----- ----- -----	95 ----- ----- ----- ----- ----- TrnOp	100 ----- ----- ----- Reverse Reverse -----	105 ANSI 2D ANSI 2D ----- ----- -----
91 Home ----- ----- ----- ----- -----	96 Up ----- MoveUp FastUp FastUp TrnFld1	101 ----- ----- ----- ----- ----- -----	106 Field+ ----- ----- ----- ----- -----
92 Left ----- MoveLef ----- -----	97 ----- ----- ----- ----- -----	102 Right ----- MoveRig UnderSc UnderSc -----	
93 EndFld ----- ----- ----- ----- -----	98 Down ----- MoveDow FastDow FastDow	103 Esc J ----- FieldHi FieldHi	108 Enter Enter ----- ----- -----
79 Left MarkLef MoveLef BackWd BackWd ----- -----	84 Down MarkDow MoveDow FastDow FastDow	89 Right MarkRig MoveRig FwdWd FwdWd ----- -----	99 Insert ----- ----- ----- ----- -----
		104 Delete ----- DelWord DelWord ----- -----	

83 Up MarkUp MoveUp FastUp FastUp ----- -----
--

APL Keyboard Layouts (3270 only)

This section shows the APL keyboard layouts for each country. Only APL characters are shown in each shift position (up/down/ALT).

Language	Type
Austrian/German	1
Belgian	2
Canadian-Bilingual	1
Denmark	1
Finnish/Swedish	1
French AZERTY	2
Hangeul	4
Italian	1
Japanese	4
Latin American Spanish	1
Norwegian	1

Language	Type
Portuguese	1
Simplified Chinese	4
Spanish	1
Swiss-French	1
Swiss-German	1
Traditional Chinese	4
U.K. English	1
U.S. English	3

Figure 2. Type-1 APL Keyboard on page 4




Figure 3. Type-2 APL Keyboard on page 4




Figure 4. Type-3 APL Keyboard on page 4





Figure 5. Type-4 APL Keyboard on page 4



[[Top of Page on page 4](#) | [Previous Page on page 4](#) | [Next Page on page 46](#) | [Table of Contents on page 3](#)]

Keyboard Layout and Mapping Reference

Keyboard Mapping

This chapter describes keyboard mapping supported by the host system. The keyboards are selected during installation or customization procedures. You can use keyboard layouts to locate character positions on the keyboard. Refer to *Emulator User's Reference* for more information.

For keys with three or four characters shown, use the key combinations in [Table 1 on page 46](#) to produce the desired upper-right and lower-right characters. Lower-left characters require no additional keys. Use the shift key for upper-left characters.

Table 1. Key Combinations for Upper-Right and Lower-Right Characters on page 4

Country	Lower-Right Character Enhanced Template ¹	Upper-Right Character All Templates
Denmark	AltGr	Ctrl
Finland	AltGr	Ctrl
Norway	AltGr	Ctrl

Country	Lower-Right Character Enhanced Template ¹	Upper-Right Character All Templates
Sweden	AltGr	Ctrl
All others	AltGr	None
<p>Note:</p> <p>1</p> <p>Alt and AltGr keys produce the same character on the Enhanced keyboard in DOS mode.</p>		

Local Edit Keys

Table 2 on page 47 shows the keys used by local editing. These keys behave differently between the local editing mode and the interactive editing (ECHO) mode.

Table 2. Local Edit Keys on page 4

VT Key Mnemonics	Local Edit Function	Action in Local Edit Mode
VT Find	Home Cursor	Moves the cursor to the top left position on a page in memory.
VT Insert	Insert/Override	Selects whether new characters typed displace existing characters to the right, or replace existing characters.
VT Remove	Clear	Clears an unprotected field of all characters. Press in conjunction with the SHIFT key to clear all unprotected fields in the scrolling region.
VT Select	Edit	Press in conjunction with the SHIFT key to enter or exit local edit mode. The status line shows the current state.
VT Prev	PrevPage	Moves the cursor to the beginning of the previous page.
VT Next	NextPage	Moves the cursor to the beginning of the next page.
VT PF1	Tab	<p>Advances the cursor to the first occurrence of:</p> <ul style="list-style-type: none"> • A tab stop at the beginning of an unprotected field • An unprotected field • The end of the scrolling region <p>Pressing SHIFT with this key moves the cursor back to the first occurrence of:</p> <ul style="list-style-type: none"> • The previous tab stop • The beginning of the current unprotected field • The beginning of the previous unprotected field • The beginning of the scrolling region
VT PF2	Insert Line	Adds a blank line on the screen and moves the following lines down. This key cannot be selected on a line containing a protected field.
VT PF3	DeleteLine	Deletes a line from the screen and moves the following lines up. This key cannot be selected on a line containing a protected field.

VT Key Mnemonics	Local Edit Function	Action in Local Edit Mode
VT PF4	DeleteChar	Deletes an unprotected character at the cursor.
VT Numpad Enter Newline	Transmit	Sends a block of edited text to the host. Works like the Transmit key, if you select Line Transmit.

Key Map for Home3270

This section shows the position of the following control codes: NUL (X'00') ESC (X'1B') FS (X'1C') GS (X'1D') RS (X'1E') US (X'1F')

The positions of these control codes are fixed and common for all languages (including U.S. English), regardless of the characters assigned to BASE and UP SHIFT positions of the keys. These control codes are positioned to the CONTROL positions of the keys shown in [Figure 6 on page 48](#) through [Figure 7 on page 48](#).

Figure 6. Common Control Code of Keyboard Core Segment for Non-Japanese Keyboard on page 4





Figure 7. Common Control Code of Keyboard Core Segment for Japanese Keyboard on page 4



The positions of other control codes vary for each language. These control codes are positioned to the CONTROL position of the associated alphabetic key. Those control codes and the associated alphabetic characters are as follows.


Table 3. Other Control Code Map of Key Segment B on page 4

Control Code	Associated Letter
SOH (X'01')	a
STX (X'02')	b
ETX (X'03')	c
EOT (X'04')	d
ENQ (X'05')	e
ACK (X'06')	f
BEL (X'07')	g
BS (X'08')	h
HT (X'09')	i
LF (X'0A')	j
VT (X'0B')	k
FF (X'0C')	l
CR (X'0D')	m
SO (X'0E')	n
SI (X'0F')	o

Control Code	Associated Letter
DLE (X'10')	p
DC1(XON) (X'11')	q
DC2 (X'12')	r
DC3(XOF) (X'13')	s
DC4 (X'14')	t
NAK (X'15')	u
SYN (X'16')	v
ETB (X'17')	w
CAN (X'18')	x
EM (X'19')	y
SUB (X'1A')	z

Following is an example of control-code mapping for the U.S. Enhanced Keyboard.

Figure 8. Control-Code Map of Keyboard Core Segment for U.S. Enhanced Keyboard on page 4



[[Top of Page on page 46](#) | [Previous Page on page 4](#) | [Next Page](#) | [Table of Contents on page 3](#)]

Host Code Page Reference

Contents

Host Code Page Tables

- [Host Code Page 037-1/697-1 Brazil, Canada, Netherlands, Portugal, U.S., and 037/1175 Traditional Chinese on page 52](#)
- [Host Code Page 273-1/697-1 Austria, Germany on page 53](#)
- [Host Code Page 275-1/697-1 Brazil on page 54](#)
- [Host Code Page 277-1/697-1 Denmark, Norway on page 56](#)
- [Host Code Page 278-1/697-1 Finland, Sweden on page 57](#)
- [Host Code Page 280-1/697-1 Italy on page 58](#)
- [Host Code Page 284-1/697-1 Latin America, Spain on page 59](#)
- [Host Code Page 285-1/697-1 United Kingdom on page 60](#)
- [Host Code Page 290/930 Japan \(Katakana\) Extended on page 61](#)
- [Host Code Page 297-1/697-1 France on page 62](#)
- [Host Code Page 420 Arabic Bilingual on page 63](#)
- [Host Code Page 424/941 Israel \(Hebrew - Bulletin Code\) on page 64](#)
- [Host Code Page 500-1/697-1 International on page 65](#)
- [Host Code Page 803 Israel \(Hebrew - Old Code\) on page 66](#)
- [Host Code Page 833/1173 Hangeul on page 67](#)
- [Host Code Page 836/1174 Simplified Chinese on page 68](#)
- [Host Code Page 870/959 Latin 2 - EBCDIC Multilingual on page 69](#)
- [Host Code Page 871-1/697-1 Iceland on page 70](#)
- [Host Code Page 875 Greece on page 71](#)
- [Host Code Page 924-1/1353-1 International on page 73](#)
- [Host Code Page 1025/1150 Cyrillic on page 74](#)
- [Host Code Page 1026/1152 Latin 5 - Turkey on page 75](#)
- [Host Code Page 1027/939 Japan \(Latin\) Extended on page 76](#)
- [Host Code Page 1047/103 Latin 1 \(Open Systems\) on page 78](#)
- [Host Code Page 1112/1035 Latvia, Lithuania on page 79](#)
- [Host Code Page 1122/1037 Estonia on page 80](#)
- [Host Code Page 1123 Ukraine on page 81](#)
- [Host Code Page 1130 Vietnam on page 82](#)
- [Host Code Page 1132 Laos on page 84](#)
- [Host Code Page 1137 India on page 85](#)
- [Host Code Page 1140-1/695-1 Brazil, Canada, Netherlands, Portugal, U.S., and 1140/1175 Traditional Chinese on page 87](#)
- [Host Code Page 1141-1/695-1 Austria, Germany on page 88](#)
- [Host Code Page 1142-1/695-1 Denmark, Norway on page 90](#)
- [Host Code Page 1143-1/695-1 Finland, Sweden on page 91](#)

- [Host Code Page 1144-1/695-1 Italy on page 93](#)
- [Host Code Page 1145-1/695-1 Latin America, Spain on page 94](#)
- [Host Code Page 1146-1/695-1 United Kingdom on page 95](#)
- [Host Code Page 1147-1/695-1 France on page 97](#)
- [Host Code Page 1148-1/695-1 International on page 98](#)
- [Host Code Page 1149-1/695-1 Iceland on page 100](#)
- [Host Code Page 1153/1375 Latin 2 - EBCDIC Multilingual on page 101](#)
- [Host Code Page 1154/1381 Cyrillic on page 103](#)
- [Host Code Page 1155/1378 Latin 5 - Turkey on page 104](#)
- [Host Code Page 1156/1393 Latvia, Lithuania on page 106](#)
- [Host Code Page 1157/1391 Estonia on page 107](#)
- [Host Code Page 1158/1388 Ukraine on page 109](#)
- [Host Code Page 1160/1395 Thailand on page 110](#)
- [Host Code Page 1164/1397 Vietnam on page 112](#)

[\[Top of Page on page 51 | Previous Page | Next Page | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 037-1/697-1 Brazil, Canada, Netherlands, Portugal, U.S., and 037/1175 Traditional Chinese

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LG0610000	Ø LG0620000	° SM190000	μ SM170000	^ SD150000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LF010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LF150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LF130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Ï LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	´ SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	é SC040000	! SP020000	¡ SM650000	: SP130000	« SP170000	ª SM210000	ï SP030000	[SM060000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	º SM200000	¿ SP160000]	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD620000	- SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	ÿ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	 SM130000	¬ SM660000	? SP150000	" SP040000	± SA020000	⌘ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ EC0

Code Page 00037

[[Top of Page on page 52](#) | [Previous Page](#) | [Next Page on page 53](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 273-1/697-1 Austria, Germany

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LG0610000	Ø LG0620000	° SM190000	μ SM170000	¢ SC040000	ä LA170000	ü LU170000	Ö LO180000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LF010000	ß LS610000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LF150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	{ SM110000	ë LE170000	[SM060000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LF130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	@ SM050000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Î LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ä LA270000	ï LI170000	Ä LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	~ SD190000	Ñ LN200000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	Ä LA180000	Ü LU180000	ö LO170000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	Ω SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	§ SM240000	ð LD630000	æ LA510000	Ð LD620000	¯ SM150000	¡ SM650000	}	\] SM080000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	ÿ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Ɔ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	⊠ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ SC0

Code Page 00273

[[Top of Page on page 53](#) | [Previous Page on page 52](#) | [Next Page on page 54](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 275-1/697-1 Brazil

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	SP SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	¢ SC040000	õ LO190000	é LE110000	\ SM070000	0 ND100000
-1	(RSP) SP300000	} SM140000	/ SP120000	[SM060000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	` SD130000	î LI150000	@ SM050000	Î LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ä LA270000	ï LI170000	À LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ì SM650000	ì LI130000] SM080000	Ì LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	ã LA190000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	Ê LE120000	\$ SC030000	ç LC410000	:	« SP130000	ª SM210000	ı SP030000	¬ SM660000	(šřŸ) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	Ç LC420000	, SP080000	Ö LO200000	» SP180000	º SM200000	ł SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ã LA200000	ð LD630000	æ LA510000	Ð LD620000	ˉ SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	_ SP090000	´ SP050000	ý LY110000	˙ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Ɔ LT640000	´ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	☒ SC010000	® SM530000	× SA070000	{ SM110000	ÿ LY170000	# SM010000	© ND000000

Code Page 00275

[[Top of Page on page 54](#) | [Previous Page on page 53](#) | [Next Page on page 56](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 277-1/697-1 Denmark, Norway

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	¡ SM650000	@ SM050000	° SM190000	μ SM170000	¢ SC040000	æ LA510000	å LA270000	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LF010000	ü LU170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LF150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	• SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LF130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Î LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	} SM140000	ï LI170000	Ş SC030000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	´ SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	# SM010000	☒ SC010000	ø LO610000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	Å LA280000	, SP080000	Æ LA520000	» SP180000	º SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ø LO620000	ð LD630000	{ SM110000	Ð LD620000	- SM150000	ö LO170000	~ SD190000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	´ SP050000	ý LY110000	¸ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	[SM060000	Þ LT640000	´ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000] SM080000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ EO

Code Page 00277

[[Top of Page on page 56](#) | [Previous Page on page 54](#) | [Next Page on page 57](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 278-1/697-1 Finland, Sweden

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	¢ SC040000	ä LA170000	å LA270000	É LE120000	0 ND100000
-1	(RSP) SP300000	` SD130000	/ SP120000	\ SM070000	a LA010000	j LJ010000	ü LU170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LF150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	{ SM110000	ë LE170000	# SM010000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LF130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	[SM060000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Ï LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	} SM140000	ï LI170000	§ SC030000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	é LE110000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	§ SM240000	☒ SC010000	ö LO170000	:	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	Å LA280000	, SP080000	Ä LA180000	» SP180000	º SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ö LO180000	ø LD630000	æ LA510000	Ð LD620000	- SM150000	! SM650000	~ SD190000	@ SM050000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	· SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Û LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000] SM080000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ (E0)

Code Page 00278

[[Top of Page on page 57](#) | [Previous Page on page 56](#) | [Next Page on page 58](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 280-1/697-1 Italy

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	[SM060000	μ SM170000	¢ SC040000	à LA130000	è LE130000	ç LC410000	0 ND100000
-1	(RSP) SP300000]] SM080000	/ SP120000	É LE120000	a LA010000	j LJ010000	ì LI130000	# SM010000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	• SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	{ SM110000	} SM140000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	@ SM050000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	ï LI150000	Ã LA200000	Ï LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	\ SM070000	~ SD190000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	ù LU130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	° SM190000	é LE110000	ò LO130000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	£ SC020000	» SP180000	º SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	§ SM240000	ð LD630000	æ LA510000	Ð LD620000	- SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	ÿ SD410000	Ý LY120000	¨ SD170000	¡ SM650000	´ SD130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	ƒ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ EO

Code Page 00280

[[Top of Page on page 58](#) | [Previous Page on page 57](#) | [Next Page on page 59](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 284-1/697-1 Latin America, Spain

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	¢ SC040000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	¨ SD170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LF150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	• SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LF130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	ï LI150000	Ã LA200000	Ï LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ı SM650000	ß LS610000	# SM010000	` SD130000	ı LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000] SM080000	ñ LN190000	:	« SP170000	ª SM210000	ı SP030000	^ SD150000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	Ñ LN200000	» SP180000	º SM200000	¿ SP160000	! SP020000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD620000	ˉ SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	Ÿ SD410000	Ý LY120000	˘ SD190000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	 SM130000	¬ SM660000	? SP150000	" SP040000	± SA020000	Ɔ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ EO0

Code Page 00284

[[Top of Page on page 59](#) | [Previous Page on page 58](#) | [Next Page on page 60](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 285-1/697-1 United Kingdom

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	¢ SC040000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	ˉ SM150000	[SM060000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LF150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LF130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Ï LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	´ SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	\$ SC030000	! SP020000	¡ SM650000	:	« SP130000	ª SM210000	ï SP050000	^ SD150000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	£ SC020000	, SP080000	# SM010000	» SP180000	º SM200000	¿ SP160000] SM080000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD620000	~ SD190000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	´ SP050000	ý LY110000	ÿ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	´ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	 SM130000	¬ SM660000	? SP150000	" SP040000	± SA020000	ƒ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ EO0

Code Page 00285

[[Top of Page on page 60](#) | [Previous Page on page 59](#) | [Next Page on page 61](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 290/930 Japan (Katakana) Extended

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	[SM080000] SM080000	ソ JS500000	~ SD190000	^ SD150000	{ SM110000	}	\$ SM140000	0 SC030000 ND100000
-1	。 (JQ) JQ700000	エ (JE) JE010000	/ (SP) SP120000	i (LI) LI010000	ア (JA) JA000000	タ (JT) JT100000	- (SM) SM150000	¢ (SC) SC040000	A (LA) LA020000	J (LJ) LJ020000	€ (SC) SC200000	1 (ND) ND010000
-2	「 (JQ) JQ710000	オ (JO) JO010000	a (LA) LA010000	j (LJ) LJ010000	イ (JI) JI000000	チ (JT) JT200000	へ (JH) JH400000	\ (SM) SM070000	B (LB) LB020000	K (LK) LK020000	S (LS) LS020000	2 (ND) ND020000
-3	」 (JQ) JQ720000	ヤ (JY) JY110000	b (LB) LB010000	k (LK) LK010000	ウ (JU) JU000000	ツ (JT) JT300000	ホ (JH) JH500000	t (LT) LT010000	C (LC) LC020000	L (LL) LL020000	T (LT) LT200000	3 (ND) ND030000
-4	、 (JQ) JQ730000	ユ (JY) JY310000	c (LC) LC010000	l (LL) LL010000	エ (JE) JE000000	テ (JT) JT400000	マ (JM) JM100000	u (LU) LU010000	D (LD) LD020000	M (LM) LM020000	U (LU) LU020000	4 (ND) ND040000
-5	・ (JQ) JQ740000	ヨ (JY) JY510000	d (LD) LD010000	m (LM) LM010000	オ (JO) JO000000	ト (JT) JT500000	ミ (JM) JM200000	v (LV) LV010000	E (LE) LE020000	N (LN) LN020000	V (LV) LV020000	5 (ND) ND050000
-6	ヲ (JW) JW500000	ツ (JT) JT310000	e (LE) LE010000	n (LN) LN010000	カ (JK) JK100000	ナ (JN) JN100000	ム (JM) JM300000	w (LW) LW010000	F (LF) LF020000	O (LO) LO020000	W (LW) LW020000	6 (ND) ND060000
-7	ア (JA) JA010000		f (LF) LF010000	o (LO) LO010000	キ (JK) JK200000	ニ (JN) JN200000	メ (JM) JM400000	x (LX) LX010000	G (LG) LG020000	P (LP) LP020000	X (LX) LX020000	7 (ND) ND070000
-8	イ (JI) JI010000	ー (JX) JX700000	g (LG) LG010000	p (LP) LP010000	ク (JK) JK300000	ヌ (JN) JN300000	モ (JM) JM500000	y (LY) LY010000	H (LH) LH020000	Q (LQ) LQ020000	Y (LY) LY020000	8 (ND) ND080000
-9	ウ (JU) JU010000		h (LH) LH010000	` (SD) SD130000	ケ (JK) JK400000	ネ (JN) JN400000	ヤ (JY) JY100000	z (LZ) LZ010000	I (LI) LI020000	R (LR) LR020000	Z (LZ) LZ020000	9 (ND) ND090000
-A	£ (SC) SC020000	! (SP) SP020000		:	コ (JK) JK500000	ノ (JN) JN500000	ユ (JY) JY300000	レ (JR) JR400000				
-B	・ (SP) SP110000	¥ (SC) SC050000	,	# (SM) SM010000	q (LQ) LQ010000	r (LR) LR010000	s (LS) LS010000	ロ (JR) JR500000				
-C	< (SA) SA030000	* (SM) SM040000	% (SM) SM020000	@ (SM) SM050000	サ (JS) JS100000		ヨ (JY) JY500000	ワ (JW) JW100000				
-D	((SP) SP060000) (SP) SP070000	— (SP) SP090000	´ (SP) SP050000	シ (JS) JS200000	ハ (JH) JH100000	ラ (JR) JR100000	ン (JN) JN000000				
-E	+ (SA) SA010000	; (SP) SP140000	> (SA) SA050000	= (SA) SA040000	ス (JS) JS300000	ヒ (JH) JH200000	リ (JR) JR200000	・ (JX) JX710000				
-F	(SM) SM130000	⌋ (SM) SM600000	? (SP) SP150000	" (SP) SP040000	セ (JS) JS400000	フ (JH) JH300000	ル (JR) JR300000	° (JX) JX720000				(EO)

Code Page 00290

[[Top of Page on page 61](#) | [Previous Page on page 60](#) | [Next Page on page 62](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 297-1/697-1 France

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	[SM060000	` SD130000	¢ SC040000	é LE110000	è LE130000	ç LC410000	0 ND100000
-1	(RSP) SP300000	{ SM110000	/ SP120000	É LE120000	a LA010000	j LJ010000	¨ SD170000	# SM010000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	@ SM050000	} SM140000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000] SM080000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Î LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	\ SM070000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	µ SM170000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	° SM190000	§ SM240000	ù LU130000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	£ SC020000	» SP180000	º SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	à LA130000	ð LD630000	æ LA510000	Ð LD620000	ˉ SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	˙ SD410000	Ý LY120000	˜ SD190000	ò LO130000	ì SM650000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Ɔ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	∩ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ €0

Code Page 00297

[[Top of Page on page 62](#) | [Previous Page on page 61](#) | [Next Page on page 63](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 420 Arabic Bilingual

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ح AH450003	ش AS230000	ظ AZ450000	غ AG310003	ك AK010003	؛ SP140007	؟ SP150007	× SA070000	0 ND100000
-1	(RSP) SP300000	أ AA310002	/ SP120000	خ AH470000	a LA010000	j LJ010000	÷ SA060000	ل AL010000	A LA020000	J LJ020000	(NSP) SP310000	1 ND010000
-2	و AX100000	ؤ AW310000	ة AT020000	ذ AH470003	b LB010000	k LK010000	s LS010000	ي AL220000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ؤ AX100004		ت AT010000	د AD010000	c LC010000	l LL010000	t LT010000	ي AL220003	C LC020000	L LL020000	T LT020000	3 ND030000
-4	- SM860000		ت AT010003	ذ AD470000	d LD010000	m LM010000	u LU010000	ي AL320000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	ه SM870000	ث AY310000	ث AT470000	ر AR010000	e LE010000	n LN010000	v LV010000	ي AL320003	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ء AX300000	ا AA010000	ث AT470003	ز AZ010000	f LF010000	o LO010000	w LW010000		F LF020000	O LO020000	W LW020000	6 ND060000
-7	آ AA210000	ا AA010002	ج AG230000	س AS010000	g LG010000	p LP010000	x LX010000		G LG020000	P LP020000	X LX020000	7 ND070000
-8	آ AA210002	ب AB010000	ج AG230003	س AS010003	h LH010000	q LQ010000	y LY010000	ي AL020000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	أ AA310000	ب AB010003	ح AH450000	، SP080007	i LI010000	r LR010000	z LZ010000	ي AL020003	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	ع SC040000	!	ا SM650000	: SP130000	ش AS230003	ع AC470000	غ AG310004	ل AL010003	(SHY) SP320000	ى AA020000	ا ND010001	
-B	.	\$	، SP080000	# SM010000	ص AS450000	ع AC470002	ف AF010000	م AM010000	ه AH010003	ى AA020002	٢ ND020001	٦ ND060001
-C	<	*	% SM020007	@ SM050000	ص AS450003	ع AC470003	ف AF010003	م AM010003		ي AY010000		٧ ND070001
-D	(SP060000) SP070000	_ SP090000	' SP050000	ض AD450000	ع AC470004	ق AQ010000	ن AN010000	ف AH010004	ي AY010002	٣ ND030001	٨ ND080001
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ض AD450003	غ AG310000	ق AQ010003	ن AN010003		ي AY010003	٤ ND040001	٩ ND090001
-F	 SM130000	٧ SM660000	? SP150000	" SP040000	ط AT450000	غ AG310002	ك AK010000	ه AH010000	و AW010000	.	٥ ND050001	٤٥ ND050001

Code Page 00420

[[Top of Page on page 63](#) | [Previous Page on page 62](#) | [Next Page on page 64](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 424/941 Israel (Hebrew - Bulletin Code)

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000			° SM190000	μ SM170000	^ SD150000	{ SM110000	}	\ SM070000	0 ND100000
-1	א HX330000	י HY010000	/ SP120000	ת HT010000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	ב HTB010000	ך HTK610000	ע HX350000		b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ג HIG010000	כ HIC010000	ך HIP610000		c LC010000	l LL010000	t LT010000	• SM570000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	ד HTD010000	ל HIL010000	פ HIP010000	(RSP) SP300000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	ה HIJ010000	ם HIM610000	ץ HIS610000		e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ו HW010000	מ HM010000	צ HS450000		f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ז HZ010000	ן HN610000	ק HQ010000		g LG010000	p LP010000	x LX010000	¼ NP040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ח HH450000	נ HN010000	ך HR010000	= SM100000	h LH010000	q LQ010000	y LY010000	½ NP010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ט HT450000	ס HS010000	ש HS210000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NP050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	¢ SC040000	! SP020000	! SM650000	: SP130000	« SP170000			[SM060000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000] SM080000				
-C	< SA030000	* SM040000	% SM020000	@ SM050000				- SM150000				
-D	(SP060000) SP070000	— SP090000	' SP050000		• SD410000		.. SD170000				
-E	+ SA010000	; SP140000	> SA050000	= SA040000				' SD110000				
-F	 SM130000	⌋ SM660000	? SP150000	" SP040000	± SA020000	⊗ SC010000	® SM530000	× SA070000				Ⓢ ND000000

Code Page 00424

[[Top of Page on page 64](#) | [Previous Page on page 63](#) | [Next Page on page 65](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 500-1/697-1 International

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	¢ SC040000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Ï LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000]	¡ SM650000	: SP130000	« SP170000	‡ SM210000	¡ SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	Ω SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD620000	ˉ SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	˙ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	∩ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ €0

Code Page 00500

[[Top of Page on page 65](#) | [Previous Page on page 64](#) | [Next Page on page 66](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 803 Israel (Hebrew - Old Code)

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	ח HX330000	- SP100000									0 ND100000
-1		/ SP120000			ב HB010000	ג HK610000			A LA020000	J LJ020000		1 ND010000
-2					ד HG010000	ה HK010000	ו HP610000		B LB020000	K LK020000	S LS020000	2 ND020000
-3					ז HD010000	ח HL010000	ט HP010000		C LC020000	L LL020000	T LT020000	3 ND030000
-4					י HH010000	כ HM610000	ל HS610000		D LD020000	M LM020000	U LU020000	4 ND040000
-5					מ HW010000	נ HM010000	ס HS450000		E LE020000	N LN020000	V LV020000	5 ND050000
-6					ע HZ010000	פ HN610000	צ HQ010000		F LF020000	O LO020000	W LW020000	6 ND060000
-7					ק HH450000	ר HN010000	ש HR010000		G LG020000	P LP020000	X LX020000	7 ND070000
-8					ת HT450000	י HS010000	ך HS210000		H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9					ך HY010000	ל HX350000	מ HT010000		I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	\$ SC030000	! SP020000	:	; SP130000								
-B	. SP110000	א SC150000	, SP080000	# SM010000								
-C	< SA030000	* SM040000	% SM020000	@ SM050000								
-D	(SP060000) SP070000	- SP090000	' SP050000								
-E	+ SA010000	; SP140000	> SA050000	= SA040000								
-F	 SM130000	א SM660000	? SP150000	" SP040000								EO

Code Page 00803

[[Top of Page on page 66](#) | [Previous Page on page 65](#) | [Next Page on page 67](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 833/1173 Hangeul

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	[SM080000] SM080000		- SM150000	^ SD150000	{ SM110000	}	₩ SM140000	0 ND100000
-1			/ SP120000		a LA010000	j LJ010000	~ SD190000		A LA020000	J LJ020000		1 ND010000
-2		ㄸ OD100000	ㅄ OL300000	ㅆ OJ000000	b LB010000	k LK010000	s LS010000	\ SM070000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ㄱ OG000000	ㄴ OL000000	ㄷ OM000000	ㄹ OJ100000	c LC010000	l LL010000	t LT010000		C LC020000	L LL020000	T LT020000	3 ND030000
-4	ㅋ OG100000	ㆁ OL200000	ㆂ OB000000	ㆃ OC200000	d LD010000	m LM010000	u LU010000		D LD020000	M LM020000	U LU020000	4 ND040000
-5	ㆄ OG200000	ㆅ OL400000	ㆆ OB100000	ㆇ OK000000	e LE010000	n LN010000	v LV010000		E LE020000	N LN020000	V LV020000	5 ND050000
-6	ㆈ ON000000	ㆉ OL100000	ㆊ OB200000	ㆋ OT000000	f LF010000	o LO010000	w LW010000		F LF020000	O LO020000	W LW020000	6 ND060000
-7	ㆌ ON100000	ㆍ OL600000	ㆎ OS000000	㆏ OP000000	g LG010000	p LP010000	x LX010000		G LG020000	P LP020000	X LX020000	7 ND070000
-8	㆐ ON100000	㆑ OL700000	㆓ OS100000	㆔ OH000000	h LH010000	q LQ010000	y LY010000		H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	㆕ OD000000	㆖ OL500000	㆗ ON200000	㆘ SD130000	i LI010000	r LR010000	z LZ010000		I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	㆙ SC040000	㆚ SP020000	㆛ SM650000	㆜ SP130000	㆝ OA000000	㆞ OY400000	㆟ OY500000	ㆠ OE300000				
-B	ㆡ SP110000	ㆢ SC030000	ㆣ SP080000	ㆤ SM010000	ㆥ OA200000	ㆦ OY300000	ㆧ OU000000	ㆨ OE400000				
-C	ㆩ SA030000	ㆪ SM040000	ㆫ SM020000	ㆬ SM050000	ㆭ OY200000	ㆮ OO000000	ㆯ OU300000	ㆰ OI000000				
-D	ㆱ SP060000	ㆲ SP070000	ㆳ SP090000	ㆴ SP050000	ㆵ OY250000	ㆶ OO100000	ㆷ OU200000					
-E	ㆸ SA010000	ㆹ SP140000	ㆺ SA050000	ㆻ SA040000	ㆼ OE200000	ㆽ OO200000	ㆾ OU400000					
-F	ㆿ SM130000	ㆿ SM660000	ㆿ SP150000	ㆿ SP040000	ㆿ OE000000	ㆿ OO300000	ㆿ OY600000					(EO)

Code Page 00833

[[Top of Page on page 67](#) | [Previous Page on page 66](#) | [Next Page on page 68](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 836/1174 Simplified Chinese

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000				~ SD190000	^ SD150000	{ SM110000	}	\$ SC030000	0 ND100000
-1		/ SP120000		a LA010000	j LJ010000	- SM150000			A LA020000	J LJ020000		1 ND010000
-2				b LB010000	k LK010000	s LS010000	\ SM070000		B LB020000	K LK020000	S LS020000	2 ND020000
-3				c LC010000	l LL010000	t LT010000			C LC020000	L LL020000	T LT020000	3 ND030000
-4				d LD010000	m LM010000	u LU010000			D LD020000	M LM020000	U LU020000	4 ND040000
-5				e LE010000	n LN010000	v LV010000			E LE020000	N LN020000	V LV020000	5 ND050000
-6				f LF010000	o LO010000	w LW010000			F LF020000	O LO020000	W LW020000	6 ND060000
-7				g LG010000	p LP010000	x LX010000			G LG020000	P LP020000	X LX020000	7 ND070000
-8				h LH010000	q LQ010000	y LY010000			H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9			` SD130000	i LI010000	r LR010000	z LZ010000			I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	£ SC020000	! SP020000	 SM650000	: SP130000				[SM060000				
-B	. SP110000	¥ SC120000	, SP080000	# SM010000] SM060000				
-C	< SA030000	* SM040000	% SM020000	@ SM050000								
-D	(SP060000) SP070000	_ SP090000	† SP050000								
-E	+ SA010000	; SP140000	> SA050000	= SA040000								
-F	 SM130000	∩ SM660000	? SP150000	" SP040000								(EO)

Code Page 00836

[[Top of Page on page 68](#) | [Previous Page on page 67](#) | [Next Page on page 69](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 870/959 Latin 2 - EBCDIC Multilingual

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	˘ SD210000	˘ SD230000	° SM190000	ą LA430000	· SD290000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	Ą LA440000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ç LF430000	Â LA160000	Ē LE440000	b LB010000	k LK010000	s LS010000	ż LZ290000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ĕ LE180000	c LC010000	l LL010000	t LT010000	Ť LT420000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	ı LT410000	û LU270000	" SD250000	Û LU280000	d LD010000	m LM010000	u LU010000	Ż LZ300000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA230000	î LI150000	Ă LA240000	Î LI160000	f LF010000	o LO010000	w LW010000	ž LZ210000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	č LC210000	ï LI210000	Č LC220000	Ĺ LI220000	g LG010000	p LP010000	x LX010000	ž LZ110000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	í LI110000	Ç LC420000	Ĺ LI120000	h LH010000	q LQ010000	y LY010000	Ž LZ220000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	é LC110000	β LS610000	Ć LC120000	` SD130000	i LI010000	r LR010000	z LZ010000	Ž LZ120000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000] SM080000	 SM130000	: SP130000	ś LS110000	ł LL610000	Ś LS120000	Ł LL620000	(SHY) SP320000	Ě LE220000	ď LD210000	Ď LD220000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	ñ LN210000	ń LN110000	Ń LN220000	Ň LN120000	ô LO150000	ů LU250000	Ô LO160000	Ů LU260000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	đ LD610000	š LS210000	Đ LD620000	Š LS220000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	‘ SP050000	ý LY110000	· SD410000	Ý LY120000	¨ SD170000	í LR110000	ř LT210000	Ř LR120000	Ť LT220000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ř LR210000	· SD430000	Ř LR220000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	ş LS410000	☒ SC010000	Ş LS420000	× SA070000	õ LO250000	ě LE210000	Õ LO260000	€ EC0

Code Page 00870

[[Top of Page on page 69](#) | [Previous Page on page 68](#) | [Next Page on page 70](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 871-1/697-1 Iceland

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	¢ SC040000	þ LT630000	æ LA510000	' SD110000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LF010000	ö LO170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LF150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LF130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Î LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	β LS610000	Ñ LN200000	ð LD630000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	þ LT640000	Æ LA520000	! SM650000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	º SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ð LD620000	` SD130000	} SM140000	@ SM050000	- SM150000	~ SD190000	ü LU170000	^ SD150000	Û LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	· SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	{ SM110000] SM080000	[SM060000	\ SM070000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	Ö LO180000	? SP150000	" SP040000	± SA020000	☒ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ EO

Code Page 00871

[\[Top of Page on page 70 | Previous Page on page 69 | Next Page on page 71 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 875 Greece

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	“ SD170000	’ SD730000	o SM190000	’ SD110000	£ SC020000	{ SM110000	} SM140000	\ SM070000	0 ND100000
-1	A GA020000	K GK020000	/ SP120000	À GA120000	a LA010000	j LJ010000	~ SD190000	á GA110000	À LA020000	J LJ020000		1 ND010000
-2	B GB020000	Λ GL020000	T GT020000	’E GE120000	b LB010000	k LK010000	s LS010000	é GE110000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	Γ GG020000	M GM020000	Y GU020000	’H GE20000	c LC010000	l LL010000	t LT010000	ή GE710000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	Δ GD020000	N GN020000	Φ GF020000	(RSP) SP300000	d LD010000	m LM010000	u LU010000	ï GI170000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	E GE020000	Ξ GX020000	X GH020000	’I GI120000	e LE010000	n LN010000	v LV010000	í GI10000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	Z GZ020000	O GO020000	Ψ GP020000	’O GO120000	f LF010000	o LO010000	w LW010000	ó GO10000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	H GE320000	Π GP020000	Ω GO320000	’Y GU120000	g LG010000	p LP010000	x LX010000	ú GU110000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	Θ GT620000	P GR020000	Ï GI180000	’Ω GO720000	h LH010000	q LQ010000	y LY010000	ü GU170000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	I GI020000	Σ GS020000	ÿ GU180000	` SD130000	i LI010000	r LR010000	z LZ010000	ó GO710000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000] SM080000	 SM130000	: SP130000	α GA010000	η GE310000	ν GN010000	ς GS810000	(SHY) SP320000	± SA020000	² ND021000	³ ND031000
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	β GB010000	θ GT610000	ξ GX010000	τ GT010000	ω GC0310000	½ NF010000	§ SM240000	© SM520000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	γ GG010000	ι GI010000	ο GO010000	υ GU010000	ί GI730000			€ SC200000
-D	(SP060000) SP070000	— SP090000	’ SP050000	δ GD010000	κ GK010000	π GP010000	φ GF010000	ύ GU730000	• SD630000		
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ε GE010000	λ GL010000	ρ GR010000	χ GH010000	‘ SP190000	’ SP200000	« SP170000	» SP180000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	ζ GZ010000	μ GM010000	σ GS010000	ψ GP610000	— SM120000	 SM650000	⌋ SM660000	(EO)

Code Page 00875

[[Top of Page on page 71](#) | [Previous Page on page 70](#) | [Next Page on page 73](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 924-1/1353-1 International

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-				
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-				
2ND ↓	-0	-1	-2	-3	-4	-5	-6	-7	-8	-9	-A	-B	-C	-D	-E	-F
	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	{ SM110000	} SM140000	\ SM070000	0 ND100000				
	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000				
	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000				
	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000				
	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000				
	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000				
	ã LA190000	ï LI190000	Ã LA200000	Ï LI190000	f LF010000	o LO010000	w LW010000	¶ SM290000	F LF020000	O LO020000	W LW020000	6 ND060000				
	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	œ LO520000	G LG020000	P LP020000	X LX020000	7 ND070000				
	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	æ LO510000	H LH020000	Q LQ020000	Y LY020000	8 ND080000				
	ñ LN190000	ß LS610000	Ñ LN200000	´ SD130000	i LI010000	r LR010000	z LZ010000	ÿ LY160000	I LI020000	R LR020000	Z LZ020000	9 ND090000				
	Ý LY120000	!	Š LS220000	:	«	ª	ı	¬	(SHY)	ı	2	3				
	SP110000	SP020000	LS220000	SP130000	SP170000	SM210000	SP030000	SM680000	SP320000	ND011000	ND021000	ND031000				
	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	º SM200000	¿ SP160000	š LS210000	ô LO150000	û LU150000	Ô LO160000	Û LU160000				
	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD640000	- SD310000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000				
	(SP060000) SP070000	— SP090000	´ SP050000	ý LY110000	ž LZ210000	[SM060000] SM080000	ò LO130000	ù LU130000	Ò LO140000	Û LU140000				
	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	Ž LZ220000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000				
	 SM130000	^ SD150000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)				

Code Page 00924

[\[Top of Page on page 73 | Previous Page on page 71 | Next Page on page 74 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1025/1150 Cyrillic

The column indicates the first digit, and the row indicates the second digit. If this code page is not used with a Cyrillic host machine, certain characters might not display properly.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	Ъ KN120000	ц KC010000	й KJ110000	я KA150000	ь KX110000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	Љ KL410000	/ SP120000	Ѡ KC120000	a LA010000	j LJ010000	~ SD190000	ы KY010000	A LA020000	J LJ020000	§ SM240000	1 ND010000
-2	ђ KD610000	њ KN110000	ѓ KG120000	ќ KK120000	b LB010000	k LK010000	s LS010000	з KZ010000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ѓ KG110000	ћ KC110000	Ё KH100000	(SHY) SP320000	с LC010000	l LL010000	t LT010000	ш KS210000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	ё KF170000	ќ KK110000	Є KF160000	Ў KU240000	d LD010000	m LM010000	u LU010000	э KV130000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	е KE150000	ё KU230000	S KZ160000	Ц KG220000	e LE010000	n LN010000	v LV010000	щ KS150000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	s KZ150000	ц KG210000	I KI120000	ю KU150000	f LF010000	o LO010000	w LW010000	ч KC210000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	i KI110000	Ђ KU220000	Ї KI100000	a KA010000	g LG010000	p LP010000	x LX010000	ъ KU210000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ï KI170000	Nº SM000000	J KJ020000	б KB010000	h LH010000	q LQ010000	y LY010000	Ю KU160000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	j KJ010000	Ђ KT620000	Љ KI420000	` SD130000	i LI010000	r LR010000	z LZ010000	А KA020000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000] SM080000	 SM130000	: SP130000	д KD010000	к KC010000	р KR010000	Б KB020000	X KI020000	H KN020000	T KT020000	З KZ020000
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	e KE010000	л KL010000	с KS010000	Ц KC020000	И KI020000	О KO020000	У KU020000	Ш KS220000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ф KF010000	м KM010000	т KT010000	Д KD020000	Й KJ120000	П KP020000	Ж KZ220000	Э KE140000
-D	(SP060000) SP070000	_ SP090000	' SP050000	г KG010000	н KN010000	у KU010000	Е KE020000	К KK020000	Я KA160000	В KV020000	Щ KS160000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	х KH010000	о KO010000	ж KZ210000	Ф KF020000	Л KL020000	Р KR020000	Ь KY120000	Ч KC220000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	и KI010000	п KP010000	в KV010000	Г KG020000	М KM020000	С KS020000	Ы KY020000	Ё® ND000000

Code Page 01025

[[Top of Page on page 74](#) | [Previous Page on page 73](#) | [Next Page on page 75](#) | [Table of Contents on page 51](#)]

Host Code Page Reference**Host Code Page 1026/1152 Latin 5 - Turkey**

The column indicates the first digit, and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LG0610000	Ø LG0620000	° SM190000	μ SM170000	¢ SC040000	ç LC410000	ğ LG230000	ü LU170000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LF010000	ö LO170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LF150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LF130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI150000	Ã LA200000	Ï LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ä LA270000	ï LI170000	Ä LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	{ SM110000	ì LI130000	[SM060000	Ì LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	ı LI610000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	Ç LC420000	Ĝ LG240000	Ş LS410000	:	« SP170000	ª SM210000	ı SP030000	¬ SM660000	̄ (SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	İ LI130000	, SP080000	Ö LO180000	» SP180000	Ω SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ş LS420000	}	æ LA510000] SM080000	- SM150000	~ SD190000	\ SM070000	# SM010000	" SP040000
-D	(SP060000) SP070000	— SP090000	' SP050000	` SD130000	ˆ SD1410000	\$ SC030000	ˆ SD170000	ò LO130000	ù LU130000	Ò LO140000	Û LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ı SM650000	Æ LA520000	@ SM050000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	Ü LU180000	± SA020000	⊠ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ (€)

Code Page 01026

[[Top of Page on page 75](#) | [Previous Page on page 74](#) | [Next Page on page 76](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1027/939 Japan (Latin) Extended

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	コ JK500000			- SM150000	^ SD150000	{ SM110000	} SM140000	\ SM070000	0 ND100000
-1		ウ JU010000	/ SP120000	サ JS100000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	€ SC200000	1 ND010000
-2	。 JQ700000	エ JE010000	イ JI000000	シ JS200000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	「 JQ710000	オ JO010000	ウ JU000000	ス JS300000	c LC010000	l LL010000	t LT010000	ヤ JY100000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	」 JQ720000	ヤ JY110000	エ JE000000	セ JS400000	d LD010000	m LM010000	u LU010000	ユ JY300000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	、 JQ730000	ユ JY310000	オ JO000000	ソ JS500000	e LE010000	n LN010000	v LV010000	ヨ JY500000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	・ JQ740000	ヨ JY510000	カ JK100000	タ JT100000	f LF010000	o LO010000	w LW010000	ラ JR100000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ヲ JW500000	ツ JT310000	キ JK200000	チ JT200000	g LG010000	p LP010000	x LX010000	リ JR200000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ア JA010000	ー JX700000	ク JK300000	ツ JT300000	h LH010000	q LQ010000	y LY010000	ル JR300000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	イ JI010000	ア JA000000	ケ JK400000	、 SD130000	i LI010000	r LR010000	z LZ010000	レ JR400000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	¢ SC040000	! SP020000		: SP130000	テ JT400000	ノ JN500000	マ JM100000	ロ JR500000				
-B	・ SP110000	\$ SC030000	, SP080000	# SM010000	ト JT500000	ハ JH100000	ミ JM200000	ワ JW100000				
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ナ JN100000	ヒ JH200000	ム JM300000	ン JN000000				
-D	(SP060000) SP070000	_ SP090000	、 SP050000	ニ JN200000	フ JH300000	[SM060000] SM080000				
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ヌ JN300000	ヘ JH400000	メ JM400000	° JX710000				
-F	 SM130000	∟ SM660000	? SP150000	" SP040000	ネ JN400000	ホ JH500000	モ JM500000	° JX720000				(EO)

Code Page 01027

[[Top of Page on page 76](#) | [Previous Page on page 75](#) | [Next Page on page 78](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1047/103 Latin 1 (Open Systems)

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	¬ SM660000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	Ê LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC250000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI190000	Ã LA200000	Ï LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ä LA270000	ï LI170000	Ä LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ì LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	´ SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	¢ SC040000	! SP020000	¡ SM650000	: SP130000	« SP170000	ª SM210000	ï SP030000	Ý LY120000	(siv) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	º SM200000	í SP160000	¨ SD170000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD620000	ˉ SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	˙ SD410000	[SM060000] SM080000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	 SM130000	^ SD150000	? SP150000	" SP040000	± SA020000	∩ SC010000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	€ CO

Code Page 01047

[[Top of Page on page 78](#) | [Previous Page on page 76](#) | [Next Page on page 79](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1112/1035 Latvia, Lithuania

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	^ SD150000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP200000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	š LS210000	ç LE430000	Š LS220000	Ē LE440000	b LB010000	k LK010000	s LS010000	ı LI310000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	è LE290000	Ä LA180000	Ē LE300000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	ą LA430000	č LC210000	Ą LA440000	Č LC220000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	ì LI430000	ų LU430000	Į LI440000	Ū LU440000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ū LU310000	„ SP230000	Ū LU320000	Ī LI320000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	â LA270000	“ SP210000	Â LA280000	Ł LL420000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ê LE310000	ġ LG410000	Ē LE320000	Ġ LG420000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ž LZ210000	ß LS810000	Ž LZ220000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	¢ SC040000	! SP020000	ı SM650000	: SP130000	« SP170000	Ŕ LR420000	” SP220000	[SM060000	(SHY) SP320000	ı ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	ŗ LR410000	ź LZ110000]	ō LO310000	ć LC110000	Ō LO320000	Ć LC120000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ā LA310000	æ LA510000	Ā LA320000	Ž LZ120000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	’ SP050000	ż LZ290000	ķ LK410000	Ž LZ300000	Ķ LK420000	ņ LN410000	į LL610000	Ņ LN420000	Ł LL620000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ń LN110000	Æ LA520000	Ń LN120000	ı LL410000	ó LO110000	ś LS110000	Ó LO120000	Ś LS120000
-F	 SM130000	¬ SM860000	? SP150000	" SP040000	± SA020000	Ϟ SC010000	® SM530000	× SA070000	õ LO190000	’ SP200000	Õ LO200000	(EO)

Code Page 01112

[[Top of Page on page 79](#) | [Previous Page on page 78](#) | [Next Page on page 80](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1122/1037 Estonia

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	ä LA170000	å LA270000	É LE120000	0 ND100000
-1	(RSP) SP300000	` SD130000	/ SP120000	\ SM070000	a LA610000	j LJ010000	ü LU170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	{ SM110000	ë LE170000	# SM010000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	[SM060000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI160000	Ã LA200000	Î LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	} SM140000	ï LI170000	\$ SC030000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	é LE110000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	§ SM240000	☒ SC010000	ö LO170000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	À LA280000	, SP080000	Ä LA180000	» SP180000	Ω SM200000	¿ SP180000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ö LO180000	š LS210000	æ LA510000	Š LS220000	- SM150000	¡ SM650000	~ SD190000	@ SM050000	Ü LU180000
-D	(SP060000) SP070000	— SP080000	‘ SP050000	ý LY110000	• SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ž LZ210000	Æ LA520000	Ž LZ220000	’ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000] SM080000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)

Code Page 01122

[[Top of Page on page 80](#) | [Previous Page on page 79](#) | [Next Page on page 81](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1123 Ukraine

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	Ї KN120000	ц KC010000	й KJ110000	я KA150000	ь KX110000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	Љ KL410000	/ SP120000	Ѣ KC120000	a LA010000	j LJ010000	~ SD190000	ы KY010000	A LA020000	J LJ020000	§ SM240000	1 ND010000
-2	ђ KD610000	њ KN110000	Г KG300000	Ѓ KK120000	b LB010000	k LK010000	s LS010000	з KZ010000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	г KG290000	h KC110000	Ё KE180000	Ѕ SP320000	c LC010000	l LL010000	t LT010000	ш KS210000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	ë KE170000	ќ KK110000	Є KE160000	Ў KU240000	d LD010000	m LM010000	u LU010000	э KE190000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	е KE150000	ђ KU230000	S KZ160000	Ц KG220000	e LE010000	n LN010000	v LV010000	ш KS150000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	s KZ150000	ц KG210000	I KI120000	ю KU150000	f LF010000	o LO010000	w LW010000	ч KC210000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	i KI110000	Ђ KU220000	Ї KI180000	a KA010000	g LG010000	p LP010000	x LX010000	ь KU210000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ï KI170000	№ SM000000	J KJ020000	б KB010000	h LH010000	q LQ010000	y LY010000	Ю KU160000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	j KJ010000	Ђ KD620000	Љ KL420000	` SD130000	i LI010000	r LR010000	z LZ010000	A KA020000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000] SM080000	 SM130000	: SP130000	д KD010000	к KK010000	р KR010000	Б KB020000	X KH020000	H KN020000	T KT020000	З KZ020000
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	е KE010000	л KL010000	с KS010000	Ц KC020000	И KI020000	О KO020000	У KU020000	Ш KS220000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ф KF010000	м KM010000	т KT010000	Д KD020000	Й KJ120000	П KP020000	Ж KZ220000	Э KE140000
-D	(SP060000) SP070000	_ SP090000	' SP050000	г KG010000	н KN010000	у KU010000	Е KE020000	К KK020000	Я KA160000	В KV020000	Щ KS160000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	х KH010000	о KO010000	ж KZ210000	Ф KF020000	Л KL020000	Р KR020000	Ь KX120000	Ч KC220000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	и KI010000	п KP010000	в KV010000	Г KG020000	М KM020000	С KS020000	Ы KY020000	Ё (E0)

Code Page 01123

[\[Top of Page on page 81 | Previous Page on page 80 | Next Page on page 82 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1130 Vietnam

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA230000	î LI180000	Ã LA240000	Ï LI180000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ñ SD198000	Ç LC420000	Đ SC180000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	´ SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000] SM080000	 SM650000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	º SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	đ LD610000	æ LA510000	Ð LD600000	- SD310000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP080000	´ SP050000	◊ SD918000	Œ LO520000	◊ SD458000	œ LO510000	ƣ LUS10000	ù LU130000	Ů LUS20000	Û LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	◊ SD138000	Æ LA520000	◊ SD118000	ÿ LY180000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	☒ SC010000	® SM530000	× SA070000	σ LO810000	ÿ LY170000	Œ LO820000	(EO)

Code Page 01130

[[Top of Page on page 82](#) | [Previous Page on page 81](#) | [Next Page on page 84](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1132 Laos

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	₭ SC190000				○ U0000ED0	{ SM110000	} SM140000	\ SM070000	0 ND100000
-1	(RSP) SP300000		/ SP120000		a LA010000	j LJ010000	~ SD190000	◌ U0000ED1	A LA020000	J LJ020000		1 ND010000
-2	ກ U0000E81	ຍ U0000E8D	ປ U0000E8B	ສ U0000EA3	b LB010000	k LK010000	s LS010000	໒ U0000ED2	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ຂ U0000E82	ດ U0000E84	ຜ U0000E8C	ລ U0000EA5	c LC010000	l LL010000	t LT010000	໓ U0000ED3	C LC020000	L LL020000	T LT020000	3 ND030000
-4	ຄ U0000E84	ຕ U0000E86	ຝ U0000E8D	ວ U0000EA7	d LD010000	m LM010000	u LU010000	໔ U0000ED4	D LD020000	M LM020000	U LU020000	4 ND040000
-5	ງ U0000E87	ຖ U0000E86	ພ U0000E8E	ທ U0000EAB	e LE010000	n LN010000	v LV010000	໕ U0000ED5	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ຈ U0000E88	ທ U0000E87	ປ U0000E8F	ອ U0000EAD	f LF010000	o LO010000	w LW010000	໖ U0000ED6	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ສ U0000EAA	ນ U0000E99	ມ U0000EA1	ຮ U0000EAE	g LG010000	p LP010000	x LX010000	໗ U0000ED7	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ຂ U0000E8A	ປ U0000E8A	ຢ U0000EA2		h LH010000	q LQ010000	y LY010000	໘ U0000ED8	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	[SM080000] SM080000	^ SD150000	` SD130000	i LI010000	r LR010000	z LZ010000	ູ U0000ED9	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	¢ SC040000	! SP020000	! SM650000	:		ິ U0000EB4	ື U0000EBC			ໍ U0000ECD		
-B	. SP110000	\$ SC030000	, SP080000	# SM010000		ິ U0000EB5	ື U0000EB1	໒ U0000EC0	ໍ U0000EC8	ງ U0000EC6		
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ູ U0000EAF	ິ U0000EB6	ື U0000EBB	໒ U0000EC1	ໍ U0000EC9			
-D	(SP060000) SP070000	— SP090000	’ SP050000	ູ U0000EB0	ິ U0000EB7	ື U0000EBD	໒ U0000EC2	ໍ U0000ECA	ໝ U0000EDC		
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ງ U0000EB2	ິ U0000EB8		ື U0000EC3	ໍ U0000ECB	ໝ U0000EDD		
-F	 SM130000	┘ SM680000	? SP150000	" SP040000	ງ U0000EB3	ື U0000EB9		໒ U0000EC4	ໍ U0000ECC			(EO)

Code Page 01132

[\[Top of Page on page 84 | Previous Page on page 82 | Next Page on page 85 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1137 India

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	झ U000091D	द U000092B	म U000092E	(RM) SP530020	ा U000093E	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	ॠ U000090B	/ SP120000	ज U000091E	a LA010000	j LJ010000	~ SD190000	ि U000093F	A LA020000	J LJ020000	(ZM) SP540020	1 ND010000
-2	ँ U0000901	ॡ U000090C	औ U0000914	ट U000091F	b LB010000	k LK010000	s LS010000	ी U0000940	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ं U0000902	ँ U000090D	क U0000915	ठ U0000920	c LC010000	l LL010000	t LT010000	ु U0000941	C LC020000	L LL020000	T LT020000	3 ND030000
-4	ः U0000903	ऐ U000090E	ख U0000916	ड U0000921	d LD010000	m LM010000	u LU010000	ू U0000942	D LD020000	M LM020000	U LU020000	4 ND040000
-5	अ U0000905	ए U000090F	ग U0000917	ढ U0000922	e LE010000	n LN010000	v LV010000	ृ U0000943	E LE020000	N LN020000	V LV020000	5 ND050000
-6	आ U0000906	ऐ U0000910	घ U0000918	ण U0000923	f LF010000	o LO010000	w LW010000	ृ U0000944	F LF020000	O LO020000	W LW020000	6 ND060000
-7	इ U0000907	औ U0000911	ङ U0000919	त U0000924	g LG010000	p LP010000	x LX010000	ँ U0000945	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ई U0000908	औ U0000912	च U000091A	थ U0000925	h LH010000	q LQ010000	y LY010000	े U0000946	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	उ U0000909	ओ U0000913	छ U000091B	ँ SD130000	i LI010000	r LR010000	z LZ010000	े U0000947	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	ऊ U000090A	! SP020000	ज U000091C	: SP130000	ध U0000927	य U000092F	ष U0000937	ै U0000948	् U000094D	ॠ U0000960	० U0000966	६ U000096C
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	न U0000928	र U0000930	स U0000938	ाँ U0000949	ऊँ U0000950	ॡ U0000961	१ U0000967	७ U000096D
-C	< SA030000	* SM040000	% SM020000	@ SM050000	प U000092A	ल U0000932	ह U0000939	ी U000094A	ं U0000951	ू U0000962	२ U0000968	८ U000096E
-D	(SP060000) SP070000	_ SP090000	‘ SP050000	फ U000092B	ळ U0000933	[SM060000]	ु U0000952	ृ U0000963	३ U0000969	९ U000096F
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ब U000092C	व U0000935	ः U000093C	ी U000094B		। U0000964	४ U000096A	० U0000970
-F	 SM130000	^ SD150000	? SP150000	" SP040000	भ U000092D	ष U0000936	ऽ U000093D	ी U000094C		॥ U0000965	५ U000096B	(EO)

Code Page 01137

[[Top of Page on page 85](#) | [Previous Page on page 84](#) | [Next Page on page 87](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1140-1/695-1 Brazil, Canada, Netherlands, Portugal, U.S., and 1140/1175
Traditional Chinese

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	^ SD150000	{ SM110000	}	\ SM140000	0 ND100000
-1	(RSP) SP200000	é LE110000	/ SP120000	Ê LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA180000	Ê LE180000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI180000	Ã LA200000	Ï LI180000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	â LA270000	ï LI170000	Â LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS810000	Ñ LN200000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	¢ SC040000	! SP020000	¡ SM650000	: SP130000	« SP170000	® SM210000	ï SP030000	[SM080000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	® SM200000	¿ SP180000] SM080000	ô LO150000	û LU150000	Ô LO180000	Û LU180000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD620000	- SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	˙ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	 SM130000	¬ SM660000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)

Code Page 01140

[\[Top of Page on page 87 | Previous Page on page 85 | Next Page on page 88 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1141-1/695-1 Austria, Germany

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	ä LA170000	ü LU170000	Ö LO180000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	ß LS610000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	{ SM110000	ë LE170000	[SM060000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	@ SM050000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI180000	Ã LA200000	Î LI180000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ä LA270000	ï LI170000	Ä LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	~ SD190000	Ñ LN200000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	Ä LA180000	Ü LU180000	ö LO170000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM680000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	Ω SM200000	¿ SP180000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	§ SM240000	ð LD630000	æ LA510000	Ð LD620000	- SM150000	 SM650000	}	\] SM080000
-D	(SP060000) SP070000	— SP090000	´ SP050000	ý LY110000	Ÿ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Ɔ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)

Code Page 01141

[[Top of Page on page 88](#) | [Previous Page on page 87](#) | [Next Page on page 90](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1142-1/695-1 Denmark, Norway

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS												
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓												
-0	(SP) SP010000	& SM030000	- SP100000	¡ SM850000	@ SM050000	° SM190000	μ SM170000	¢ SC040000	æ LA510000	å LA270000	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	ü LU170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI190000	Ã LA200000	Ï LI190000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	} SM140000	ï LI170000	§ SC030000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	´ SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	# SM010000	€ SC200000	ø LO610000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM680000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	Å LA280000	, SP080000	Æ LA520000	» SP180000	º SM200000	¿ SP180000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ø LO620000	ð LD630000	{ SM110000	Ð LD620000	- SM150000	ö LO170000	~ SD190000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	´ SP050000	ý LY110000	˙ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Û LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	[SM090000	Þ LT640000	´ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000] SM090000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)

Code Page 01142

[\[Top of Page on page 90 | Previous Page on page 88 | Next Page on page 91 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1143-1/695-1 Finland, Sweden

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	ä LA170000	å LA270000	É LE120000	0 ND100000
-1	(RSP) SP300000	` SD130000	/ SP120000	\ SM070000	á LA010000	â LJ010000	ü LU170000	£ SC020000	À LA020000	Ê LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	{ SM110000	ë LE170000	# SM010000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	[SM060000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI180000	Ã LA200000	Î LI180000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	} SM140000	ï LI170000	Š SC030000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS810000	Ñ LN200000	é LE110000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	§ SM240000	€ SC200000	ö LO170000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM680000	Š (SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	Å LA280000	, SP080000	Ä LA180000	» SP180000	Ω SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ö LO180000	ð LD630000	æ LA510000	Ð LD620000	- SM150000	¡ SM650000	~ SD190000	@ SM050000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	´ SP050000	ý LY110000	Š SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Û LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Ɔ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000] SM080000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	Ⓢ (EO)

Code Page 01143

[[Top of Page on page 91](#) | [Previous Page on page 90](#) | [Next Page on page 93](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1144-1/695-1 Italy

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS												
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓												
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	[SM060000	μ SM170000	¢ SC040000	à LA130000	è LE130000	ç LC410000	0 ND100000
-1	(RSP) SP300000] SM080000	/ SP120000	É LE120000	a LA010000	j LJ010000	ì LI130000	# SM010000	A LA020000	J LJ020000	÷ SA060000	1 ND100000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	• SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	{ SM110000	} SM140000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	@ SM050000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	ï LI190000	Ã LA200000	Ï LI190000	f LF010000	o LO010000	w LW010000	¶ SM290000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA180000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	\ SM070000	~ SD190000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	ù LU130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	ó SM190000	é LE110000	ò LO130000	: SP130000	« SP170000	ª SM210000	í SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	• SP110000	\$ SC030000	, SP080000	£ SC020000	» SP180000	º SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	§ SM240000	ð LD630000	æ LA510000	Ð LD620000	- SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	´ SP050000	ý LY110000	• SD410000	Ý LY120000	¨ SD170000	¡ SM650000	´ SD130000	Ò LO140000	Û LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	´ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO) ND000000

Code Page 01144

[\[Top of Page on page 93 | Previous Page on page 91 | Next Page on page 94 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1145-1/695-1 Latin America, Spain

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	“ SD170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	• SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI190000	Ã LA200000	Ï LI180000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ı SM850000	ß LS810000	# SM010000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000] SM080000	ñ LN190000	: SP130000	« SP170000	ª SM210000	ı SP030000	^ SD150000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	Ñ LN200000	» SP180000	Ω SM200000	¿ SP160000	! SP020000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD620000	– SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	‘ SP050000	ý LY110000	ˆ SD410000	Ý LY120000	~ SD190000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	’ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	 SM130000	¬ SM660000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)

Code Page 01145

[[Top of Page on page 94](#) | [Previous Page on page 93](#) | [Next Page on page 95](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

hcp_

Host Code Page 1146-1/695-1 United Kingdom

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	ˉ SM150000	[SM060000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	• SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI190000	Ã LA200000	Ï LI190000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	\$ SC030000	! SP020000	¡ SM650000	: SP130000	« SP170000	ª SM210000	ï SP090000	^ SD150000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	. SP110000	£ SC020000	, SP080000	# SM010000	» SP180000	º SM200000	¿ SP160000] SM080000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD620000	~ SD190000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	Š SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	 SM130000	∟ SM660000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)

Code Page 01146

[[Top of Page on page 96](#) | [Previous Page on page 94](#) | [Next Page on page 97](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1147-1/695-1 France

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	[SM060000	` SD130000	¢ SC040000	é LE110000	è LE130000	ç LC410000	0 ND100000
-1	(RSP) SP300000	{ SM110000	/ SP120000	É LE120000	a LA010000	j LJ010000	¨ SD170000	# SM010000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	@ SM050000	} SM140000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000] SM080000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	ï LI190000	Ã LA200000	Ï LI190000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	\ SM070000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	μ SM170000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	° SM190000	§ SM240000	ù LU130000	:	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	£ SC020000	» SP180000	º SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	à LA130000	ð LD630000	æ LA510000	Ð LD620000	¯ SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	´ SP050000	ý LY110000	· SD410000	Ý LY120000	~ SD190000	ò LO130000	¡ SM650000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	´ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)

Code Page 01147

[\[Top of Page on page 97 | Previous Page on page 95 | Next Page on page 98 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1148-1/695-1 International

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI190000	Ã LA200000	Ï LI190000	f LF010000	o LO010000	w LW010000	¶ SM290000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ä LA270000	ï LI170000	Ä LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS810000	Ñ LN200000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000]	¡ SM650000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM680000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	Ω SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ð LD630000	æ LA510000	Ð LD620000	- SM150000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	´ SP050000	ý LY110000	Ÿ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Ù LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	þ LT630000	Æ LA520000	Þ LT640000	´ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)

Code Page 01148

[[Top of Page on page 98](#) | [Previous Page on page 97](#) | [Next Page on page 100](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1149-1/695-1 Iceland

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-	
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-	
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-	
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	¢ SC040000	þ LT630000	æ LA510000	' SD110000	0 ND100000	
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	ö LO170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000	
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000	
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000	
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000	
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000	
-6	ã LA190000	î LI190000	Ã LA200000	Ï LI190000	f LF010000	o LO010000	w LW010000	¶ SM290000	F LF020000	O LO020000	W LW020000	6 ND060000	
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000	
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000	
-9	ñ LN190000	ß LS610000	Ñ LN200000	ð LD630000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000	
-A	þ LT640000	Æ LA520000	ı SM650000	:	« SP130000	» SP170000	ı SM210000	ı SP030000	┘ SM660000	(SHY) SP320000	ı ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	,	# SM010000	» SP180000	º SM200000	ı SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000	
-C	< SA030000	* SM040000	% SM020000	Ð LD620000	` SD130000	} SM140000	@ SM050000	- SM150000	~ SD180000	ü LU170000	^ SD150000	Û LU180000	
-D	(SP060000) SP070000	— SP090000	' SP050000	ý LY110000	· SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Û LU140000	
-E	+ SA010000	; SP140000	> SA050000	= SA040000	{ SM110000] SM090000	[SM060000	\ SM070000	ó LO110000	ú LU110000	Ó LO120000	Û LU120000	
-F	! SP020000	Ö LO180000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)	

Code Page 01149

[\[Top of Page on page 100 | Previous Page on page 98 | Next Page on page 101 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1153/1375 Latin 2 - EBCDIC Multilingual

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	˘ SD210000	˘ SD230000	˚ SM190000	ą LA430000	· SD290000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	À LA440000	À LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ç LE430000	Â LA160000	Ě LE440000	b LB010000	k LK010000	s LS010000	ž LZ290000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ě LE180000	c LC010000	l LL010000	t LT010000	Ť LT420000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	ı LT410000	û LU270000	" SD250000	Û LU280000	d LD010000	m LM010000	u LU010000	Ž LZ300000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ă LA230000	î LI180000	Ă LA240000	Î LI180000	f LF010000	o LO010000	w LW010000	ž LZ210000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	č LC210000	ï LI210000	Č LC220000	Ľ LL220000	g LG010000	p LP010000	x LX010000	ž LZ110000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	í LI110000	Ç LC420000	Ľ LL120000	h LH010000	q LQ010000	y LY010000	Ž LZ220000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	é LC110000	ß LS810000	Ć LC120000	` SD130000	i LI010000	r LR010000	z LZ010000	Ž LZ120000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000] SM080000	 SM130000	: SP130000	ś LS110000	ł LL810000	Ś LS120000	Ł LL820000	(SHY) SP320000	Ě LE220000	ď LD210000	Ď LD220000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	ñ LN210000	ń LN110000	Ń LN220000	Ń LN120000	ô LO150000	ů LU250000	Ô LO160000	Ů LU260000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	đ LD610000	š LS210000	Đ LD600000	Š LS220000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	‘ SP050000	ý LY110000	Ÿ SD410000	Ý LY120000	¨ SD170000	í LR110000	ř LT210000	Ř LR120000	Ť LT220000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ř LR210000	š SD430000	Ř LR220000	’ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	ş LS410000	€ SC200000	Ş LS420000	× SA070000	õ LO250000	ě LE210000	Õ LO260000	(EO)

Code Page 01153

[[Top of Page on page 101](#) | [Previous Page on page 100](#) | [Next Page on page 103](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1154/1381 Cyrillic

The column indicates the first digit, and the row indicates the second digit. If this code page is not used with a Cyrillic host machine, certain characters might not display properly.

HEX DIGITS 1ST → 2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	Ъ KN120000	ц KC010000	й KJ110000	я KA150000	ь KX110000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	Ь KL410000	/ SP120000	Ѡ KC120000	а LA010000	ј LJ010000	~ SD190000	ы KY010000	А LA020000	Ј LJ020000	€ SC200000	1 ND010000
-2	ђ KD610000	њ KN110000	ѓ KG120000	ќ KK120000	б LB010000	к LK010000	ѕ LS010000	з KZ010000	В LB020000	К LK020000	Ѕ LS020000	2 ND020000
-3	ѓ KG110000	ћ KC110000	Ѣ KE180000	ѣ (сѣу) SP320000	с LC010000	l LL010000	t LT010000	ш KS210000	С LC020000	Л LL020000	Т LT020000	3 ND030000
-4	ѣ KE170000	ќ KK110000	Є KE160000	Ў KU240000	d LD010000	m LM010000	u LU010000	э KE130000	Д LD020000	М LM020000	U LU020000	4 ND040000
-5	е KE150000	ѣ KU230000	Ѕ KZ160000	Ц KG220000	e LE010000	n LN010000	v LV010000	щ KS150000	Е LE020000	Н LN020000	В LV020000	5 ND050000
-6	s KZ150000	ц KG210000	І KI120000	ю KU150000	f LF010000	o LO010000	w LW010000	ч KC210000	Ф LF020000	О LO020000	W LW020000	6 ND060000
-7	i KI110000	Ъ KU220000	Ї KI180000	а KA010000	g LG010000	p LP010000	x LX010000	ь KU210000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ï KI170000	№ SM000000	J KJ020000	б KB010000	h LH010000	q LQ010000	y LY010000	Ю KU160000	Н LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	j KJ010000	Ъ KD620000	Ь KL420000	` SD130000	i LI010000	г LR010000	z LZ010000	А KA020000	І LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM080000]	 SM130000	: SP130000	д KD010000	к KK010000	р KR010000	Б KB020000	Х KH020000	Н KN020000	Т KT020000	З KZ020000
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	е KE010000	л KL010000	с KS010000	Ц KC020000	И KI020000	О KO020000	У KU020000	Ш KS220000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ф KF010000	м KM010000	т KT010000	Д KD020000	Й KJ120000	П KP020000	Ж KZ220000	Э KE140000
-D	(SP060000) SP070000	_ SP090000	' SP050000	г KG010000	н KN010000	у KU010000	Е KE020000	К KK020000	Я KA160000	В KV020000	Щ KS160000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	х KH010000	о KO010000	ж KZ210000	Ф KF020000	Л KL020000	Р KR020000	Ь KX120000	Ч KC220000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	и KI010000	п KP010000	в KV010000	Г KG020000	М KM020000	С KS020000	Ы KY020000	Ⓔ (E0)

Code Page 01154

[\[Top of Page on page 103 | Previous Page on page 101 | Next Page on page 104 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1155/1378 Latin 5 - Turkey

The column indicates the first digit, and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	ç LC410000	ğ LG230000	ü LU170000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	ö LO170000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI180000	Ã LA200000	Î LI180000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	{ SM110000	ì LI130000	[SM060000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS810000	Ñ LN200000	ı LI810000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	Ç LC420000	Ğ LG240000	ş LS410000	: SP130000	« SP170000	ª SM210000	ı SP030000	¬ SM680000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	İ LI300000	, SP080000	Ö LO180000	» SP180000	Ω SM200000	¿ SP180000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ş LS420000	} SM140000	æ LA510000] SM060000	- SD310000	~ SD190000	\ SM070000	# SM010000	" SP040000
-D	(SP060000) SP070000	— SP090000	ˆ SP050000	˘ SD130000	˙ SD410000	\$ SC030000	˚ SD170000	ò LO130000	ù LU130000	Ò LO140000	Û LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	! SM650000	Æ LA520000	@ SM050000	' SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	Ü LU180000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO)

Code Page 01155

[[Top of Page on page 104](#) | [Previous Page on page 103](#) | [Next Page on page 106](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1156/1393 Latvia, Lithuania

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	^ SD150000	{ SM110000	}	\ SM070000	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	š LS210000	ç LE430000	Š LS220000	Ē LE440000	b LB010000	k LK010000	s LS010000	ī LI310000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	è LE290000	Ä LA180000	Ē LE300000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	ą LA430000	č LC210000	Ą LA440000	Č LC220000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	į LI430000	ų LU430000	Į LI440000	Ū LU440000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ū LU310000	” SP230000	Ū LU320000	Ī LI320000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	ą LA270000	“ SP210000	Ą LA280000	Ł LL420000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ė LE310000	ġ LG410000	Ē LE320000	Ģ LG420000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ž LZ210000	ß LS610000	Ž LZ220000	` SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	¢ SC040000	! SP020000	¡ SM650000	: SP130000	« SP170000	Ŕ LR420000	” SP220000	[SM060000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	ŗ LR410000	ż LZ110000] SM080000	ō LO310000	ć LC110000	ō LO320000	Ć LC120000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	ā LA310000	æ LA510000	Ā LA320000	Ž LZ120000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	ž LZ290000	ķ LK410000	Ž LZ300000	Ķ LK420000	ņ LN410000	ī LL610000	ņ LN420000	Ļ LL620000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ń LN110000	Æ LA520000	Ń LN120000	ł LL410000	ó LO110000	ś LS110000	Ó LO120000	Ś LS120000
-F	 SM130000	⌋ SM680000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	õ LO190000	' SP200000	Õ LO200000	(EO)

Code Page 01156

[\[Top of Page on page 106 | Previous Page on page 104 | Next Page on page 107 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1157/1391 Estonia

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	(SP) SP010000	& SM030000	- SP100000	ø LO810000	Ø LO820000	° SM190000	μ SM170000	¢ SC040000	ä LA170000	å LA270000	É LE120000	0 ND100000
-1	(RSP) SP300000	` SD130000	/ SP120000	\ SM070000	á LA010000	â LJ010000	ü LU170000	£ SC020000	À LA020000	Ê LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	{ SM110000	ë LE170000	# SM010000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	[SM060000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA190000	î LI180000	Ã LA200000	Î LI180000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	} SM140000	ï LI170000	§ SC030000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ì LI130000	Ç LC420000	Ï LI140000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS810000	Ñ LN200000	é LE110000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	§ SM240000	€ SC200000	ö LO170000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM680000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	· SP110000	Å LA280000	, SP080000	Ä LA180000	» SP180000	Ω SM200000	¿ SP180000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	Ö LO180000	š LS210000	æ LA510000	Š LS220000	- SD310000	¡ SM650000	~ SD190000	@ SM050000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	‘ SP050000	ý LY110000	Ÿ SD410000	Ý LY120000	¨ SD170000	ò LO130000	ù LU130000	Ò LO140000	Û LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ž LZ210000	Æ LA520000	Ž LZ220000	’ SD110000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000] SM080000	® SM530000	× SA070000	õ LO190000	ÿ LY170000	Õ LO200000	(EO) ND000000

Code Page 01157

[[Top of Page on page 107](#) | [Previous Page on page 106](#) | [Next Page on page 109](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1158/1388 Ukraine

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓	0	1	2	3	4	5	6	7	8	9	A	B
0	(SP) SP010000	& SM030000	- SP100000	Ь KN120000	ц KC010000	й KJ110000	я KA150000	ь KX110000	{ SM110000	}	\ SM070000	0 ND100000
1	(RSP) SP300000	Љ KL410000	/ SP120000	Ѡ KC120000	а LA010000	ј LJ010000	~ SD190000	ы KY010000	А LA020000	Ј LJ020000	€ SC200000	1 ND010000
2	ђ KD610000	њ KN110000	Г KG300000	Ѓ KK120000	б LB010000	к LK010000	ѕ LS010000	з KZ010000	В LB020000	К LK020000	Ѕ LS020000	2 ND020000
3	г KG290000	ђ KC110000	Ё KE180000	(SHY) SP320000	с LC010000	l LL010000	t LT010000	ш KS210000	С LC020000	Л LL020000	Т LT020000	3 ND030000
4	ё KE170000	ќ KK110000	Є KE160000	Ў KU240000	d LD010000	m LM010000	u LU010000	э KE130000	Д LD020000	М LM020000	U LU020000	4 ND040000
5	є KE150000	ђ KU230000	Ѕ KZ160000	Ц KG220000	e LE010000	n LN010000	v LV010000	щ KS150000	Е LE020000	Н LN020000	В LV020000	5 ND050000
6	s KZ150000	ц KG210000	І KI120000	ю KU150000	f LF010000	o LO010000	w LW010000	ч KC210000	Ф LF020000	О LO020000	W LW020000	6 ND060000
7	i KI110000	Ђ KU220000	Ї KI180000	а KA010000	g LG010000	p LP010000	x LX010000	ь KU210000	Г LG020000	Р LP020000	X LX020000	7 ND070000
8	ï KI170000	№ SM000000	Ј KJ020000	б KB010000	h LH010000	q LQ010000	y LY010000	Ю KU160000	Н LH020000	Q LQ020000	Y LY020000	8 ND080000
9	j KJ010000	Ђ KD620000	Љ KL420000	` SD130000	i LI010000	г LR010000	z LZ010000	А KA020000	І LI020000	Р LR020000	Z LZ020000	9 ND090000
A	[SM060000]) SM080000	 SM130000	: SP130000	д KD010000	к KK010000	р KR010000	Б KB020000	Х KH020000	Н KN020000	Т KT020000	З KZ020000
B	. SP110000	\$ SC030000	, SP080000	# SM010000	e KE010000	л KL010000	с KS010000	Ц KC020000	И KI020000	О KO020000	У KU020000	Ш KS220000
C	< SA030000	* SM040000	% SM020000	@ SM050000	ф KF010000	м KM010000	т KT010000	Д KD020000	Й KJ120000	П KP020000	Ж KZ220000	Э KE140000
D	(SP060000) SP070000	_ SP090000	' SP050000	г KG010000	н KN010000	у KU010000	Е KE020000	К KK020000	Я KA160000	В KV020000	Щ KS160000
E	+ SA010000	; SP140000	> SA050000	= SA040000	х KH010000	о KO010000	ж KZ210000	Ф KF020000	Л KL020000	Р KR020000	Ь KX120000	Ч KC220000
F	! SP020000	^ SD150000	? SP150000	" SP040000	и KI010000	п KP010000	в KV010000	Г KG020000	М KM020000	С KS020000	Ы KY020000	(E0)

Code Page 01158

[\[Top of Page on page 109 | Previous Page on page 107 | Next Page on page 110 | Table of Contents on page 51 \]](#)

Host Code Page Reference

Host Code Page 1160/1395 Thailand

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-	
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-	
2ND ↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-	
-0	(SP) SP010000	& SM030000	- SP100000	Ⓕ SC130000	Ⓢ BQ400000	๗ BQ500000	๘ BQ800000	○ ND100002	{ SM110000	}	\ SM140000	0 SM070000	0 ND100000
-1	(RSP) SP300000	' BZ100300	/ SP120000	ˆ BE400000	a LA010000	j LJ010000	~ SD190000	๑ ND010002	A LA020000	J LJ020000	๓ BZ300300	1 ND010000	
-2	ก BK100000	ข BC100000	ฃ BT100000	ด BT800000	b LB010000	k LK010000	s LS010000	๒ ND020002	B LB020000	K LK020000	S LS020000	2 ND020000	
-3	ข BK200000	ฃ BX100000	๓ BT200000	ก BT700000	c LC010000	l LL010000	t LT010000	๓ ND030002	C LC020000	L LL020000	T LT020000	3 ND030000	
-4	ข BK300000	ช BS100000	๓ BT300000	ด BT800000	d LD010000	m LM010000	u LU010000	๔ ND040002	D LD020000	M LM020000	U LU020000	4 ND040000	
-5	ค BK400000	ช BX200000	ฃ BT400000	น BN300000	e LE010000	n LN010000	v LV010000	๕ ND050002	E LE020000	N LN020000	V LV020000	5 ND050000	
-6	ค BK500000	ฃ BX300000	น BN200000	บ BB100000	f LF010000	o LO010000	w LW010000	๖ ND060002	F LF020000	O LO020000	W LW020000	6 ND060000	
-7	ข BK600000	ฃ BY100000	ด BD200000	ป BP100000	g LG010000	p LP010000	x LX010000	๗ ND070002	G LG020000	P LP020000	X LX020000	7 ND070000	
-8	ง BN100000	ฃ BD100000	ด BT500000	ฝ BP200000	h LH010000	q LQ010000	y LY010000	๘ ND080002	H LH020000	Q LQ020000	Y LY020000	8 ND080000	
-9	[SM080000] SM080000	^ SD150000	` SD130000	i LI010000	r LR010000	z LZ010000	๙ ND090002	I LI020000	R LR020000	Z LZ020000	9 ND090000	
-A	๕ SC040000	! SP020000	! SM650000	: SP130000	ฝ BF100000	ร BR100000	๒ BS300000	๗ BQ200000	๒ BZ200300	• BQ300000	๗ BA700000	+	
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	พ BP300000	ถ BR200000	๓ BS400000	๒ BA200000	๒ B1200000	๒ BE200000	๗ BQ100000	๓ BZ500000	
-C	< SA030000	* SM040000	% SM020000	@ SM050000	พ BF200000	ล BL100000	ห BH100000	๒ BA100000	๒ BU100000	๒ BE300000	๗ BE100000	๓ BN400000	
-D	(SP060000) SP070000	_ SP090000	' SP050000	ภ BP400000	ภ BL200000	ฬ BL300000	๗ BA300000	๒ BU200000	๒ BO200000	' BZ100000	๓ BZ400300	
-E	+ SA010000	; SP140000	> SA050000	= SA040000	ม BM100000	ว BW100000	อ BO100000	๗ BA400000	๗ BU300000	๒ BA500000	๒ BZ200000	๓ SC200000	
-F	 SM130000	๗ SM880000	? SP150000	" SP040000	ย BY200000	ค BS200000	๒ BH200000	๒ B1100000	๗ BU400000	๒ BA600000	๒ BZ300000	(EO)	

Code Page 01160

[[Top of Page on page 110](#) | [Previous Page on page 109](#) | [Next Page on page 112](#) | [Table of Contents on page 51](#)]

Host Code Page Reference

Host Code Page 1164/1397 Vietnam

The column indicates the first digit and the row indicates the second digit.

HEX DIGITS												
1ST →	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
2ND ↓												
-0	(SP) SP010000	& SM030000	- SP100000	ø LO610000	Ø LO620000	° SM190000	μ SM170000	¢ SC040000	{ SM110000	}	\	0 ND100000
-1	(RSP) SP300000	é LE110000	/ SP120000	É LE120000	a LA010000	j LJ010000	~ SD190000	£ SC020000	A LA020000	J LJ020000	÷ SA060000	1 ND010000
-2	â LA150000	ê LE150000	Â LA160000	Ê LE160000	b LB010000	k LK010000	s LS010000	¥ SC050000	B LB020000	K LK020000	S LS020000	2 ND020000
-3	ä LA170000	ë LE170000	Ä LA180000	Ë LE180000	c LC010000	l LL010000	t LT010000	· SD630000	C LC020000	L LL020000	T LT020000	3 ND030000
-4	à LA130000	è LE130000	À LA140000	È LE140000	d LD010000	m LM010000	u LU010000	© SM520000	D LD020000	M LM020000	U LU020000	4 ND040000
-5	á LA110000	í LI110000	Á LA120000	Í LI120000	e LE010000	n LN010000	v LV010000	§ SM240000	E LE020000	N LN020000	V LV020000	5 ND050000
-6	ã LA230000	ï LI150000	Ã LA240000	Ï LI160000	f LF010000	o LO010000	w LW010000	¶ SM250000	F LF020000	O LO020000	W LW020000	6 ND060000
-7	å LA270000	ï LI170000	Å LA280000	Ï LI180000	g LG010000	p LP010000	x LX010000	¼ NF040000	G LG020000	P LP020000	X LX020000	7 ND070000
-8	ç LC410000	ñ SD198000	Ç LC420000	Đ SC180000	h LH010000	q LQ010000	y LY010000	½ NF010000	H LH020000	Q LQ020000	Y LY020000	8 ND080000
-9	ñ LN190000	ß LS610000	Ñ LN200000	´ SD130000	i LI010000	r LR010000	z LZ010000	¾ NF050000	I LI020000	R LR020000	Z LZ020000	9 ND090000
-A	[SM060000] SM080000	¡ SM650000	: SP130000	« SP170000	ª SM210000	ï SP030000	¬ SM660000	(SHY) SP320000	1 ND011000	2 ND021000	3 ND031000
-B	. SP110000	\$ SC030000	, SP080000	# SM010000	» SP180000	º SM200000	¿ SP160000	 SM130000	ô LO150000	û LU150000	Ô LO160000	Û LU160000
-C	< SA030000	* SM040000	% SM020000	@ SM050000	đ LD610000	æ LA510000	Ð LD600000	- SD310000	ö LO170000	ü LU170000	Ö LO180000	Ü LU180000
-D	(SP060000) SP070000	— SP090000	' SP050000	◊ SD918000	Œ LO520000	◌ SD458000	œ LO510000	ur LU910000	ù LU130000	Ů LU920000	Û LU140000
-E	+ SA010000	; SP140000	> SA050000	= SA040000	◌ SD138000	Æ LA520000	◌ SD118000	ÿ LY160000	ó LO110000	ú LU110000	Ó LO120000	Ú LU120000
-F	! SP020000	^ SD150000	? SP150000	" SP040000	± SA020000	€ SC200000	® SM530000	× SA070000	σ LO910000	ÿ LY170000	Œ LO920000	(E0)

Code Page 01164

[\[Top of Page on page 112 | Previous Page on page 110 | Next Page | Table of Contents on page 51 \]](#)