

Software Product Compatibility Reports Detailed System Requirements

IBM Security AppScan Source 9.0.3.12

Contents

Included in this report

Operating systems

Hypervisors

Prerequisites

Supported software

Hardware

Packaging list (No packaging list specified for this product)

Glossary

Disclaimers

Included in this report

This report can be generated with filters applied to operating system platforms, components, and/or software capabilities. This section reflects how the report was filtered when it was generated.

Legend

- The information about this item is included in this report.
- The information about this item is not included in the report filter.

Platforms

Component list

- Linux
- Desktop
- Mac OS
- Windows
- AppScan
- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plugin for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning

Capabilities

Prerequisites

- Development Tools
- Licensing

Related Software

- Application Servers
- Compilers and Languages
- Databases
- Development Tools
- Reporting and Analysis

Component list

Server

- AppScan Source Database
- AppScan Source for Automation Server
- Enterprise Server

Operating Systems

The Operating systems section specifies the operating systems that IBM Security AppScan Source 9.0.3.12 supports, organized by operating system familiy.

Component support Full Partial None

Operating system families

Windows

Windows

Summary

| Operating system | Operatin system minimum | Hardware | Bitness | Product minimum | Components | Notes? |
|------------------------|-------------------------------|----------|---------|--------------------|------------|--------|
| Windows 10 Education | Base | x86-32 | 32 | 9.0.3.3 | • • | Yes |
| Windows 10 Education | Base | x86-64 | 32 | 9.0.3.3 | • • | Yes |
| Windows 8.1 Enterprise | Base | x86-32 | 32 | 9.0.3 | • • | Yes |
| Windows 10 Enterprise | Base | x86-32 | 32 | 9.0.3.3 | • • | Yes |
| Windows 8.1 Enterprise | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows 10 Enterprise | Base | x86-64 | 32 | 9.0.3.3 | • • | Yes |
| Windows 10 Pro | Base | x86-32 | 32 | 9.0.3.3 | • • | Yes |
| Windows 10 Pro | Base | x86-64 | 32 | 9.0.3.3 | • • | Yes |



| Operating system | Operatin system minimum | Hardware | Bitness | Product minimum | Components | Notes? |
|--|-------------------------------|----------|---------|--------------------|------------|--------|
| Windows 8.1 Professional | Base | x86-32 | 32 | 9.0.3 | • • | Yes |
| Windows 8.1 Professional | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows 7 Enterprise | Base | x86-32 | 32 | 9.0.3 | • • | No |
| Windows 7 Enterprise | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows 7 Professional | Base | x86-32 | 32 | 9.0.3 | • • | No |
| Windows 7 Professional | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows 7 Ultimate | Base | x86-32 | 32 | 9.0.3 | • • | No |
| Windows 7 Ultimate | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows 8 Enterprise | Base | x86-32 | 32 | 9.0.3 | • • | Yes |
| Windows 8 Enterprise | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows 8 Professional | Base | x86-32 | 32 | 9.0.3 | • • | Yes |
| Windows 8 Professional | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows Server 2008 R2 Enterprise Edition | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows Server 2008 R2 Standard Edition | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows Server 2012 Datacenter Edition | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows Server 2012 R2 Datacenter Edition | Base | x86-64 | 32 | 9.0.3 | • • | Yes |



| Operating system | Operatin system minimum | Hardware | Bitness | Product minimum | Components | Notes? |
|--|-------------------------------|----------|---------|--------------------|------------|--------|
| Windows Server 2012 Essentials Edition | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows Server 2012 R2 Essentials Edition | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows Server 2012 Foundation Edition | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows Server 2012 Standard Edition | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows Server 2012 R2 Standard Edition | Base | x86-64 | 32 | 9.0.3 | • • | Yes |
| Windows Server 2016 Datacenter Edition | Base | x86-64 | 32 | 9.0.3.11 | • • | Yes |
| Windows Server 2016 Essentials Edition | Base | x86-64 | 32 | 9.0.3.11 | • • | Yes |
| Windows Server 2016 Standard Edition | Base | x86-64 | 32 | 9.0.3.11 | • • | Yes |

Windows 10 Education x86-32

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | | Creator Update | Creator | April 2018 Update | 1809 | 1903 | > |
|-----------------|--|---------|------|---|-------------------|-------------|-------------------------|------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Analysis | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |



| Deployment unit | Component | Bitness | Base | | Creator Update | Creato | April 2018 Update | 1809 | 1903 | > |
|-----------------|---|---------|-------------|---|-------------------|-------------|-------------------------|------|------|---|
| | AppScan Source for Automation Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Eclipse | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| Server | AppScan Source Database | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Automation Server | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |

Windows 10 Education x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | | Creator Update | Creator | April 2018 Update | 1809 | 1903 | > |
|-----------------|--|---------|------|---|-------------------|-------------|-------------------------|------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Analysis | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |



| Deployment unit | Component | Bitness | Base | | Creator Update | Creato | April 2018 Update | 1809 | 1903 | > |
|-----------------|---|---------|-------------|---|-------------------|-------------|-------------------------|------|------|---|
| | AppScan Source for Automation Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Eclipse | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| Server | AppScan Source Database | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Automation Server | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |

Windows 8.1 Enterprise x86-32

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|-------------|---|
| Desktop | AppScan Source Command Line Client | 32 | (1) | 8 |
| | AppScan Source for Analysis | 32 | (1) | 8 |
| | AppScan Source for Automation Client | 32 | (1) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (1) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (1) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (1) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (1) | 8 |
| Server | AppScan Source Database | 32 | (1) | 8 |
| | AppScan Source for Automation Server | 32 | (1) | 8 |

Windows 10 Enterprise x86-32

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | | Creator Update | Creator | April 2018 Update | 1809 | 1903 | > |
|-----------------|--|---------|------|---|-------------------|-------------|-------------------------|------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Analysis | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |



| Deployment unit | Component | Bitness | Base | | Creator Update | Creato | April 2018 Update | 1809 | 1903 | > |
|-----------------|---|---------|-------------|---|-------------------|-------------|-------------------------|------|------|---|
| | AppScan Source for Automation Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Eclipse | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| Server | AppScan Source Database | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Automation Server | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |

Windows 8.1 Enterprise x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows 10 Enterprise x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | | Creator Update | Creator | April 2018 Update | 1809 | 1903 | > |
|-----------------|--|---------|------|---|-------------------|-------------|-------------------------|------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Analysis | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |



| Deployment unit | Component | Bitness | Base | | Creator Update | Creato | April 2018 Update | 1809 | 1903 | > |
|-----------------|---|---------|-------------|---|-------------------|-------------|-------------------------|------|------|---|
| | AppScan Source for Automation Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Eclipse | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| Server | AppScan Source Database | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Automation Server | 32 | (5) | ⊗ | 8 | (5) | 8 | 8 | 8 | 8 |

Windows 10 Pro x86-32

Legend: Supported 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | | Creator Update | Creator | April 2018 Update | 1809 | 1903 | > |
|-----------------|--|---------|------|---|-------------------|-------------|-------------------------|------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Analysis | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |



| Deployment unit | Component | Bitness | Base | | Creator Update | Creato | April 2018 Update | 1809 | 1903 | > |
|-----------------|---|---------|------|---|-------------------|-------------|-------------------------|------|------|---|
| | AppScan Source for Automation Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Eclipse | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| Server | AppScan Source Database | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Automation Server | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |

Windows 10 Pro x86-64

Legend: Supported 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | | Creator Update | Creator | April 2018 Update | 1809 | 1903 | > |
|-----------------|--|---------|------|---|-------------------|-------------|-------------------------|------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Analysis | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |



| Deployment unit | Component | Bitness | Base | | Creator Update | Creato | April 2018 Update | 1809 | 1903 | > |
|-----------------|---|---------|-------------|---|-------------------|-------------|-------------------------|------|------|---|
| | AppScan Source for Automation Client | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Eclipse | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| Server | AppScan Source Database | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |
| | AppScan Source for Automation Server | 32 | (5) | 8 | 8 | (5) | 8 | 8 | 8 | 8 |

Windows 8.1 Professional x86-32

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|-------------|---|
| Desktop | AppScan Source Command Line Client | 32 | (1) | 8 |
| | AppScan Source for Analysis | 32 | (1) | 8 |
| | AppScan Source for Automation Client | 32 | (1) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (1) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (1) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (1) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (1) | 8 |
| Server | AppScan Source Database | 32 | (1) | 8 |
| | AppScan Source for Automation Server | 32 | (1) | 8 |

Windows 8.1 Professional x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows 7 Enterprise x86-32

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|---|---------|------|-------------------|---|
| Desktop | AppScan Source Command Line Client | 32 | 0 | 0 | 8 |
| | AppScan Source for Analysis | 32 | 0 | 0 | 8 |
| | AppScan Source for Automation Client | 32 | 0 | 0 | 8 |



| Deployment unit | Component | Bitness | Base | Service Pack 1 | ··> |
|-----------------|--|---------|------|-------------------|-----|
| | AppScan Source for Development plug-in for Eclipse | 32 | 0 | 0 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | • | • | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | 0 | 0 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | 9 | • | 8 |
| Server | AppScan Source Database | 32 | 0 | 0 | 8 |
| | AppScan Source for Automation Server | 32 | • | • | 8 |

Windows 7 Enterprise x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|---|---------|------|-------------------|---|
| Desktop | AppScan Source Command Line Client | 32 | (4) | (4) | 8 |
| | AppScan Source for Analysis | 32 | (4) | (4) | 8 |
| | AppScan Source for Automation Client | 32 | • | 0 | 8 |



| Deployment unit | Component | Bitness | Base | Service Pack 1 | •• > |
|-----------------|--|---------|------|-------------------|----------------|
| | | | (4) | (4) | |
| | AppScan Source for Development plug-in for Eclipse | 32 | (4) | (4) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (4) | (4) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (4) | (4) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (4) | (4) | 8 |
| Server | AppScan Source Database | 32 | (4) | (4) | 8 |
| | AppScan Source for Automation Server | 32 | (4) | (4) | 8 |

Windows 7 Professional x86-32

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|---|---------|------|-------------------|---|
| Desktop | AppScan Source Command Line Client | 32 | 0 | 0 | 8 |
| | AppScan Source for Analysis | 32 | 0 | 0 | ⊗ |
| | AppScan Source for Automation Client | 32 | 0 | 0 | 8 |



| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|--|---------|------|-------------------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | 0 | 0 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | • | • | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | • | • | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | 9 | • | 8 |
| Server | AppScan Source Database | 32 | • | • | 8 |
| | AppScan Source for Automation Server | 32 | 9 | • | 8 |

Windows 7 Professional x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|---|---------|------|-------------------|---|
| Desktop | AppScan Source Command Line Client | 32 | (4) | (4) | 8 |
| | AppScan Source for Analysis | 32 | (4) | (4) | 8 |
| | AppScan Source for Automation Client | 32 | • | • | 8 |



| Deployment unit | Component | Bitness | Base | Service Pack 1 | •• > |
|-----------------|--|---------|------|-------------------|----------------|
| | | | (4) | (4) | |
| | AppScan Source for Development plug-in for Eclipse | 32 | (4) | (4) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (4) | (4) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (4) | (4) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (4) | (4) | 8 |
| Server | AppScan Source Database | 32 | (4) | (4) | 8 |
| | AppScan Source for Automation Server | 32 | (4) | (4) | 8 |

Windows 7 Ultimate x86-32

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|---|---------|------|-------------------|---|
| Desktop | AppScan Source Command Line Client | 32 | 0 | 0 | 8 |
| | AppScan Source for Analysis | 32 | • | 0 | 8 |
| | AppScan Source for Automation Client | 32 | 0 | 0 | 8 |



| Deployment unit | Component | Bitness | Base | Service Pack 1 | ··> |
|-----------------|--|---------|------|-------------------|-----|
| | AppScan Source for Development plug-in for Eclipse | 32 | 0 | 0 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | • | • | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | 0 | 0 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | 9 | • | 8 |
| Server | AppScan Source Database | 32 | 0 | 0 | 8 |
| | AppScan Source for Automation Server | 32 | 0 | • | 8 |

Windows 7 Ultimate x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|---|---------|------|-------------------|---|
| Desktop | AppScan Source Command Line Client | 32 | (4) | (4) | 8 |
| | AppScan Source for Analysis | 32 | (4) | (4) | 8 |
| | AppScan Source for Automation Client | 32 | 0 | 0 | 8 |



| Deployment unit | Component | Bitness | Base | Service Pack 1 | •• > |
|-----------------|--|---------|------|-------------------|----------------|
| | | | (4) | (4) | |
| | AppScan Source for Development plug-in for Eclipse | 32 | (4) | (4) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (4) | (4) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (4) | (4) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (4) | (4) | 8 |
| Server | AppScan Source Database | 32 | (4) | (4) | 8 |
| | AppScan Source for Automation Server | 32 | (4) | (4) | 8 |

Windows 8 Enterprise x86-32

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|-------------|---|
| Desktop | AppScan Source Command Line Client | 32 | (1) | 8 |
| | AppScan Source for Analysis | 32 | (1) | 8 |
| | AppScan Source for Automation Client | 32 | (1) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (1) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (1) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (1) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (1) | 8 |
| Server | AppScan Source Database | 32 | (1) | 8 |
| | AppScan Source for Automation Server | 32 | (1) | 8 |

Windows 8 Enterprise x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows 8 Professional x86-32

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|-------------|---|
| Desktop | AppScan Source Command Line Client | 32 | (1) | 8 |
| | AppScan Source for Analysis | 32 | (1) | 8 |
| | AppScan Source for Automation Client | 32 | (1) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (1) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (1) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (1) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (1) | 8 |
| Server | AppScan Source Database | 32 | (1) | 8 |
| | AppScan Source for Automation Server | 32 | (1) | 8 |

Windows 8 Professional x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows Server 2008 R2 Enterprise Edition x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|---|---------|------|-------------------|---|
| Desktop | AppScan Source Command Line Client | 32 | (4) | 8 | 8 |
| | AppScan Source for Analysis | 32 | (4) | 8 | 8 |
| | AppScan Source for Automation Client | 32 | 0 | 8 | 8 |



| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|--|---------|------|-------------------|---|
| | | | (4) | | |
| | AppScan Source for Development plug-in for Eclipse | 32 | (4) | 8 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (4) | 8 | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (4) | 8 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (4) | 8 | 8 |
| Server | AppScan Source Database | 32 | (4) | 8 | 8 |
| | AppScan Source for Automation Server | 32 | (4) | 8 | 8 |

Windows Server 2008 R2 Standard Edition x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|---|---------|------|-------------------|---|
| Desktop | AppScan Source Command Line Client | 32 | (4) | 8 | 8 |
| | AppScan Source for Analysis | 32 | (4) | 8 | 8 |
| | AppScan Source for Automation Client | 32 | 0 | 8 | 8 |



| Deployment unit | Component | Bitness | Base | Service Pack 1 | > |
|-----------------|--|---------|------|-------------------|---|
| | | | (4) | | |
| | AppScan Source for Development plug-in for Eclipse | 32 | (4) | 8 | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (4) | 8 | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (4) | 8 | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (4) | 8 | 8 |
| Server | AppScan Source Database | 32 | (4) | 8 | 8 |
| | AppScan Source for Automation Server | 32 | (4) | 8 | 8 |

Windows Server 2012 Datacenter Edition x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows Server 2012 R2 Datacenter Edition x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows Server 2012 Essentials Edition x86-64

Legend: 📀 Supported 🛛 Supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows Server 2012 R2 Essentials Edition x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows Server 2012 Foundation Edition x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows Server 2012 Standard Edition x86-64

Legend: 📀 Supported 🛛 Supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | •• > |
|-----------------|---|---------|------|----------------|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows Server 2012 R2 Standard Edition x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | •• > |
|-----------------|---|---------|------|----------------|
| Desktop | AppScan Source Command Line Client | 32 | (3) | 8 |
| | AppScan Source for Analysis | 32 | (3) | 8 |
| | AppScan Source for Automation Client | 32 | (3) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (3) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (3) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (3) | 8 |
| Server | AppScan Source Database | 32 | (3) | 8 |
| | AppScan Source for Automation Server | 32 | (3) | 8 |

Windows Server 2016 Datacenter Edition x86-64

Legend: 📀 Supported 🛛 Supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | •• > |
|-----------------|---|---------|------|----------------|
| Desktop | AppScan Source Command Line Client | 32 | (2) | 8 |
| | AppScan Source for Analysis | 32 | (2) | 8 |
| | AppScan Source for Automation Client | 32 | (2) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (2) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (2) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (2) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (2) | 8 |
| Server | AppScan Source Database | 32 | (2) | 8 |
| | AppScan Source for Automation Server | 32 | (2) | 8 |

Windows Server 2016 Essentials Edition x86-64

Legend: 📀 Supported 🛛 😢 Not supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | •• > |
|-----------------|---|---------|------|----------------|
| Desktop | AppScan Source Command Line Client | 32 | (2) | 8 |
| | AppScan Source for Analysis | 32 | (2) | 8 |
| | AppScan Source for Automation Client | 32 | (2) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (2) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (2) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (2) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (2) | 8 |
| Server | AppScan Source Database | 32 | (2) | 8 |
| | AppScan Source for Automation Server | 32 | (2) | 8 |

Windows Server 2016 Standard Edition x86-64

Legend: 📀 Supported 🛛 Supported

Component

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Bitness | Base | •• > |
|-----------------|---|---------|------|----------------|
| Desktop | AppScan Source Command Line Client | 32 | (2) | 8 |
| | AppScan Source for Analysis | 32 | (2) | 8 |
| | AppScan Source for Automation Client | 32 | (2) | 8 |



| Deployment unit | Component | Bitness | Base | > |
|-----------------|---|---------|------|---|
| | AppScan Source for Development plug-in for Eclipse | 32 | (2) | 8 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 32 | (2) | 8 |
| | AppScan Source for Development plug-in for Visual Studio | 32 | (2) | 8 |
| | IBM MobileFirst Platform Application Scanning | 32 | (2) | 8 |
| Server | AppScan Source Database | 32 | (2) | 8 |
| | AppScan Source for Automation Server | 32 | (2) | 8 |

Windows Notes

- On Windows 8.x, Windows Server 2012, and Windows 2012 R2, the AppScan Source installer (setup.exe file) must be run in Windows 7 compatibility mode. You must also set the AppScan_Uninstaller.exe file to run in Windows 7 compatibility mode before uninstalling AppScan Source. This file is located in <install_dir> \Uninstall_AppScan\AppScan_Uninstaller.exe (where <install_dir> is the location of your AppScan Source installation). See http://www.ibm.com/support/docview.wss?uid=swg21696098 for more information.
- 2. On 64-bit Windows, Security AppScan Source runs in 32-bit mode. On Windows 8.x, Windows Server 2012, Windows 2012 R2, and Windows 2016 the AppScan Source installer (setup.exe file) must be run in Windows 7 compatibility mode. You must also set the AppScan_Uninstaller.exe file to run in Windows 7 compatibility mode before uninstalling AppScan Source. This file is located in <install_dir>\Uninstall_AppScan \AppScan_Uninstaller.exe (where <install_dir> is the location of your AppScan Source installation). See http://www.ibm.com/support/docview.wss?uid=swg21696098 for more information.
- 3. On 64-bit Windows, Security AppScan Source runs in 32-bit mode. On Windows 8.x, Windows Server 2012, and Windows 2012 R2, the AppScan Source installer (setup.exe file) must be run in Windows 7 compatibility mode. You must also set the AppScan_Uninstaller.exe file to run in Windows 7 compatibility mode before uninstalling AppScan Source. This file is located in <install_dir>\Uninstall_AppScan\AppScan_Uninstaller.exe (where <install_dir> is the location of your AppScan Source installation). See http://www.ibm.com/support/docview.wss?uid=swg21696098 for more information.
- 4. On 64-bit Windows, Security AppScan Source runs in 32-bit mode.
- 5. On Windows 10, the AppScan Source installer (AppScan_Installer.exe file) must be run in Windows 7 compatibility mode. You must also set the AppScan_Uninstaller.exe file to run in Windows 7 compatibility mode before uninstalling AppScan Source. This file is located in <install_dir>\Uninstall_AppScan \AppScan_Uninstaller.exe (where <install_dir> is the location of your AppScan Source installation). See http://www.ibm.com/support/docview.wss?uid=swg21696098 for more information.

Hypervisors

| The Hypervisors section specifies the hypervisors that IBM Security AppScan | Component support |
|---|-------------------|
| Source 9.0.3.12 support. | 🔵 Full |
| | Partial |
| | O None |

Installable software

Operating System Families Windows

Windows

Summary

| Hypervisor | Product minimum | Components | Guest operating system restriction? | Notes? |
|-----------------|--------------------|------------|---|--------|
| VMware ESXi 5.0 | 9.0.3 | • • | Yes | No |

VMware ESXi 5.0

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 5.0 | •• > |
|-----------------|--------------------------------------|-----|----------------|
| Desktop | AppScan Source Command Line Client | • | • |
| | AppScan Source for Analysis | • | 0 |
| | AppScan Source for Automation Client | • | S |

| Deployment unit | Component | 5.0 | > |
|-----------------|---|-----|---|
| | AppScan Source for Development plug-in for Eclipse | 0 | • |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | 0 | • |
| | AppScan Source for Development plug-in for Visual Studio | • | • |
| | IBM MobileFirst Platform Application Scanning | • | • |
| Server | AppScan Source Database | • | 0 |
| | AppScan Source for Automation Server | 0 | 0 |

Supported Guest Operating Systems

| Components | Supported operating systems |
|---|--|
| All components that this hypervisor supports | All supported operating systems |
| Desktop | Windows 7 Professional x86-32 |
| AppScan Source Command Line Client | Windows 7 Professional x86-64 |
| AppScan Source for Analysis | Windows 7 Enterprise x86-32 |
| AppScan Source for Automation Client | Windows 7 Enterprise x86-64 |
| AppScan Source for Development plug-in for Eclipse | Windows 7 Ultimate x86-32 |
| AppScan Source for Development plug-in for IBM | • Windows 7 Ultimate x86-64 |
| Rational Application Developer for WebSphere Software (RAD) | • Windows Server 2008 R2 Enterprise Edition x86-64 |
| AppScan Source for Development plug-in for Visual | • Windows Server 2008 R2 Standard Edition x86-64 |
| Studio | Windows 8 Enterprise x86-64 |
| IBM MobileFirst Platform Application Scanning | • Windows 8 Professional x86-64 |
| Server | Windows 8 Professional x86-32 |
| AppScan Source Database | Windows 8 Enterprise x86-32 |
| AppScan Source for Automation Server | • Windows Server 2012 Datacenter Edition x86-64 |
| | • Windows Server 2012 Standard Edition x86-64 |
| | • Windows Server 2012 Essentials Edition x86-64 |



| Supported operating systems |
|---|
| Windows Server 2012 Foundation Edition x86-64 |
| • Windows 8.1 Enterprise x86-32 |
| • Windows 8.1 Enterprise x86-64 |
| Windows 8.1 Professional x86-32 |
| Windows 8.1 Professional x86-64 |
| Windows Server 2012 R2 Datacenter Edition x86-64 |
| • Windows Server 2012 R2 Essentials Edition x86-64 |
| • Windows Server 2012 R2 Standard Edition x86-64 |
| • Windows 10 Pro x86-32 |
| • Windows 10 Pro x86-64 |
| • Windows 10 Enterprise x86-32 |
| • Windows 10 Enterprise x86-64 |
| • Windows 10 Education x86-32 |
| • Windows 10 Education x86-64 |
| • Windows Server 2016 Datacenter Edition x86-64 |
| • Windows Server 2016 Standard Edition x86-64 |
| • Windows Server 2016 Essentials Edition x86-64 |
| |

Prerequisites

| The Prerequisites section specifies the capabilities that IBM Security AppScan Source 9.0.3.12 requires, and the prerequisite products that can be used to fulfill those capabilities. | Component Support Full | | |
|--|--|--|--|
| Capabilities | Partial | | |
| Development Tools Licensing | 🔘 None | | |

Development Tools

Summary

| Prerequisite | Version | Prerequisite minimum | Product minimum | Components | Operating system restrictions? | Notes? |
|------------------------------------|---------|----------------------|--------------------|------------|--------------------------------------|--------|
| IBM Security AppScan Enterprise | 9.0.3 | 9.0.3 | 9.0.3 | • • | No | (1) |

IBM Security AppScan Enterprise 9.0.3

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.0.3 | 9.0.3.1 | 9.0.3.4 | 9.0.3.5 | 9.0.3.7 | 9.0.3.8 | 9.0.3.9 | 9.0.3.1 | 9.0.3.1 | 9.0.3.1 | > |
|-----------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Command Line Client | (1) | 0 |
| | AppScan Source for Analysis | (1) | 0 |



| Deployment unit | Component | 9.0.3 | 9.0.3.1 | 9.0.3.4 | 9.0.3.5 | 9.0.3.7 | 9.0.3.8 | 9.0.3.9 | 9.0.3.1 | 9.0.3.1 | 9.0.3.1 | > |
|-----------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| | AppScan Source for Automation Client | (1) | 0 |
| | AppScan Source for Development plug-in for Eclipse | (1) | (1) | (1) | (1) | (1) | (1) | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (1) | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | • |
| Server | AppScan Source Database | (1) | 0 |
| | AppScan Source for Automation Server | (1) | • |

Development Tools Notes

 AppScan Source for Analysis, AppScan Source for Automation, the AppScan Source Command Line Client, and the AppScan Source for Development plug-in for Visual Studio require a connection to the AppScan Enterprise Server. The AppScan Source for Development plug-ins (for Eclipse and RAD - and including IBM Worklight Application Scanning) can be used without the AppScan Enterprise Server. In server mode, you connect to the server to run scans and access shared data. In local mode, AppScan Source for Development runs without ever connecting to a server - but you cannot access shared items such as filters, scan configurations, and custom rules. If you are using a floating license in local mode, you must still have a connection to the license server to be able to use AppScan Source for Development.

Licensing

Summary

| Prerequisite | Version | Prerequisite minimum | Product minimum | Components | Operating system restrictions? | Notes? |
|-----------------------------|---------|-------------------------|--------------------|------------|--------------------------------------|--------|
| Rational License Key Server | 8.1.1 | 8.1.1 | 9.0.3 | • • | No | (1) |
| | 8.1.2 | 8.1.2 | 9.0.3 | • • | No | (1) |
| | 8.1.3 | 8.1.3 | 9.0.3 | • • | No | (1) |
| | 8.1.4 | 8.1.4 | 9.0.3 | • • | No | (1) |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.1.1 | ··> |
|-----------------|--------------------------------------|-------|-----|
| Desktop | AppScan Source Command Line Client | (1) | 0 |
| | AppScan Source for Analysis | (1) | 0 |
| | AppScan Source for Automation Client | (1) | 0 |



| Deployment unit | Component | 8.1.1 | > |
|-----------------|---|-------------|---|
| | AppScan Source for Development plug-in for Eclipse | (1) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | ⊘ |
| | AppScan Source for Development plug-in for Visual Studio | (1) | • |
| | IBM MobileFirst Platform Application Scanning | (1) | • |
| Server | AppScan Source Database | (1) | • |
| | AppScan Source for Automation Server | (1) | • |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.1.2 | 8.1.2.1 | •• > |
|-----------------|---|-------------|---------|----------------|
| Desktop | AppScan Source Command Line Client | (1) | (1) | 0 |
| | AppScan Source for Analysis | (1) | (1) | 0 |
| | AppScan Source for Automation Client | (1) | (1) | 0 |



| Deployment unit | Component | 8.1.2 | 8.1.2.1 | > |
|-----------------|---|-------------|-------------|---|
| | AppScan Source for Development plug-in for Eclipse | (1) | (1) | • |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | (1) | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (1) | (1) | • |
| | IBM MobileFirst Platform Application Scanning | (1) | (1) | 0 |
| Server | AppScan Source Database | (1) | (1) | • |
| | AppScan Source for Automation Server | (1) | (1) | • |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.1.3 | 8.1.3.3 | •• > |
|-----------------|---|-------------|---------|----------------|
| Desktop | AppScan Source Command Line Client | (1) | (1) | 0 |
| | AppScan Source for Analysis | (1) | (1) | 0 |
| | AppScan Source for Automation Client | (1) | (1) | 0 |



| Deployment unit | Component | 8.1.3 | 8.1.3.3 | > |
|-----------------|---|-------------|-------------|---|
| | AppScan Source for Development plug-in for Eclipse | (1) | (1) | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | (1) | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (1) | (1) | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | (1) | 0 |
| Server | AppScan Source Database | (1) | (1) | 0 |
| | AppScan Source for Automation Server | (1) | (1) | 0 |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.1.4 | 8.1.4.2 | 8.1.4.3 | 8.1.4.4 | 8.1.4.5 | 8.1.4.6 | 8.1.4.7 | 8.1.4.8 | 8.1.4.9 | > |
|-----------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Command Line Client | (1) | 0 |
| | AppScan Source for Analysis | (1) | ⊘ |



| Deployment unit | Component | 8.1.4 | 8.1.4.2 | 8.1.4.3 | 8.1.4.4 | 8.1.4.5 | 8.1.4.6 | 8.1.4.7 | 8.1.4.8 | 8.1.4.9 | > |
|-----------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| | AppScan Source for Automation Client | (1) | 0 |
| | AppScan Source for Development plug-in for Eclipse | (1) | • |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (1) | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | 0 |
| Server | AppScan Source Database | (1) | (1) | (1) | 0 |
| | AppScan Source for Automation Server | (1) | • |



Licensing Notes

1. Used for floating licenses.

Supported software

| | are section specifies the additic urce 9.0.3.12 supports. | nal software that IBM | Component Support |
|--|---|-----------------------|--|
| Capabilities Application Servers Development Tools | Compilers and Languages Reporting and Analysis | Databases | PartialNone |

Application Servers

Summary

| Supported software | Version | Supported software minimum | Product minimum | Components | Operating system restrictions? | Notes? |
|---------------------------------|--|----------------------------------|--------------------|------------|--------------------------------------|--------|
| Apache Tomcat | 7.0 and future fix packs | 7.0 | 9.0.3 | • • | No | (1) |
| | 8.0 and future fix packs | 8.0 | 9.0.3.1 | • • | No | (1) |
| Oracle WebLogic Server 12c | (12.0) and future fix packs | (12.0) | 9.0.3 | • • | No | (1) |
| Oracle WebLogic Server 12cR1 | (12.1.1) and future fix packs | (12.1.1) | 9.0.3 | • • | No | (1) |
| | (12.1.2) and future fix packs | (12.1.2) | 9.0.3 | • • | No | (1) |



| Supported software | Version | Supported software minimum | Product minimum | Components | Operating system restrictions? | Notes? |
|---------------------------------|---------|----------------------------------|--------------------|------------|--------------------------------------|--------|
| Oracle/BEA WebLogic Server | 10.3 | (10.3.1) | 9.0.3 | • • | No | (1) |
| WebSphere Application Server | 7.0 | 7.0 | 9.0.3 | • • | No | (1) |
| | 8.0 | 8.0 | 9.0.3 | • • | No | (1) |
| | 8.5 | 8.5 | 9.0.3 | • • | No | (1) |

Apache Tomcat 7.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | 0 |
| | AppScan Source for Analysis | (1) | 8 | 0 |



| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | • |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | • |
| Server | AppScan Source Database | (1) | 8 | 0 |
| | AppScan Source for Automation Server | (1) | 8 | 0 |

Apache Tomcat 8.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | 0 |
| | AppScan Source for Analysis | (1) | 8 | 0 |



| Deployment unit | Component | 8.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | 0 |
| Server | AppScan Source Database | (1) | 8 | 0 |
| | AppScan Source for Automation Server | (1) | 8 | 0 |

Oracle WebLogic Server 12c (12.0) and Future Fix Packs

Legend: 📀 Supported 😣 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | (12.0) | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | • |
| | AppScan Source for Analysis | (1) | 8 | 0 |



| Deployment unit | Component | (12.0) | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | • |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | 0 |
| Server | AppScan Source Database | (1) | 8 | 0 |
| | AppScan Source for Automation Server | (1) | 8 | 0 |

Oracle WebLogic Server 12cR1 (12.1.1) and Future Fix Packs

Legend: 📀 Supported 😣 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- S AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | (12.1.1) | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | • |
| | AppScan Source for Analysis | (1) | 8 | • |



| Deployment unit | Component | (12.1.1) | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | 0 |
| Server | AppScan Source Database | (1) | 8 | 0 |
| | AppScan Source for Automation Server | (1) | 8 | 0 |

Oracle WebLogic Server 12cR1 (12.1.2) and Future Fix Packs

Legend: 📀 Supported 😣 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | (12.1.2) | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | 0 |
| | AppScan Source for Analysis | (1) | 8 | • |



| Deployment unit | Component | (12.1.2) | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | 0 |
| Server | AppScan Source Database | (1) | 8 | • |
| | AppScan Source for Automation Server | (1) | 8 | • |

Oracle/BEA WebLogic Server 10.3

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- S AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 10.3 | (10.3.1) | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|-------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | 8 | (1) | 8 | • |
| | AppScan Source for Analysis | 8 | (1) | 8 | • |



| Deployment unit | Component | 10.3 | (10.3.1) | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|----------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | 8 | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | 8 | (1) | 8 | • |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 8 | (1) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | 8 | (1) | 8 | • |
| Server | AppScan Source Database | 8 | (1) | 8 | • |
| | AppScan Source for Automation Server | 8 | (1) | 8 | 0 |

WebSphere Application Server 7.0

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- S AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deploym unit | Compon | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | > |
|-----------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Comman Line Client | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | • |
| | AppScan Source | (1) | 0 |



| Deploym unit | Compon | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | > |
|-----------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| | for Analysis | | | | | | | | | | | | | | | | | | | | | | | | | |
| | AppScan Source for Automati Client | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | 0 |
| | AppScan Source for Developr plug- in for Eclipse | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | 0 |
| | AppScan Source for Developr plug-in for IBM Rational Applicatio Develope for WebSpho Software (RAD) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | 0 |
| | IBM MobileFir Platform Applicatio Scanning | | (1) | 0 |
| Server | AppScan Source Database | (1) | (1) | 0 |
| | AppScan Source for Automati Server | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | 0 |

WebSphere Application Server 8.0

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- S AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | > |
|--------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Command Line Client | (1) | 0 |
| | AppScan Source for Analysis | (1) | 0 |



| Deployment unit | Component | 8.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | > |
|--------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| | AppScan Source for Automation Client | (1) | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | (1) | (1) | (1) | (1) | (1) | (1) | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | • |
| | IBM MobileFirst Platform Application Scanning | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | • |
| Server | AppScan Source Database | (1) | 0 |
| | AppScan Source for Automation Server | (1) | (1) | (1) | 0 |

WebSphere Application Server 8.5

Legend: 📀 Supported 🛛 🕄 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- S AppScan Source for Development plug-in for Visual Studio

Server

- 💟 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.5 | 8.5.0.1 | 8.5.0.2 | > |
|-----------------|---|-------------|-------------|---------|---|
| Desktop | AppScan Source Command Line Client | (1) | (1) | (1) | • |
| | AppScan Source for Analysis | (1) | (1) | (1) | • |
| | AppScan Source for Automation Client | (1) | (1) | (1) | • |



| Deployment unit | Component | 8.5 | 8.5.0.1 | 8.5.0.2 | > |
|-----------------|---|-------------|-------------|---------|---|
| | AppScan Source for Development plug-in for Eclipse | (1) | (1) | (1) | • |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | (1) | (1) | • |
| | IBM MobileFirst Platform Application Scanning | (1) | (1) | (1) | 0 |
| Server | AppScan Source Database | (1) | (1) | (1) | 0 |
| | AppScan Source for Automation Server | (1) | (1) | (1) | 0 |

Application Servers Notes

1. Java EE Application Server OS support is dependent on the OS supported by the application server.

Compilers and Languages

Summary

| Supported software | Version | Supported software minimum | Product minimum | Com 모 | ponents | Operating system restrictions? | Notes? |
|--------------------|---|----------------------------------|--------------------|----------|---------|--------------------------------------|----------|
| .NET | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (15)(19) |
| .NET Core | 1.0 and future fix packs | 1.0 | 9.0.3.9 | • | 0 | No | (12) |
| | 1.1 and future fix packs | 1.1 | 9.0.3.9 | • | 0 | No | (12) |
| | 2.0 and future fix packs | 2.0 | 9.0.3.9 | • | 0 | No | (12) |
| ASP | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (10)(11) |
| ASP.NET | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (17)(24) |
| Apache Tomcat | 7.0 and future fix packs | 7.0 | 9.0.3 | • | • | No | (3) |
| | 8.0 and future fix packs | 8.0 | 9.0.3.1 | • | • | No | (3) |



| Supported software | Version | Supported software minimum | Product minimum | Com 모 | nponents | Operating system restrictions? | Notes? |
|---|---|----------------------------------|--------------------|----------|----------|--------------------------------------|----------|
| C/C++ | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (8)(14) |
| COBOL | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (23) |
| ColdFusion | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (23) |
| IBM Runtime Environment, Java Technology Edition | 5.0 | 5.0 | 9.0.3 | • | • | No | (1) |
| | 6.0 | 6.0 | 9.0.3 | • | • | No | (1) |
| | 7.0 | 7.0 | 9.0.3 | • | • | No | (1) |
| | 8 | 8 | 9.0.3.11 | • | • | No | (6) |
| Java | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (13)(20) |
| JavaScript | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (23) |
| JavaServer Pages | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (7) |



| Supported software | Version | Supported software minimum | Product minimum | Con 모 | nponents | Operating system restrictions? | Notes? |
|---------------------------------|---|----------------------------------|--------------------|----------|----------|--------------------------------------|---------|
| Microsoft Visual Basic | 6 and future fix packs | 6 | 9.0.3 | • | 0 | No | (23) |
| Microsoft Visual Studio | 2010 and future fix packs | 2010 | 9.0.3 | • | 0 | No | (9) |
| | 2012 and future fix packs | 2012 | 9.0.3 | • | 0 | No | (9)(21) |
| | 2013 and future fix packs | 2013 | 9.0.3 | • | 0 | No | (9)(21) |
| | 2015 and future fix packs | 2015 | 9.0.3.3 | • | 0 | No | (4)(21) |
| | 2017 and future fix packs | 2017 | 9.0.3.9 | • | 0 | No | (5)(21) |
| Objective-C | All Versions and future fix packs | All Versions | 9.0.3.11 | • | 0 | No | (2)(22) |
| Oracle Java SDK/JRE/JDK | 7.0 and future fix packs | 7.0 | 9.0.3 | • | • | No | (1) |
| Oracle WebLogic Server 12c | (12.0) and future fix packs | (12.0) | 9.0.3 | • | • | No | (3) |
| Oracle WebLogic Server 12cR1 | (12.1.1) and | (12.1.1) | 9.0.3 | • | • | No | (3) |



| Supported software | Version | Supported software minimum | Product minimum | Con | nponents | Operating system restrictions? | Notes? |
|----------------------------|---|----------------------------------|--------------------|-----|----------|--------------------------------------|--------|
| | future fix packs | | | | | | |
| | (12.1.2) and future fix packs | (12.1.2) | 9.0.3 | • | • | No | (3) |
| Oracle/BEA WebLogic Server | 9 and future fix packs | 9 | 9.0.3 | • | • | No | (18) |
| | 10.3 | (10.3.1) | 9.0.3 | • | • | No | (3) |
| PHP | 5.5 and future fix packs | 5.5 | 9.0.3.3 | • | 0 | No | (16) |
| | 5.6 and future fix packs | 5.6 | 9.0.3.3 | • | 0 | No | (16) |
| | 7.0 and future fix packs | 7.0 | 9.0.3.4 | • | 0 | No | (16) |
| PL/SQL | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (23) |
| Perl | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (23) |
| Python | 2.7 and future fix packs | 2.7 | 9.0.3.10 | • | 0 | No | No |
| | 3.6 and future fix packs | 3.6 | 9.0.3.10 | • | 0 | No | No |



| Supported software | Version | Supported software minimum | Product minimum | Cor 모 | nponents | Operating system restrictions? | Notes? |
|---------------------------------|---|----------------------------------|--------------------|----------|----------|--------------------------------------|----------|
| Sun Java SDK/JRE/JDK | 5.0/1.5 and future fix packs | 5.0/1.5 | 9.0.3 | • | • | No | (1) |
| | 6.0/1.6 and future fix packs | 6.0/1.6 | 9.0.3 | • | • | No | (1) |
| T-SQL | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (23) |
| VB.NET | All Versions and future fix packs | All Versions | 9.0.3 | • | 0 | No | (17)(24) |
| WebSphere Application Server | 7.0 | 7.0 | 9.0.3 | • | • | No | (3) |
| | 8.0 | 8.0 | 9.0.3 | • | • | No | (3) |
| | 8.5 | 8.5 | 9.0.3 | • | • | No | (3) |
| | 8.5.5 | 8.5.5 | 9.0.3 | • | • | No | (3) |

.NET All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 🔀 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (19) | 8 | 0 |
| | AppScan Source for Analysis | (19) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs | |
|-----------------|---|--------------|---------------------------------|---------------------|--|
| | AppScan Source for Automation Client | (19) | 8 | 0 | |
| | AppScan Source for Development plug-in for Visual Studio | (15) | 8 | 0 | |

.NET Core 1.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 1.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (12) | 8 | 0 |
| | AppScan Source for Analysis | (12) | 8 | 0 |



| Deployment unit | Component | 1.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (12) | 8 | 0 |

.NET Core 1.1 and Future Fix Packs

Legend: 📀 Supported 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 1.1 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (12) | 8 | 0 |
| | AppScan Source for Analysis | (12) | 8 | • |



| Deployment unit | Component | 1.1 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (12) | 8 | 0 |

.NET Core 2.0 and Future Fix Packs

Legend: 📀 Supported 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (12) | 8 | 0 |
| | AppScan Source for Analysis | (12) | 8 | 0 |



| Deployment unit | Component | 2.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (12) | 8 | 0 |

ASP All Versions and Future Fix Packs

Legend: 📀 Supported 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (11) | 8 | • |
| | AppScan Source for Analysis | (11) | 8 | • |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (11) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (10) | 8 | 0 |

ASP.NET All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 🔀 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (17) | 8 | 0 |
| | AppScan Source for Analysis | (17) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (17) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (24) | 8 | 0 |

Apache Tomcat 7.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (3) | 8 | 0 |
| | AppScan Source for Analysis | (3) | 8 | 0 |



| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | 8 | 0 |
| Server | AppScan Source Database | (3) | 8 | 0 |
| | AppScan Source for Automation Server | (3) | 8 | 0 |

Apache Tomcat 8.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (3) | 8 | 0 |
| | AppScan Source for Analysis | (3) | 8 | 0 |



| Deployment unit | Component | 8.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 8 | • |
| | IBM MobileFirst Platform Application Scanning | (3) | 8 | 0 |
| Server | AppScan Source Database | (3) | 8 | 0 |
| | AppScan Source for Automation Server | (3) | 8 | 0 |

C/C++ All Versions and Future Fix Packs

Legend: 📀 Supported 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 🔀 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (14) | 8 | • |
| | AppScan Source for Analysis | (14) | 8 | • |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (14) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (8) | 8 | 0 |

COBOL All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 🔀 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (23) | 8 | 0 |
| | AppScan Source for Analysis | (23) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (23) | 8 | 0 |

ColdFusion All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (23) | 8 | 0 |
| | AppScan Source for Analysis | (23) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (23) | 8 | 0 |

IBM Runtime Environment, Java Technology Edition 5.0

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 5.0 | > |
|-----------------|--------------------------------------|-----|---|
| Desktop | AppScan Source Command Line Client | (1) | 0 |
| | AppScan Source for Analysis | (1) | 0 |
| | AppScan Source for Automation Client | (1) | • |



| Deployment unit | Component | 5.0 | > |
|-----------------|---|-------------|---|
| | AppScan Source for Development plug-in for Eclipse | (1) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | • |
| Server | AppScan Source Database | (1) | 0 |
| | AppScan Source for Automation Server | (1) | 0 |

IBM Runtime Environment, Java Technology Edition 6.0

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 6.0 | > |
|-----------------|--------------------------------------|-----|---|
| Desktop | AppScan Source Command Line Client | (1) | 0 |
| | AppScan Source for Analysis | (1) | 0 |
| | AppScan Source for Automation Client | (1) | • |



| Deployment unit | Component | 6.0 | > |
|-----------------|---|-------------|---|
| | AppScan Source for Development plug-in for Eclipse | (1) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | • |
| Server | AppScan Source Database | (1) | • |
| | AppScan Source for Automation Server | (1) | 0 |

IBM Runtime Environment, Java Technology Edition 7.0

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 7.0 | 7.0.7.1 | > |
|-----------------|---|-------------|-------------|---|
| Desktop | AppScan Source Command Line Client | (1) | (1) | 0 |
| | AppScan Source for Analysis | (1) | (1) | 0 |
| | AppScan Source for Automation Client | (1) | (1) | 0 |



| Deployment unit | Component | 7.0 | 7.0.7.1 | > |
|-----------------|---|-------------|-------------|---|
| | AppScan Source for Development plug-in for Eclipse | (1) | (1) | • |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | (1) | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | (1) | • |
| Server | AppScan Source Database | (1) | (1) | • |
| | AppScan Source for Automation Server | (1) | (1) | 0 |

IBM Runtime Environment, Java Technology Edition 8

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8 | •• > |
|-----------------|--------------------------------------|-----|----------------|
| Desktop | AppScan Source Command Line Client | (6) | 0 |
| | AppScan Source for Analysis | (6) | 0 |
| | AppScan Source for Automation Client | (6) | • |



| Deployment unit | Component | 8 | > |
|-----------------|---|-----|---|
| | AppScan Source for Development plug-in for Eclipse | (6) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (6) | 0 |
| | IBM MobileFirst Platform Application Scanning | (6) | 0 |
| Server | AppScan Source Database | (6) | • |
| | AppScan Source for Automation Server | (6) | 0 |

Java All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (13) | 8 | 0 |
| | AppScan Source for Analysis | (13) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (13) | 8 | 0 |
| | AppScan Source for Development plug-in for Eclipse | (20) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (20) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (20) | 8 | 0 |

JavaScript All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- S AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (23) | 8 | 0 |
| | AppScan Source for Analysis | (23) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (23) | 8 | 0 |

JavaServer Pages All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (7) | 8 | 0 |
| | AppScan Source for Analysis | (7) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (7) | 8 | 0 |
| | AppScan Source for Development plug-in for Eclipse | (7) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (7) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (7) | 8 | 0 |

Microsoft Visual Basic 6 and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 6 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (23) | 8 | 0 |
| | AppScan Source for Analysis | (23) | 8 | 0 |



| Deployment unit | Component | 6 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (23) | 8 | 0 |

Microsoft Visual Studio 2010 and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2010 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (9) | 8 | 0 |
| | AppScan Source for Analysis | (9) | 8 | 0 |



| Deployment unit | Component | 2010 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (9) | 8 | 0 |

Microsoft Visual Studio 2012 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2012 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (9) | 8 | 0 |
| | AppScan Source for Analysis | (9) | 8 | 0 |



| Deployment unit | Component | 2012 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (9) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (21) | 8 | 0 |

Microsoft Visual Studio 2013 and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2013 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (9) | 8 | 0 |
| | AppScan Source for Analysis | (9) | 8 | 0 |



| Deployment unit | Component | 2013 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (9) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (21) | 8 | 0 |

Microsoft Visual Studio 2015 and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2015 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (4) | 8 | 0 |
| | AppScan Source for Analysis | (4) | 8 | 0 |



| Deployment unit | Component | 2015 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (4) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (21) | 8 | 0 |

Microsoft Visual Studio 2017 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2017 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (5) | 8 | 0 |
| | AppScan Source for Analysis | (5) | 8 | 0 |



| Deployment unit | Component | 2017 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (5) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (21) | 8 | 0 |

Objective-C All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (22) | 8 | 0 |
| | AppScan Source for Analysis | (22) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (22) | 8 | 0 |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |

Oracle Java SDK/JRE/JDK 7.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | 0 |
| | AppScan Source for Analysis | (1) | 8 | 0 |



| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | • |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | 0 |
| Server | AppScan Source Database | (1) | 8 | 0 |
| | AppScan Source for Automation Server | (1) | 8 | 0 |

Oracle WebLogic Server 12c (12.0) and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 💟 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | (12.0) | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (3) | 8 | 0 |
| | AppScan Source for Analysis | (3) | 8 | 0 |



| Deployment unit | Component | (12.0) | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 8 | • |
| | IBM MobileFirst Platform Application Scanning | (3) | 8 | 0 |
| Server | AppScan Source Database | (3) | 8 | 0 |
| | AppScan Source for Automation Server | (3) | 8 | 0 |

Oracle WebLogic Server 12cR1 (12.1.1) and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 💟 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | (12.1.1) | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|----------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (3) | 8 | 0 |
| | AppScan Source for Analysis | (3) | 8 | 0 |



| Deployment unit | Component | (12.1.1) | Future Versions, Releases | Future Fix Packs |
|-----------------|---|----------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | 8 | 0 |
| Server | AppScan Source Database | (3) | 8 | 0 |
| | AppScan Source for Automation Server | (3) | 8 | 0 |

Oracle WebLogic Server 12cR1 (12.1.2) and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 💟 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | (12.1.2) | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|----------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (3) | 8 | 0 |
| | AppScan Source for Analysis | (3) | 8 | 0 |



| Deployment unit | Component | (12.1.2) | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | 8 | 0 |
| Server | AppScan Source Database | (3) | 8 | 0 |
| | AppScan Source for Automation Server | (3) | 8 | • |

Oracle/BEA WebLogic Server 9 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (18) | 8 | 0 |
| | AppScan Source for Analysis | (18) | 8 | 0 |



| Deployment unit | Component | 9 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (18) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (18) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (18) | 8 | • |
| | IBM MobileFirst Platform Application Scanning | (18) | 8 | 0 |
| Server | AppScan Source Database | (18) | 8 | 0 |
| | AppScan Source for Automation Server | (18) | 8 | 0 |

Oracle/BEA WebLogic Server 10.3

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 💟 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 10.3 | (10.3.1) | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|----------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | 8 | (3) | 8 | • |
| | AppScan Source for Analysis | 8 | (3) | 8 | • |



| Deployment unit | Component | 10.3 | (10.3.1) | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|----------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | 8 | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | 8 | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 8 | (3) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | 8 | (3) | 8 | • |
| Server | AppScan Source Database | 8 | (3) | 8 | • |
| | AppScan Source for Automation Server | 8 | (3) | 8 | • |

PHP 5.5 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- S AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 5.5 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (16) | 8 | 0 |
| | AppScan Source for Analysis | (16) | 8 | • |



| Deployment unit | Component | 5.5 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (16) | 8 | 0 |

PHP 5.6 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- S AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- S AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 5.6 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (16) | 8 | 0 |
| | AppScan Source for Analysis | (16) | 8 | • |



| Deployment unit | Component | 5.6 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (16) | 8 | 0 |

PHP 7.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- S AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- S AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (16) | 8 | 0 |
| | AppScan Source for Analysis | (16) | 8 | 0 |



| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (16) | 8 | 0 |

PL/SQL All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 🔀 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- S AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (23) | 8 | 0 |
| | AppScan Source for Analysis | (23) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (23) | 8 | 0 |

Perl All Versions and Future Fix Packs

Legend: 🔮 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- S AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (23) | 8 | 0 |
| | AppScan Source for Analysis | (23) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (23) | 8 | 0 |

Python 2.7 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- S AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- S AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2.7 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | 0 | 8 | 0 |
| | AppScan Source for Analysis | 0 | 8 | 0 |



| Deployment unit | Component | 2.7 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | 0 | 8 | 0 |

Python 3.6 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 🔀 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- S AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- S AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 3.6 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | 0 | 8 | 0 |
| | AppScan Source for Analysis | 0 | 8 | 0 |



| Deployment unit | Component | 3.6 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | 0 | 8 | 0 |

Sun Java SDK/JRE/JDK 5.0/1.5 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 5.0/1.5 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|---------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | 0 |
| | AppScan Source for Analysis | (1) | 8 | 0 |



| Deployment unit | Component | 5.0/1.5 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|---------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | 0 |
| Server | AppScan Source Database | (1) | 8 | 0 |
| | AppScan Source for Automation Server | (1) | 8 | 0 |

Sun Java SDK/JRE/JDK 6.0/1.6 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 6.0/1.6 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|---------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | 0 |
| | AppScan Source for Analysis | (1) | 8 | 0 |



| Deployment unit | Component | 6.0/1.6 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|---------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | 0 |
| Server | AppScan Source Database | (1) | 8 | 0 |
| | AppScan Source for Automation Server | (1) | 8 | 0 |

T-SQL All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- 😢 AppScan
- 🔀 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- S AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (23) | 8 | 0 |
| | AppScan Source for Analysis | (23) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (23) | 8 | 0 |

VB.NET All Versions and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 😢 AppScan Source Database
- S AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|--------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (17) | 8 | 0 |
| | AppScan Source for Analysis | (17) | 8 | 0 |



| Deployment unit | Component | All Versions | Future Versions, Releases | Future Fix Packs |
|-----------------|---|--------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (17) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (24) | 8 | 0 |

WebSphere Application Server 7.0

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- S AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deploym unit | Compon | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | > |
|-----------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Comman Line Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | | (3) | | (3) | | | | | 0 |
| | AppScan Source | (3) | (3) | (3) | 0 |



| Deploym unit | Compon | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | > |
|-----------------|---|-----|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------|
| | for Analysis | | | | | | | | | | | | | | | | | | | | | | | | | |
| | AppScan Source for Automati Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developr plug- in for Eclipse | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developr plug-in for IBM Rational Applicatio Develope for WebSpho Software (RAD) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | IBM MobileFir Platform Applicatio Scanning | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | S |
| Server | AppScan Source Database | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Automati Server | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |

WebSphere Application Server 8.0

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- S AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | > |
|--------------------|---|-----|-------------|-------|-------|-------------|-------------|-------------|-------|-------|-------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Command Line Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | AppScan Source for Analysis | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |



| Deployment unit | Component | 8.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | 8.0.0 | > |
|--------------------|---|-------------|-------|-------------|-------------|-------|-------------|-------|-------|-------|-------|-------------|-------------|-------------|-------------|-------|-------------|---|
| | AppScan Source for Automation Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| Server | AppScan Source Database | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Automation Server | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |

WebSphere Application Server 8.5

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- S AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.5 | 8.5.0.1 | 8.5.0.2 | > |
|-----------------|---|-----|---------|---------|---|
| Desktop | AppScan Source Command Line Client | (3) | (3) | (3) | • |
| | AppScan Source for Analysis | (3) | (3) | (3) | • |
| | AppScan Source for Automation Client | (3) | (3) | (3) | 0 |



| Deployment unit | Component | 8.5 | 8.5.0.1 | 8.5.0.2 | > |
|-----------------|---|-----|---------|---------|---|
| | AppScan Source for Development plug-in for Eclipse | (3) | (3) | (3) | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | (3) | (3) | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | (3) | (3) | • |
| Server | AppScan Source Database | (3) | (3) | (3) | • |
| | AppScan Source for Automation Server | (3) | (3) | (3) | 0 |

WebSphere Application Server 8.5.5

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- S AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | > |
|--------------------|---|-------------|-------|-------|-------------|-------------|-------------|-------|-------------|-------|-------|-------|-------------|-------------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Command Line Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | AppScan Source for Analysis | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |



| Deployment unit | Component | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | > |
|--------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------|-------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| | AppScan Source for Automation Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Development plug-in for Eclipse | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | |
| | IBM MobileFirst Platform Application Scanning | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| Server | AppScan Source Database | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Automation Server | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |

Compilers and Languages Notes

- 1. Java compiler
- Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Development Eclipse plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. Objective-C in Xcode projects. All iOS applications, including those that are configured to run as 32-bit and 64-bit, are scanned as 32-bit.
- 3. Java EE Application Server OS support is dependent on the OS supported by the application server.
- 4. Solution (.sln) files from these versions of Microsoft Visual Studio can be imported and scanned. Managed C++ projects are supported. Unmanaged C++ projects are supported if they are built with a Platform Toolset from Visual Studio 2013 or earlier (Platform Toolset V120 or earlier). The C++ Accelerated Massive Parallelism (C++ AMP) language extension is not supported. Applications that use the Windows Driver Kit (WDK) are not supported.
- 5. Solution (.sln) files from these versions of Microsoft Visual Studio can be imported and scanned. Managed and unmanaged C++ projects are NOT supported. The C++ Accelerated Massive Parallelism (C++ AMP) language extension is not supported. Applications that use the Windows Driver Kit (WDK) are not supported.
- 6. Java compiler
- Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Eclipse plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface.
- Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Visual Studio plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. For Visual Studio 2012 and Visual Studio 2013, the C++ Accelerated Massive Parallelism (C++ AMP) language extension is not supported. Applications that use the Windows Driver Kit (WDK) are not supported.
- Solution (.sln) files from these versions of Microsoft Visual Studio can be imported and scanned. The C++ Accelerated Massive Parallelism (C++ AMP) language extension is not supported. Applications that use the Windows Driver Kit (WDK) are not supported.
- 10.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. JavaScript/VBScript
- 11.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. JavaScript/VBScript
- 12.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Visual Studio plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface.

- 13.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Eclipse plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. Including support for Android APIs.
- 14.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Visual Studio plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. For Visual Studio 2012 and Visual Studio 2013 on Windows, the C ++ Accelerated Massive Parallelism (C++ AMP) language extension is not supported. Applications that use the Windows Driver Kit (WDK) are not supported.
- 15.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Visual Studio plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. C#, ASP.NET, VB.NET - Microsoft .NET Framework Versions 2.0, 3.0, 3.5, 4.0, 4.5, 4.6 and 4.7
- 16.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface.
- 17.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Visual Studio plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. Microsoft .NET Framework Versions 2.0, 3.0, 3.5, 4.0, 4.5, and 4.6
- 18.Java EE Application Server OS support is dependent on the OS supported by the application server. WebLogic Server 8 is also supported.
- 19.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Visual Studio plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. C#, ASP.NET, VB.NET - Microsoft .NET Framework Versions 2.0, 3.0, 3.5, 4.0, 4.5, 4.6 and 4.7
- 20.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Eclipse plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. Including support for Android APIs.
- 21.The C++ Accelerated Massive Parallelism (C++ AMP) language extension is not supported. Applications that use the Windows Driver Kit (WDK) are not supported.
- 22.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Development Eclipse plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. Objective-C in Xcode projects. All iOS applications, including those that are configured to run as 32-bit and 64-bit, are scanned as 32-bit.
- 23.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface.
- 24.Language can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan for Development Visual Studio plug-in, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source command line interface. Microsoft .NET Framework Versions 2.0, 3.0, 3.5, 4.0, 4.5, and 4.6

Databases

Summary

| Supported software | Version | Supported software minimum | Product minimum | Con 모 | nponents | Operating system restrictions? | Notes? |
|---|---|---|--------------------|----------|----------|--------------------------------------|--------|
| Oracle Database 11g Standard/Enterprise Editions | Release 1 and future fix packs | Release 1 | 9.0.3 | • | • | No | (1) |
| Oracle Database 12c Release 1 | | (12.1.0.2.0) Standard Edition TWO | 9.0.3.3 | • | • | No | (2) |
| | | (12.1.0.2.0) Enterprise Edition | 9.0.3.3 | • | • | No | (2) |

Oracle Database 11g Standard/Enterprise Editions Release 1 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Release 1 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | 0 |
| | AppScan Source for Analysis | (1) | 8 | 0 |



| Deployment unit | Component | Release 1 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (1) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | 0 |
| Server | AppScan Source Database | (1) | 8 | 0 |
| | AppScan Source for Automation Server | (1) | 8 | 0 |

Oracle Database 12c Release 1 (12.1.0.0.0) Standard Edition

Legend: 📀 Supported 😣 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | (12.1.0.0.0) Standard Edition | (12.1.0.1.0) Standard Edition | (12.1.0.2.0) Standard Edition TWO | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-------------------------------------|-------------------------------------|--|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | 8 | 8 | (2) | 8 | ⊘ |
| | AppScan Source for Analysis | 8 | 8 | (2) | 8 | ⊘ |



| Deployment unit | Component | (12.1.0.0.0) Standard Edition | (12.1.0.1.0) Standard Edition | (12.1.0.2.0) Standard Edition TWO | Future Versions, Releases | Future Fix Packs |
|-----------------|--|-------------------------------------|-------------------------------------|--|---------------------------------|---------------------|
| | AppScan Source for Automation Client | 8 | 8 | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | 8 | 8 | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 8 | 8 | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | 8 | 8 | (2) | 8 | • |
| | IBM MobileFirst Platform Application Scanning | 8 | 8 | (2) | 8 | • |
| Server | AppScan Source Database | 8 | 8 | (2) | 8 | • |
| | AppScan Source for Automation Server | 8 | 8 | (2) | 8 | • |

Oracle Database 12c Release 1 (12.1.0.0.0) Enterprise Edition

Legend: 📀 Supported 😣 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | | (12.1.0.1.0) Enterprise Edition | | | Future Fix Packs |
|-----------------|---------------------------------------|---|---------------------------------------|-----|---|---------------------|
| Desktop | AppScan Source Command Line Client | 8 | 8 | (2) | 8 | • |
| | AppScan Source for Analysis | 8 | 8 | (2) | 8 | ⊘ |



| Deployment unit | Component | | (12.1.0.1.0) Enterprise Edition | | | Future Fix Packs |
|-----------------|--|---|---------------------------------------|-----|---|---------------------|
| | AppScan Source for Automation Client | 8 | 8 | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | 8 | 8 | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | 8 | 8 | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | 8 | 8 | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | 8 | 8 | (2) | 8 | 0 |
| Server | AppScan Source Database | 8 | 8 | (2) | 8 | 0 |
| | AppScan Source for Automation Server | 8 | 8 | (2) | 8 | 0 |

Databases Notes

- 1. Oracle 11g 32-bit only. Supported External Database
- 2. Supported External Database

Development Tools

Summary

| Supported software | Version | Supported software minimum | Product minimum | Con | nponents | Operating system restrictions? | Notes? |
|--|------------------------------------|----------------------------------|--------------------|-----|----------|--------------------------------------|--------|
| Eclipse | 4.2 | 4.2 | 9.0.3 | • | • | No | (2)(4) |
| | 4.3 | 4.3 | 9.0.3 | • | • | No | (4) |
| | 4.4 | 4.4 | 9.0.3 | • | • | No | (4) |
| | 4.5 | 4.5 | 9.0.3 | • | • | No | (4) |
| | 4.6 | 4.6 | 9.0.3.12 | • | • | No | (5) |
| | 4.7 | 4.7 | 9.0.3.12 | • | • | No | (5) |
| IBM MobileFirst Platform Foundation | 6.3 | 6.3 | 9.0.3 | • | • | No | (6) |
| | 7.0 | 7.0 | 9.0.3 | • | • | No | (6) |
| | 7.1 | 7.1 | 9.0.3 | • | • | No | (6) |
| Microsoft Visual Studio | 2012 and future fix packs | 2012 | 9.0.3 | • | • | No | (7) |
| | 2013 and future fix packs | 2013 | 9.0.3 | • | • | No | (7) |
| | 2015 and | 2015 | 9.0.3.9 | • | • | No | No |



| Supported software | Version | Supported software minimum | Product minimum | Components | Operating system restrictions? | Notes? |
|---|------------------------------------|----------------------------------|--------------------|------------|--------------------------------------|--------|
| | future fix packs | | | | | |
| | 2017 and future fix packs | 2017 | 9.0.3.9 | • • | No | No |
| Rational Application Developer for WebSphere Software | 8.5 | 8.5 | 9.0.3 | • • | No | (3) |
| | 8.5.1 | 8.5.1 | 9.0.3 | • • | No | (3) |
| | 8.5.5 | 8.5.5 | 9.0.3 | • • | No | (3) |
| | 9.0 | 9.0 | 9.0.3 | • • | No | (3) |
| | 9.0.1 | 9.0.1 | 9.0.3 | • • | No | (3) |
| | 9.1 | 9.1 | 9.0.3 | • • | No | (3) |
| | 9.1.1 | 9.1.1 | 9.0.3 | • • | No | (1) |
| | 9.7 | 9.7 | 9.0.3.12 | • • | No | (1) |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.2 | 4.2.1 | 4.2.2 | > |
|-----------------|---|-----|--------|--------|---|
| Desktop | AppScan Source Command Line Client | (2) | (2)(4) | (2)(4) | • |
| | AppScan Source for Analysis | (2) | (2)(4) | (2)(4) | • |
| | AppScan Source for Automation Client | (2) | (2)(4) | (2)(4) | • |



| Deployment unit | Component | 4.2 | 4.2.1 | 4.2.2 | > |
|-----------------|--|-----|--------|--------|---|
| | AppScan Source for Development plug-in for Eclipse | (2) | (2)(4) | (2)(4) | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | (2)(4) | (2)(4) | 0 |
| Server | AppScan Source Database | (2) | (2)(4) | (2)(4) | 0 |
| | AppScan Source for Automation Server | (2) | (2)(4) | (2)(4) | 0 |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- S AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.3 | 4.3.1 | 4.3.2 | ··> |
|-----------------|---|-----|-------|-------|-----|
| Desktop | AppScan Source Command Line Client | (4) | (4) | (4) | • |
| | AppScan Source for Analysis | (4) | (4) | (4) | ⊘ |
| | AppScan Source for Automation Client | (4) | (4) | (4) | ⊘ |



| Deployment unit | Component | 4.3 | 4.3.1 | 4.3.2 | > |
|-----------------|--|-----|-------|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (4) | (4) | (4) | 0 |
| | IBM MobileFirst Platform Application Scanning | (4) | (4) | (4) | 0 |
| Server | AppScan Source Database | (4) | (4) | (4) | 0 |
| | AppScan Source for Automation Server | (4) | (4) | (4) | 0 |

Legend: 💟 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.4 | 4.4.1 | 4.4.2 | > |
|-----------------|---|-----|-------|-------|---|
| Desktop | AppScan Source Command Line Client | (4) | (4) | (4) | • |
| | AppScan Source for Analysis | (4) | (4) | (4) | • |
| | AppScan Source for Automation Client | (4) | (4) | (4) | 0 |



| Deployment unit | Component | 4.4 | 4.4.1 | 4.4.2 | > |
|-----------------|--|-----|-------|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (4) | (4) | (4) | 0 |
| | IBM MobileFirst Platform Application Scanning | (4) | (4) | (4) | 0 |
| Server | AppScan Source Database | (4) | (4) | (4) | 0 |
| | AppScan Source for Automation Server | (4) | (4) | (4) | 0 |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.5 | 4.5.1 | 4.5.2 | > |
|-----------------|---|-----|-------|-------|---|
| Desktop | AppScan Source Command Line Client | (4) | (4) | (4) | • |
| | AppScan Source for Analysis | (4) | (4) | (4) | • |
| | AppScan Source for Automation Client | (4) | (4) | (4) | 0 |



| Deployment unit | Component | 4.5 | 4.5.1 | 4.5.2 | > |
|-----------------|--|-----|-------|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (4) | (4) | (4) | 0 |
| | IBM MobileFirst Platform Application Scanning | (4) | (4) | (4) | 0 |
| Server | AppScan Source Database | (4) | (4) | (4) | 0 |
| | AppScan Source for Automation Server | (4) | (4) | (4) | 0 |

Legend: 💟 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.6 | 4.6.1 | 4.6.2 | 4.6.3 | > |
|-----------------|---|-----|-------------|-------|-------------|---|
| Desktop | AppScan Source Command Line Client | (5) | (5) | (5) | (5) | 0 |
| | AppScan Source for Analysis | (5) | (5) | (5) | (5) | 0 |
| | AppScan Source for Automation Client | (5) | (5) | (5) | (5) | 0 |



| Deployment unit | Component | 4.6 | 4.6.1 | 4.6.2 | 4.6.3 | > |
|-----------------|--|-----|-------|-------|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (5) | (5) | (5) | (5) | 0 |
| | IBM MobileFirst Platform Application Scanning | (5) | (5) | (5) | (5) | • |
| Server | AppScan Source Database | (5) | (5) | (5) | (5) | • |
| | AppScan Source for Automation Server | (5) | (5) | (5) | (5) | • |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.7 | 4.7.1 | •• > |
|-----------------|---|-----|-------|----------------|
| Desktop | AppScan Source Command Line Client | (5) | (5) | 0 |
| | AppScan Source for Analysis | (5) | (5) | 0 |
| | AppScan Source for Automation Client | (5) | (5) | 0 |



| Deployment unit | Component | 4.7 | 4.7.1 | > |
|-----------------|--|-----|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (5) | (5) | • |
| | IBM MobileFirst Platform Application Scanning | (5) | (5) | 0 |
| Server | AppScan Source Database | (5) | (5) | 0 |
| | AppScan Source for Automation Server | (5) | (5) | 0 |

IBM MobileFirst Platform Foundation 6.3

Legend: 📀 Supported 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 6.3 | > |
|-----------------|--------------------------------------|-----|---|
| Desktop | AppScan Source Command Line Client | (6) | 0 |
| | AppScan Source for Analysis | (6) | 0 |
| | AppScan Source for Automation Client | (6) | • |



| Deployment unit | Component | 6.3 | > |
|-----------------|---|-----|---|
| | AppScan Source for Development plug-in for Eclipse | (6) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (6) | 0 |
| | IBM MobileFirst Platform Application Scanning | (6) | • |
| Server | AppScan Source Database | (6) | 0 |
| | AppScan Source for Automation Server | (6) | 0 |

IBM MobileFirst Platform Foundation 7.0

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 7.0 | > |
|-----------------|--------------------------------------|-----|---|
| Desktop | AppScan Source Command Line Client | (6) | 0 |
| | AppScan Source for Analysis | (6) | 0 |
| | AppScan Source for Automation Client | (6) | • |



| Deployment unit | Component | 7.0 | > |
|-----------------|---|-----|---|
| | AppScan Source for Development plug-in for Eclipse | (6) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (6) | • |
| | IBM MobileFirst Platform Application Scanning | (6) | • |
| Server | AppScan Source Database | (6) | 0 |
| | AppScan Source for Automation Server | (6) | 0 |

IBM MobileFirst Platform Foundation 7.1

Legend: 📀 Supported 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan
- 😢 AppScan Source for Development plug-in for Visual Studio

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 7.1 | •• > |
|-----------------|--------------------------------------|-----|----------------|
| Desktop | AppScan Source Command Line Client | (6) | 8 |
| | AppScan Source for Analysis | (6) | 8 |
| | AppScan Source for Automation Client | (6) | 8 |



| Deployment unit | Component | 7.1 | > |
|-----------------|---|-----|---|
| | AppScan Source for Development plug-in for Eclipse | (6) | 8 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (6) | 8 |
| | IBM MobileFirst Platform Application Scanning | (6) | 8 |
| Server | AppScan Source Database | (6) | 8 |
| | AppScan Source for Automation Server | (6) | 8 |

Microsoft Visual Studio 2012 and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2012 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (7) | 8 | 0 |
| | AppScan Source for Analysis | (7) | 8 | 0 |



| Deployment unit | Component | 2012 | Future Versions, Releases | Future Fix Packs |
|-----------------|--|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (7) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (7) | 8 | 0 |
| Server | AppScan Source Database | (7) | 8 | • |
| | AppScan Source for Automation Server | (7) | 8 | 0 |

Microsoft Visual Studio 2013 and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- 📀 AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2013 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-------------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (7) | 8 | 0 |
| | AppScan Source for Analysis | (7) | 8 | 0 |



| Deployment unit | Component | 2013 | Future Versions, Releases | Future Fix Packs |
|-----------------|--|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (7) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (7) | 8 | 0 |
| Server | AppScan Source Database | (7) | 8 | • |
| | AppScan Source for Automation Server | (7) | 8 | 0 |

Microsoft Visual Studio 2015 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2015 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | 0 | 8 | 0 |
| | AppScan Source for Analysis | 0 | 8 | 0 |



| Deployment unit | Component | 2015 | Future Versions, Releases | Future Fix Packs |
|-----------------|--|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | • | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | 0 | 8 | • |
| Server | AppScan Source Database | • | 8 | • |
| | AppScan Source for Automation Server | • | 8 | 0 |

Microsoft Visual Studio 2017 and Future Fix Packs

Legend: 📀 Supported 🛛 Supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Visual Studio
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 🔇 IBM MobileFirst Platform Application Scanning

Server

- AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2017 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | 0 | 8 | 0 |
| | AppScan Source for Analysis | • | 8 | 0 |



| Deployment unit | Component | 2017 | Future Versions, Releases | Future Fix Packs |
|-----------------|--|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | • | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | • | 8 | • |
| Server | AppScan Source Database | 0 | 8 | ⊘ |
| | AppScan Source for Automation Server | • | 8 | • |

Rational Application Developer for WebSphere Software 8.5

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- 😢 AppScan Source for Development plug-in for Visual Studio
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.5 | > |
|-----------------|--------------------------------------|-----|---|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 8.5 | > |
|-----------------|---|-----|---|
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 0 |
| Server | AppScan Source Database | (3) | 0 |
| | AppScan Source for Automation Server | (3) | 0 |

Rational Application Developer for WebSphere Software 8.5.1

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- 😢 AppScan Source for Development plug-in for Visual Studio
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.5.1 | > |
|-----------------|--------------------------------------|-------|---|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 8.5.1 | •• > |
|-----------------|---|-------|----------------|
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 0 |
| Server | AppScan Source Database | (3) | 0 |
| | AppScan Source for Automation Server | (3) | 0 |

Rational Application Developer for WebSphere Software 8.5.5

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- 😢 AppScan Source for Development plug-in for Visual Studio
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.5.5 | 8.5.5.1 | 8.5.5.2 | 8.5.5.3 | > |
|-----------------|---|-------|---------|---------|---------|---|
| Desktop | AppScan Source Command Line Client | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Analysis | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Automation Client | (3) | (3) | (3) | (3) | 0 |



| Deployment unit | Component | 8.5.5 | 8.5.5.1 | 8.5.5.2 | 8.5.5.3 | > |
|-----------------|--|-------|---------|---------|---------|---|
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | (3) | (3) | (3) | 0 |
| Server | AppScan Source Database | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Automation Server | (3) | (3) | (3) | (3) | 0 |

Rational Application Developer for WebSphere Software 9.0

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- 😢 AppScan Source for Development plug-in for Visual Studio
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.0 | •••> |
|-----------------|--------------------------------------|-----|------|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 9.0 | > |
|-----------------|---|-----|---|
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 0 |
| Server | AppScan Source Database | (3) | 0 |
| | AppScan Source for Automation Server | (3) | 0 |

Rational Application Developer for WebSphere Software 9.0.1

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- 😢 AppScan Source for Development plug-in for Visual Studio
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.0.1 | 9.0.1.1 | 9.0.1.2 | 9.0.1.3 | ··> |
|-----------------|---|-------|---------|---------|---------|-----|
| Desktop | AppScan Source Command Line Client | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Analysis | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Automation Client | (3) | (3) | (3) | (3) | 0 |



| Deployment unit | unit Component 9.0.1 9.0.1.1 9 | | | | 9.0.1.3 | > |
|-----------------|--|-----|-----|-----|---------|---|
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | (3) | (3) | (3) | 0 |
| Server | AppScan Source Database | (3) | (3) | (3) | (3) | • |
| | AppScan Source for Automation Server | (3) | (3) | (3) | (3) | • |

Rational Application Developer for WebSphere Software 9.1

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- 😢 AppScan Source for Development plug-in for Visual Studio
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.1 | 9.1.0.1 | •• > |
|-----------------|---|-----|---------|----------------|
| Desktop | AppScan Source Command Line Client | (3) | (3) | 0 |
| | AppScan Source for Analysis | (3) | (3) | 0 |
| | AppScan Source for Automation Client | (3) | (3) | 0 |



| Deployment unit | Component | 9.1 | 9.1.0.1 | > |
|-----------------|---|-----|---------|---|
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | (3) | 0 |
| Server | AppScan Source Database | (3) | (3) | 0 |
| | AppScan Source for Automation Server | (3) | (3) | 0 |

Rational Application Developer for WebSphere Software 9.1.1

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- 😢 AppScan Source for Development plug-in for Visual Studio
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.1.1 | 9.1.1.1 | 9.1.1.2 | 9.1.1.3 | 9.1.1.4 | ··> |
|-----------------|---|-------------|-------------|-------------|-------------|-------------|-----|
| Desktop | AppScan Source Command Line Client | (1) | • |
| | AppScan Source for Analysis | (1) | (1) | (1) | (1) | (1) | 0 |
| | AppScan Source for Automation Client | (1) | • |



| Deployment unit | Component | 9.1.1 | 9.1.1.1 | 9.1.1.2 | 9.1.1.3 | 9.1.1.4 | > |
|-----------------|--|-------------|---------|---------|-------------|---------|---|
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | (1) | (1) | (1) | (1) | 0 |
| Server | AppScan Source Database | (1) | (1) | (1) | (1) | (1) | 0 |
| | AppScan Source for Automation Server | (1) | (1) | (1) | (1) | (1) | 0 |

Rational Application Developer for WebSphere Software 9.7

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- 😢 AppScan
- 😵 AppScan Source for Development plug-in for Eclipse
- 😢 AppScan Source for Development plug-in for Visual Studio
- 😢 IBM MobileFirst Platform Application Scanning

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.7 | 9.7.0.1 | > |
|-----------------|---|-------------|-------------|---|
| Desktop | AppScan Source Command Line Client | (1) | (1) | 0 |
| | AppScan Source for Analysis | (1) | (1) | • |
| | AppScan Source for Automation Client | (1) | (1) | 0 |



| Deployment unit | Component | 9.7 | 9.7.0.1 | > |
|-----------------|---|-----|---------|---|
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | (1) | 0 |
| Server | AppScan Source Database | (1) | (1) | 0 |
| | AppScan Source for Automation Server | (1) | (1) | 0 |

Development Tools Notes

- IBM Security AppScan Source for Development plug-in for Eclipse can be applied to Rational Application Developer for Websphere Software. - Java/JSP projects and workspaces (containing Java/JSP projects) from Rational Application Developer for Websphere Software are supported in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source Command Line Client. - IBM Security AppScan Source for Development supports scanning Java (including Android), JavaServer Pages (JSP), and IBM Worklight/MobileFirst Platform projects in supported Eclipse version workspaces. - Worklight/MobileFirst Platform project scan support includes: Native client-side Android and iOS source code, in addition to most user-written JavaScript client-side code. - Worklight/MobileFirst Platform project scan support does not include: Server-side JavaScript code such as Worklight/MobileFirst Platform Adapter code.
- 2. IBM Eclipse SDK 3.8 is also supported. IBM Security AppScan Source for Development plug-in for Eclipse can be applied to the IBM Eclipse SDK. Java/JSP projects and workspaces (containing Java/JSP projects) from IBM Eclipse SDK are supported in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source Command Line Client. IBM Security AppScan Source for Development supports scanning Java (including Android), JavaServer Pages (JSP), and IBM Worklight/MobileFirst Platform projects in supported Eclipse version workspaces. Worklight/MobileFirst Platform project scan support includes: Native client-side Android and iOS source code, in addition to most user-written JavaScript client-side code. Worklight/MobileFirst Platform project scan support does not include: Server-side JavaScript code such as Worklight/MobileFirst Platform Adapter code.
- 3. IBM Security AppScan Source for Development plug-in for Eclipse can be applied to Rational Application Developer for Websphere Software. - Java/JSP projects and workspaces (containing Java/JSP projects) from Rational Application Developer for Websphere Software are supported in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source Command Line Client. - IBM Security AppScan Source for Development supports scanning Java (including Android), JavaServer Pages (JSP), and IBM Worklight/MobileFirst Platform projects in supported Eclipse version workspaces. - Worklight/MobileFirst Platform project scan support includes: Native client-side Android and iOS source code, in addition to most user-written JavaScript client-side code. - Worklight/MobileFirst Platform project scan support does not include: Server-side JavaScript code such as Worklight/MobileFirst Platform Adapter code.
- IBM Security AppScan Source for Development plug-in for Eclipse can be applied to the IBM Eclipse SDK.
 Java/JSP projects and workspaces (containing Java/JSP projects) from IBM Eclipse SDK are supported in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source Command Line Client. IBM Security AppScan Source for Development supports scanning Java (including Android), JavaServer Pages (JSP), and IBM Worklight/MobileFirst Platform projects in supported Eclipse version workspaces. Worklight/MobileFirst Platform project scan support includes: Native client-side Android and iOS source code, in addition to most user-written JavaScript client-side code.
 Worklight/MobileFirst Platform project scan support does not include: Server-side JavaScript code such as Worklight/MobileFirst Platform Adapter code.
- 5. IBM Security AppScan Source for Development plug-in for Eclipse can be applied to the IBM Eclipse SDK.
 Java/JSP projects and workspaces (containing Java/JSP projects) from IBM Eclipse SDK are supported



in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Source Command Line Client. - IBM Security AppScan Source for Development supports scanning Java (including Android), JavaServer Pages (JSP), and IBM Worklight/MobileFirst Platform projects in supported Eclipse version workspaces. - Worklight/MobileFirst Platform project scan support includes: Native client-side Android and iOS source code, in addition to most user-written JavaScript client-side code. - Worklight/MobileFirst Platform project scan support does not include: Server-side JavaScript code such as Worklight/MobileFirst Platform Adapter code.

- 6. IBM MobileFirst Platform projects in supported Eclipse version workspaces can be scanned. Scan support includes: Native client-side Android and iOS source code, in addition to most user-written JavaScript client-side code. Scan support does not include: Server-side JavaScript code such as MobileFirst Platform Adapter code. To be able to scan Android code in your IBM MobileFirst Platform projects, you must use the Android Developer Tools (ADT) Eclipse plug-in for Android application development.
- 7. IBM Security AppScan Source for Development plug-in for Visual Studio can be applied to Microsoft Visual Studio 2012 Professional, Premium, and Ultimate and used for scanning Microsoft Visual Studio solutions and project files. Solution and project files from Microsoft Visual Studio can be scanned in IBM Security AppScan Source for Analysis, IBM Security AppScan Source for Automation, and the IBM Security AppScan Command Line Client. This version of Microsoft Visual Studio is also a supported compiler for AppScan Source. The C++ Accelerated Massive Parallelism (C++ AMP) language extension is not supported. Applications that use the Windows Driver Kit (WDK) are not supported.

Reporting and Analysis

Summary

| Supported software | Version | Supported software minimum | Product minimum | Components | Operating system restrictions? | Notes? |
|--------------------|--------------------------------|----------------------------------|--------------------|------------|--------------------------------------|--------|
| Adobe Reader | 5.0 and future fix packs | 5.0 | 9.0.3 | • • | No | (2) |
| | 6.0 and future fix packs | 6.0 | 9.0.3 | • • | No | (2) |
| | 7.0 and future fix packs | 7.0 | 9.0.3 | • • | No | (2) |
| | 8.0 and future fix packs | 8.0 | 9.0.3 | • • | No | (2) |
| | 8.1 and future fix packs | 8.1 | 9.0.3 | • • | No | (2) |
| | 8.2 and future fix packs | 8.2 | 9.0.3 | • • | No | (2) |
| | 8.5 and future fix packs | 8.5 | 9.0.3 | • • | No | (2) |
| | 9.0 and future fix packs | 9.0 | 9.0.3 | • • | No | (2) |
| | 9.1 and future fix packs | 9.1 | 9.0.3 | • • | No | (2) |



| Supported software | Version | Supported software minimum | Product minimum | Com | nponents | Operating system restrictions? | Notes? |
|-------------------------------------|------------------------------------|----------------------------------|--------------------|-----|----------|--------------------------------------|--------|
| | 9.3 and future fix packs | 9.3 | 9.0.3 | • | • | No | (2) |
| | X and future fix packs | Х | 9.0.3 | • | • | No | (2) |
| | XI and future fix packs | XI | 9.0.3 | • | • | No | (2) |
| HP Quality Center | 9.2 and future fix packs | 9.2 | 9.0.3 | • | • | No | (3) |
| | 10.0 and future fix packs | 10.0 | 9.0.3 | • | • | No | (3) |
| | 11.0 and future fix packs | 11.0 | 9.0.3 | • | • | No | (1) |
| Microsoft Team Foundation Server | 2008 and future fix packs | 2008 | 9.0.3 | • | • | No | (3) |
| | 2010 and future fix packs | 2010 | 9.0.3 | • | • | No | (3) |
| Rational ClearQuest | 7.1.1 | 7.1.1 | 9.0.3 | • | • | No | (3) |
| | 7.1.2 | 7.1.2 | 9.0.3 | • | • | No | (3) |
| | 8.0 | 8.0 | 9.0.3 | • | • | No | (3) |
| | 8.0.1 | 8.0.1 | 9.0.3 | • | • | No | (3) |



| Supported software | Version | Supported software minimum | Product minimum | Components | Operating system restrictions? | Notes? |
|-----------------------|---------|----------------------------------|--------------------|------------|--------------------------------------|--------|
| Rational Team Concert | 4.0 | 4.0 | 9.0.3 | • • | No | (3) |
| | 4.0.1 | 4.0.1 | 9.0.3 | • • | No | (3) |
| | 4.0.2 | 4.0.2 | 9.0.3 | • • | No | (3) |
| | 4.0.3 | 4.0.3 | 9.0.3 | • • | No | (3) |
| | 4.0.4 | 4.0.4 | 9.0.3 | • • | No | (3) |
| | 4.0.5 | 4.0.5 | 9.0.3 | • • | No | (3) |
| | 4.0.6 | 4.0.6 | 9.0.3 | • • | No | (3) |
| | 4.0.7 | 4.0.7 | 9.0.3 | • • | No | (3) |

Adobe Reader 5.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 5.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | • |



| Deployment unit | Component | 5.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader 6.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 6.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | • |



| Deployment unit | Component | 6.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader 7.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | 0 |



| Deployment unit | Component | 7.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | • |

Adobe Reader 8.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | 0 |



| Deployment unit | Component | 8.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader 8.1 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.1 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | 0 |



| Deployment unit | Component | 8.1 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader 8.2 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.2 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | 0 |



| Deployment unit | Component | 8.2 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader 8.5 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 8.5 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | • |
| | AppScan Source for Analysis | (2) | 8 | • |



| Deployment unit | Component | 8.5 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader 9.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | 0 |



| Deployment unit | Component | 9.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader 9.1 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.1 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | • |



| Deployment unit | Component | 9.1 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader 9.3 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.3 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | 0 |



| Deployment unit | Component | 9.3 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader X and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | Х | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | 0 |
| | AppScan Source for Analysis | (2) | 8 | 0 |



| Deployment unit | Component | X | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

Adobe Reader XI and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | XI | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (2) | 8 | • |
| | AppScan Source for Analysis | (2) | 8 | • |



| Deployment unit | Component | XI | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (2) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (2) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (2) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (2) | 8 | 0 |
| Server | AppScan Source Database | (2) | 8 | 0 |
| | AppScan Source for Automation Server | (2) | 8 | 0 |

HP Quality Center 9.2 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 9.2 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|-----|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (3) | 8 | 0 |
| | AppScan Source for Analysis | (3) | 8 | 0 |



| Deployment unit | Component | 9.2 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-----|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (3) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | 8 | 0 |
| Server | AppScan Source Database | (3) | 8 | 0 |
| | AppScan Source for Automation Server | (3) | 8 | 0 |

HP Quality Center 10.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 10.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (3) | 8 | 0 |
| | AppScan Source for Analysis | (3) | 8 | 0 |



| Deployment unit | Component | 10.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 8 | • |
| | AppScan Source for Development plug-in for Visual Studio | (3) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | 8 | 0 |
| Server | AppScan Source Database | (3) | 8 | 0 |
| | AppScan Source for Automation Server | (3) | 8 | 0 |

HP Quality Center 11.0 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 11.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (1) | 8 | 0 |
| | AppScan Source for Analysis | (1) | 8 | • |



| Deployment unit | Component | 11.0 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|-------------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (1) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (1) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (1) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (1) | 8 | 0 |
| Server | AppScan Source Database | (1) | 8 | 0 |
| | AppScan Source for Automation Server | (1) | 8 | 0 |

Microsoft Team Foundation Server 2008 and Future Fix Packs

Legend: 🔮 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2008 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (3) | 8 | 0 |
| | AppScan Source for Analysis | (3) | 8 | 0 |



| Deployment unit | Component | 2008 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (3) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | 8 | 0 |
| Server | AppScan Source Database | (3) | 8 | 0 |
| | AppScan Source for Automation Server | (3) | 8 | 0 |

Microsoft Team Foundation Server 2010 and Future Fix Packs

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 2010 | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------------------|------|---------------------------------|---------------------|
| Desktop | AppScan Source Command Line Client | (3) | 8 | 0 |
| | AppScan Source for Analysis | (3) | 8 | 0 |



| Deployment unit | Component | 2010 | Future Versions, Releases | Future Fix Packs |
|-----------------|---|------|---------------------------------|---------------------|
| | AppScan Source for Automation Client | (3) | 8 | • |
| | AppScan Source for Development plug-in for Eclipse | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 8 | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (3) | 8 | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | 8 | 0 |
| Server | AppScan Source Database | (3) | 8 | 0 |
| | AppScan Source for Automation Server | (3) | 8 | 0 |

Rational ClearQuest 7.1.1

Legend: 📀 Supported 😣 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 7.1.1 | 7.1.1.1 | 7.1.1.2 | 7.1.1.3 | 7.1.1.4 | 7.1.1.5 | 7.1.1.6 | 7.1.1.7 | 7.1.1.8 | 7.1.1.9 | > |
|-----------------|--|-------------|---------|-------------|---------|-------------|---------|-------------|-------------|---------|---------|---|
| Desktop | AppScan Source Command Line Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | AppScan Source for Analysis | (3) | (3) | (3) | (3) | 0 |



| Deployment unit | Component | 7.1.1 | 7.1.1.1 | 7.1.1.2 | 7.1.1.3 | 7.1.1.4 | 7.1.1.5 | 7.1.1.6 | 7.1.1.7 | 7.1.1.8 | 7.1.1.9 | > |
|-----------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| | AppScan Source for Automation Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Development plug-in for Eclipse | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| Server | AppScan Source Database | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Automation Server | (3) | 0 |

Rational ClearQuest 7.1.2

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deploymer unit | Componer | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1.: | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | > |
|-------------------|--|-------------|------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Command Line Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | AppScan Source | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |



| Deploymer unit | Componer | 7.1. | 7.1. | 7.1. | 7.1.2 | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | > |
|-------------------|--|-------------|------|-------------|-------|------|-------------|-------------|------|------|------|-------------|-------------|------|------|-------------|-------------|------|------|------|---|
| | for Analysis | | | | | | | | | | | | | | | | | | | | |
| | AppScan Source for Automation Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developme plug-in for Eclipse | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developme plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developme plug-in for Visual Studio | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | IBM MobileFirst Platform Application Scanning | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| Server | AppScan Source Database | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ø | ø | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |



| Deploymer unit | Componer | 7.1. | 7.1. | 7.1. | 7.1.2 | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1.: | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1. | 7.1.: | > |
|-------------------|-----------------------------|------|------|------|-------|------|------|------|------|------|-------|------|------|------|------|------|------|------|------|-------|---|
| | for Automation Server | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | |

Rational ClearQuest 8.0

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployme unit | Compone | 8.0 | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | > |
|------------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Command Line Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source | (3) | (3) | (3) | 3 | 3 | (3) | 0 |



| Deployme unit | Compone | 8.0 | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | > |
|------------------|--|-----|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------|------|-------------|-------------|-------------|---|
| | for Analysis | | | | | | | | | | | | | | | | | | | | | | |
| | AppScan Source for Automatio Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developm plug- in for Eclipse | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developm plug-in for IBM Rational Application Developer for WebSpher Software (RAD) | | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | AppScan Source for Developm plug- in for Visual Studio | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | IBM MobileFirs Platform Application Scanning | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| Server | AppScan Source Database | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |



| Deployme Co unit | ompone | 8.0 | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | > |
|---------------------|--------|-----|-------------|-------------|-------------|------|-------------|------|-------------|------|------|-------------|-------------|------|-------------|-------------|------|-------------|-------------|-------------|------|------|---|
| So for Au | ource | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |

Rational ClearQuest 8.0.1

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployme unit | Compone | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | > |
|------------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------|------|------|------|------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|
| Desktop | AppScan Source Commanc Line Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source | (3) | | (3) | | | | | | (3) | 0 |



| Deployme unit | Compone | 8.0 | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0 | 8.0. | 8.0 | 8.0 | 8.0. | 8.0 | 8.0. | > |
|------------------|--|-----|------|------|------|------|-------------|------|------|------|------|------|------|------|------|------|-------------|-------------|-------------|-------------|------|-------------|------|---|
| | for Analysis | | | | | | | | | | | | | | | | | | | | | | | |
| | AppScan Source for Automatic Client | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developm plug- in for Eclipse | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developm plug-in for IBM Rational Applicatio Developer for WebSphe Software (RAD) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |
| | AppScan Source for Developm plug- in for Visual Studio | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| | IBM MobileFirs Platform Applicatio Scanning | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | • |
| Server | AppScan Source Database | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |



| Deployme Compone unit | 8.0 | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0 | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0. | 8.0 | > |
|---|-----|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|------|------|------|------|-----|---|
| AppScan Source for Automatic Server | (3) | (3) | (3) | (3) | (3) | | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | (3) | 0 |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.0 | 4.0.0.1 | 4.0.0.2 | > |
|-----------------|---|-----|---------|---------|---|
| Desktop | AppScan Source Command Line Client | (3) | (3) | (3) | • |
| | AppScan Source for Analysis | (3) | (3) | (3) | • |
| | AppScan Source for Automation Client | (3) | (3) | (3) | • |



| Deployment unit | Component | 4.0 | 4.0.0.1 | 4.0.0.2 | > |
|-----------------|---|-----|---------|---------|---|
| | AppScan Source for Development plug-in for Eclipse | (3) | (3) | (3) | 0 |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | (3) | (3) | • |
| | AppScan Source for Development plug-in for Visual Studio | (3) | (3) | (3) | • |
| | IBM MobileFirst Platform Application Scanning | (3) | (3) | (3) | 0 |
| Server | AppScan Source Database | (3) | (3) | (3) | 0 |
| | AppScan Source for Automation Server | (3) | (3) | (3) | 0 |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.0.1 | > |
|-----------------|--------------------------------------|-------|---|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 4.0.1 | > |
|-----------------|---|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (3) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (3) | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | 0 |
| Server | AppScan Source Database | (3) | 0 |
| | AppScan Source for Automation Server | (3) | 0 |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.0.2 | > |
|-----------------|--------------------------------------|-------|---|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 4.0.2 | > |
|-----------------|---|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (3) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | 0 |
| | AppScan Source for Development plug-in for Visual Studio | (3) | • |
| | IBM MobileFirst Platform Application Scanning | (3) | 0 |
| Server | AppScan Source Database | (3) | 0 |
| | AppScan Source for Automation Server | (3) | • |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.0.3 | > |
|-----------------|--------------------------------------|-------|---|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 4.0.3 | > |
|-----------------|---|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (3) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | ⊘ |
| | AppScan Source for Development plug-in for Visual Studio | (3) | • |
| | IBM MobileFirst Platform Application Scanning | (3) | • |
| Server | AppScan Source Database | (3) | • |
| | AppScan Source for Automation Server | (3) | • |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.0.4 | > |
|-----------------|--------------------------------------|-------|---|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 4.0.4 | > |
|-----------------|---|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (3) | • |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | • |
| | AppScan Source for Development plug-in for Visual Studio | (3) | • |
| | IBM MobileFirst Platform Application Scanning | (3) | • |
| Server | AppScan Source Database | (3) | • |
| | AppScan Source for Automation Server | (3) | • |

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

| Deployment unit | Component | 4.0.5 | > |
|-----------------|--------------------------------------|-------|---|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 4.0.5 | > |
|-----------------|---|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (3) | • |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | • |
| | AppScan Source for Development plug-in for Visual Studio | (3) | • |
| | IBM MobileFirst Platform Application Scanning | (3) | • |
| Server | AppScan Source Database | (3) | • |
| | AppScan Source for Automation Server | (3) | 0 |

Rational Team Concert 4.0.6

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

Product Support for the Supported Software Maintenance Levels, Current and Future --->

| Deployment unit | Component | 4.0.6 | > |
|-----------------|--------------------------------------|-------|---|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 4.0.6 | > |
|-----------------|---|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (3) | • |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | • |
| | AppScan Source for Development plug-in for Visual Studio | (3) | • |
| | IBM MobileFirst Platform Application Scanning | (3) | • |
| Server | AppScan Source Database | (3) | • |
| | AppScan Source for Automation Server | (3) | • |

Rational Team Concert 4.0.7

Legend: 📀 Supported 🛛 😢 Not supported

Components

Desktop

- AppScan Source Command Line Client
- AppScan Source for Analysis
- AppScan Source for Automation Client
- AppScan Source for Development plug-in for Eclipse
- AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD)
- AppScan Source for Development plug-in for Visual Studio
- IBM MobileFirst Platform Application Scanning
- 😢 AppScan

Server

- 📀 AppScan Source Database
- AppScan Source for Automation Server
- 😢 Enterprise Server

Product Support for the Supported Software Maintenance Levels, Current and Future --->

| Deployment unit | Component | 4.0.7 | > |
|-----------------|--------------------------------------|-------|---|
| Desktop | AppScan Source Command Line Client | (3) | 0 |
| | AppScan Source for Analysis | (3) | 0 |
| | AppScan Source for Automation Client | (3) | • |



| Deployment unit | Component | 4.0.7 | > |
|-----------------|---|-------|---|
| | AppScan Source for Development plug-in for Eclipse | (3) | 0 |
| | AppScan Source for Development plug- in for IBM Rational Application Developer for WebSphere Software (RAD) | (3) | ⊘ |
| | AppScan Source for Development plug-in for Visual Studio | (3) | 0 |
| | IBM MobileFirst Platform Application Scanning | (3) | 0 |
| Server | AppScan Source Database | (3) | 0 |
| | AppScan Source for Automation Server | (3) | 0 |

Reporting and Analysis Notes

- 1. HP Quality Center 11.0 is supported up to Fix Pack 5 (Version 11.5). Defect Tracking System
- 2. Required for exporting and saving reports in PDF format.
- 3. Defect Tracking System

Hardware

IBM Security AppScan Source 9.0.3.12 requires the following hardware organized by operating system family.

Operating System Families

Windows

Windows

| Hardware | Components | Requirement | Applicable operating systems |
|------------|---|---|---|
| Disk Space | Desktop AppScan Source Command Line Client AppScan Source for Analysis AppScan Source for Automation Client AppScan Source for Development plug-in for Eclipse AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere | Approximately 3 GB of available hard disk space, with 4 GB required for installation. Additional disk space may be required when scanning large applications. This includes additional space that may be required to accommodate files that are written to your AppScan Source data directory. To clear space in your AppScan Source data directory, locate its logs\ subdirectory and delete scanner_exceptions.log and scanner_exceptions.en.log (new versions of these files will be created again the next time you scan). If needed, you can also change your AppScan Source data directory by following the instructions in the 'Changing the AppScan Source data directory' topic in the product help or installation guide (see http://www.ibm.com/support/ docview.wss?uid=swg21619340 to learn about AppScan Source documentation). Large applications that require long scan times can overflow your disk. If you receive an error message regarding storage or disk space, you may need to scan parts of your application separately or alter your scan configuration. Sample error message: Skipping project <project_name> due to error: Thread creation failure (<os_error_message -="" example:<br="" for="">Not enough storage is available to process this command.>). Note: When the scan completes, original hard disk space will be returned. Before scanning this project again, you will need to allocate more space or change the configuration of your scan.</os_error_message></project_name> | All supported Windows operating systems |



| Hardware | Components | Requirement | Applicable operating systems |
|------------------------------|---|-------------------------|---|
| | Software (RAD) | | |
| | AppScan Source for Development plug-in for Visual Studio | | |
| | IBM MobileFirst Platform Application Scanning | | |
| | Server AppScan Source Database | | |
| | AppScan Source for Automation Server | | |
| Media (CD, DVD) Drives | Desktop • AppScan Source Command Line Client | CD-ROM or DVD-ROM drive | All supported Windows operating systems |
| | AppScan Source for Analysis | | |
| | AppScan Source for Automation Client | | |
| | AppScan Source for Development plug-in for Eclipse | | |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for | | |



| Hardware | Components | Requirement | Applicable operating systems |
|----------|---|---|---|
| | WebSphere Software (RAD) AppScan Source for Development plug-in for Visual Studio IBM MobileFirst Platform Application Scanning Server AppScan Source Database AppScan Source for Automation Server | | |
| Memory | Desktop AppScan Source Command Line Client AppScan Source for Analysis AppScan Source for Automation Client AppScan Source for Development plug-in for Eclipse AppScan Source for Development plug-in for IBM Rational Application | 2 GB of RAM (minimum), 8GB of RAM or more recommended | All supported Windows operating systems |



| Hardware | Components | Requirement | Applicable operating systems |
|--|--|---|---|
| | Developer for WebSphere Software (RAD) | | |
| | AppScan Source for Development plug-in for Visual Studio | | |
| | IBM MobileFirst Platform Application Scanning | | |
| | Server • AppScan Source Database | | |
| | AppScan Source for Automation Server | | |
| Network: adapters, drivers, protocols | Desktop AppScan Source for Development plug-in for Eclipse | If running in server mode, network connectivity to Security AppScan Enterprise Server. If using floating licenses, network connectivity to Rational License Key Server. | All supported Windows operating systems |
| | AppScan Source for Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | | |
| | AppScan Source for Development plug-in for Visual Studio | | |
| | IBM MobileFirst | | |



| Hardware | Components | Requirement | Applicable operating systems |
|-----------|--|--|---|
| | Platform Application Scanning | | |
| | Desktop AppScan Source Command Line Client | Network connectivity to Security AppScan Enterprise Server. If using floating licenses, network connectivity to Rational License Key Server. | All supported Windows operating systems |
| | AppScan Source for Analysis | | |
| | AppScan Source for Automation Client | | |
| | Server • AppScan Source Database | | |
| | AppScan Source for Automation Server | | |
| Processor | Desktop AppScan Source Command Line Client | 2 CPU | All supported Windows operating systems |
| | AppScan Source for Analysis | | |
| | AppScan Source for Automation Client | | |
| | AppScan Source for Development plug-in for Eclipse | | |
| | AppScan Source for | | |



| Hardware | Components | Requirement | Applicable operating systems |
|----------|--|-------------|------------------------------|
| | Development plug-in for IBM Rational Application Developer for WebSphere Software (RAD) | | |
| | AppScan Source for Development plug-in for Visual Studio | | |
| | IBM MobileFirst Platform Application Scanning | | |
| | Server • AppScan Source Database | | |
| | AppScan Source for Automation Server | | |



Glossary

| Bitness | Compatibility of the product with the bit version support that is provided by an operating system. Different parts of a product might run on the same operating system but support different application bitness. For example, one part of the product might run only in 32-bit mode, whereas another might support 64-bit tolerate mode. |
|-----------------|---|
| | 31: The product or part of the product runs as a 31-bit application in a 31-bit operating environment. |
| | 32: The product or part of the product runs as a 32-bit application in a 32-bit operating environment. |
| | 64-tolerate: The product or part of the product runs as a 32-bit application in a 64-bit operating environment. |
| | 64-exploit: The product or part of the product runs natively as a 64-bit application in a 64-bit operating environment. |
| Co-packaged | Additional products that are included in the product package. |
| Co-installed | Additional products that are included in the product package and installed when the product is installed. |
| Deployment unit | Deployment Structure identifies pieces of a product that can be independently deployed onto one or more machines in a distributed infrastructure. |
| | The top level of the deployment structure consists of one or more deployment units. There are four possible deployment units that a product might support: Desktop, Server, Agent or client, Mobile. |
| | Deployment units may be further divided into deployable components |
| | Desktop deployment unit: Part of the deployment structure intended for use by a single user, typically installed on the user desktops. Examples of desktop deployment units include development tools, administrative tools, stand-alone business applications. |
| | Server deployment unit: Part of the deployment structure that can provide services to multiple clients, providing the server in a client-server architecture. Examples of server deployment units include application servers, management servers, database servers and server-based business applications. |
| | Agent or client deployment unit: Part of the deployment structure that allows remote connection between software. Examples of agent of client deployment |
| | |

| | units include agents in management system that are installed in the same tier as the managed resources, a remote application, or database clients that are installed with the software accessing the remote services. |
|---|---|
| | Mobile deployment unit: Part of the deployment structure intended for use by a single user, typically installed on a mobile device. An example of a mobile deployment unit is a mobile application. |
| Hypervisor | A virtual machine in which a product can run on a guest operating system. |
| Limited operating system support | By default, the supported guest operating systems for a product and a hypervisor are the operating systems that are supported by both the product and the hypervisor. If a product restricts support to a subset of these operating systems, this restriction will be indicated by specifying that there is Limited Operating System Support. |
| Operating system minimum | The minimum operating system maintenance level that is required to run on the product. |
| Prerequisite minimum | The minimum maintenance level that is required for the prerequisite to work with the product. |
| Product minimum | The minimum maintenance level that is required for the product to run on the operating system, on an hypervisor, or work with a prerequisite product or supported software. |
| Supported software minimum | The minimum maintenance level that is required for the supported software to work with the product. |
| Long Term Support Release | A Long Term Support Release is a recommended product level for which support, including defect and security updates, will be provided over a specified period of time. |
| Continuous Delivery Product | A Continuous Delivery Product delivers new function to clients more frequently. |
| Continuous Delivery Product - Long Term Support Release | A Continuous Delivery Product delivers new function to clients more frequently. Since frequent releases may not be suitable for all client environments, Long Term Support Releases provide a package that will be supported for a longer period of time. |

Disclaimers

This report is subject to the Terms of Use (<u>https://www.ibm.com/legal/us/en/</u>) and the following disclaimers:

The information contained in this report is provided for informational purposes only. While efforts were made to verify the completeness and accuracy of the information contained in this publication, it is provided AS IS without warranty of any kind, express or implied, including but not limited to the implied warranties of merchantability, non-infringement, and fitness for a particular purpose. In addition, this information is based on IBM's current product plans and strategy, which are subject to change by IBM without notice. IBM shall not be responsible for any direct, incidental, consequential, special or other damages arising out of the use of, or otherwise related to, this report or any other materials. Nothing contained in this publication is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software.

References in this report to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and/or capabilities referenced in this presentation may change at any time at IBM's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. The underlying database used to support these reports is refreshed on a weekly basis. Discrepancies found between reports generated using this web tool and other IBM documentation sources may or may not be attributed to different publish and refresh cycles for this tool and other sources. Nothing contained in this report is intended to, nor shall have the effect of, stating or implying that any activities undertaken by you will result in any specific sales, revenue growth, savings or other results. You assume sole responsibility for any results you obtain or decisions you make as a result of this report.

Notwithstanding the Terms of Use (<u>https://www.ibm.com/legal/us/en/</u>), users of this site are permitted to copy and save the reports generated from this tool for such users own internal business purpose. No other use shall be permitted.